









tstron, Can

METEOROLOGICAL SERVICE, DOMINION OF CANADA.

Monthly Werther Review.

JANUARY, 1891.

INTRODUCTION.

In compiling the present Review the principal data made use of are the telegraphic reports of observations received at this office for the purpose of weather predictions, and the reports of storms received by mail. For the material used in tracing the courses of areas of high and low pressure in the United States, we are indebted to the Chief Signal Officer, Washington, D. C.

ATMOSPHERIC PRESSURE.

The average pressure, as determined from the observations taken at telegraph reporting stations, was about normal, except in the Northwest Territories, where it was rather more than a tenth of an inch below normal.

January was chiefly noticeable for the exceptionally mild weather which prevailed in the Western Territories for the greater portion of the month, more especially in Alberta and Assiniboia; also for a heavy gale which occurred on the 12th over the Maritime Provinces, accompanied by remarkably high tides.

An important and extensive cyclone covered the Middle States, and extended over the whole Lake District at the commencement of the month. It moved in a northeasterly direction and caused a general fall of rain turning to snow in Ontario and the Maritime Provinces, and a general snowfall over Quebec. It was accompanied by high winds throughout the Lake District and Eastern Canada.

On the 3rd a general fall in temperature and clearing anti-cyclonic weather spread over the whole country from the Lakes to the Atlantic.

A cyclone, which first appeared off Cape Hatteras on the 4th, moved up the coast with increasing energy, and caused a fresh gale and snowfall during the 5th and 6th in the Maritime Provinces, and a light snowfall in the St. Lawrence Valley. It dispersd over Eastern Canada on the 7th, and anti-cyclonic conditions and fine weather, which had continued elsewhere, now extended over the east, and a period of fine cold weather was experienced everywhere till the 11th.

In the Western Territories the pressure changes were unimportant, moderate cyclones and anti-cyclones quickly alternating. Light snow fell in Alberta and Assiniboia on the 16th and 17th, and in Manitoba on the latter day. Although there were a few nights on which the temperature was low, it was as a rule exceptionally high throughout the Territories, with generally fair weather until the 12th.

During the 11th a general decrease in pressure took place over the Lakes and Mississippi Valley, and an important depression formed over the Middle States, which moving northeastward soon became an important storm. There was a moderate fall of snow over Southern Ontario, and a more general and heavy fall of snow in Quebec and rain in the Maritime Provinces.

A strong gale from easterly shifting to westerly was experienced throughout Eastern Canada, and exceptionally high tides along the coast were reported.

A short period of fair, colder weather followed over the Lakes and the cast.

During the 12th an important cyclone appeared over the Western Territories, accompanied by high temperatures, light local falls of snow or rain and a fresh gale from the S. vecring to S.W.; from thence it took a S.E. course and was over the Lakes on the 13th, causing a general but light fall of snow; from the Lakes it passed castward and dispersed, a light fall of snow being general in Eastern Canada.

On the 15th an anti-cyclonic period set in with N.E. and N.W. winds, and there was a general fall in temperature throughout Ontario and Quebec, which was soon after felt in the Maritime Provinces. Fair, cold weather and high-pressure continued till the 18th, when a slight depression over the Lakes caused a rise in temperature and light snow.



The outer limits of a cyclone, central off the Nova Scotian coast, also caused a heavy fall of rain and higher temperatures in Nova Scotia and some snow in New Brunswick. A recovery in pressure followed, with moderate temperatures everywhere till the 20th.

Colder and anti-cyclonic weather spread over the Western Territories on the 14th, and there was a light snowfall over the southern portion. A cyclone caused light snow in Manitoba on the 16th, but did not otherwise affect the Territories. A marked rise of temperature followed on the 17th, temperatures between 40° and 50° being recorded in Alberta and Assiniboia. The change, however, was less marked in Manitoba. On the 19th mild weather extended over the whole Territories and continued till the 21st.

On the 20th a slight depression, which passed over the Western Territories, developed when over the Lakes, and on the 21st another cyclone appeared over the Lower Mississippi Valley, a trough of low pressure then extending from the Lakes to the Gulf of Mexico; rain fell in the western portion of Ontario and light snow in Western Quebec. Next day the two cyclones coalesced, the centre in the morning being over Pennsylvania. A marked development then took place, strong winds and moderate gales and light snow prevailed over the Lakes and a general S.E. to S.W. gale, with rain, was general throughout Eastern Canada. The cyclone moved quickly N.E. across the country to Labrador, where it was centered on the 23rd, on which day fairer weather set in everywhere and continued till the 25th, when a cyclone, which first appeared over the Gulf of Mexico on the 23rd and had taken a N.E. course, was over the Maritime Provinces, where it caused a fresh N.E. to N.W. gale and a snow storm.

A small depression over the Lakes gave a moderate fall of snow on the 25th in Ontario, and then dispersed. Another slight depression, over this district, also caused a light fall of snow on the 27th; and another off the Nova Scotian Coast gave light snow in the Maritime Provinces on the same day; elsewhere the weather was generally fair.

A cyclone from the S. W. States covered the Lake District on the 29th, causing a rise of temperature and a general rainfall in Ontario, which conditions were soon transferred to Quebec and the Maritime Provinces. Fair weather for a short time followed, but on the 31st rain again set in over the Lake District, owing to the approach of a cyclone from the west.

Somewhat lower but moderate temperatures continued after the 20th in the Western Territories, more especially in Alberta and Assiniboia, with generally fair weather and no marked change in pressure till the 30th, when a well defined cyclone crossed the territories, giving light snow in most places. This was followed by an important anti-cyclone from the north, which brought a change to decidedly cold weather throughout this part of the country, and was accompanied by light snow in Alberta and Assiniboia.

TEMPERATURE.

The average temperature, as determined from the observations taken at telegraph reporting stations, was everywhere above the normal of seventeen years. In the older Provinces the greatest excess was 5°8 at Charlottetown, P.E.I., but in Winnipeg it was 14°4, and in the Northwest it was more than 20° at several stations.

The highest and lowest temperatures in each Province during January were: British Columbia, 57° to on 19th at Maple Grove; — 10° to on 31st at Barkerville. Northwest Territories, 56° to on 20th at Calgary; — 34° to on 15th at Prince Albert. Manitoba, 45° to on 19th at Hillview and Fort Ellice; — 32° to on 15th at Oak Bank and Posen. Ontario, 53° to on 1st at Stoney Creek; — 44° to on 16th at White River. Quebec, 45° to on 2nd at Huntingdon and Brome; — 43° to on 14th at Chicoutimi. New Brunswick, 48° to on 12th at Fredericton; — 21° to on 17th at Dalhousie. Nova Scotia, 54° to on 12th at Yarmouth; — 13° to on 27th at Truro. Prince Edward Island, 48° to on 18th at Georgetown; — 16° to on 17th at Kilmahumaig.

Thunder and lightning recorded on the 20th at several stations in Southwestern and Central Ontario.

PRESSURE, TEMPERATURE, WIND AND PRECIPITATION AT STATIONS IN THE DOMINION OF CANADA, JANUARY, 1891.

	No. of Fogs.	#2000c;			101-040 :	30 0 :3000	:000000000:000
smrc	Xo. of Thundersto				9000	202 222	
	Synch fair for ox	88:428:	: : : : : : : : : : : : : : : : : : :	89 : 98 8 8 B	185255 185255	885 : \$299 - 385 : \$299	: 1225 9 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
lox.	- synb lo .oX	1 0EF1 40 11	្រះ :ច្រួយ :មា : : [: :សយ្យល់ស្ភ	25 : 25 : 25 : 25 : 25 : 25 : 25 : 25 :	:ELZaL	1134 11-236	25.55.55.55.55.55.55.55.55.55.55.55.55.5
Precipitation	Diff. from aver-			0.00 16 0.00 1	0.00	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
PRECI	Атопит.	ia. 1-26 0-06 0-36 0-61	84822888 202200	5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	6 1 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	1.15 1.15 1.20 1.20 1.20 1.20 1.20	
WIND.	-verib bus etsel . noit	12 W 10 VW 17 SW 17 SW 15 SW	W S 71 W S 41 W S 41	26 NE 26 NE 7 NE 7 NE	N S S S S S S S S S S S S S S S S S S S	W.X.22 W.X.42	12 M 2 N 2 N 2 N 2 N N 30 N W
VELOCITY OF	Highest days velocity.	15.5 15.5 15.5 15.5 15.5 15.5 15.5 15.5	15.3	16.5 26.7 6-1 17	VIII III	2 2	10.0 20.7 20.7 27.0 27.0
VELOC	Mean, miles per hour.			13.0 2.5 II			0.1
	Total number	88888	7 6 7 8 E	32 S S S	E888	288 288	232 88
× ×	.5	61769177	F - 7 € 1	200 171	20.00	E #18 18 = 8	1-40 5
FRO	X. W.	a srift x 전혀	22762	20 27 2	282	12	2 ** 2 2 2
WIND	11.	57955	25.15	16 16 15 15 15 15 15 15 15 15 15 15 15 15 15		31 ± 5	222 5×
0.5	S. W.	97585 X	4.000	10 000 TE DET	10 A 4 B 1	1	
TION	8' E'	e-e-n-	7010	0 7 2 2 1 1 0 0 1 1 0 0 1 1 1 0 0 1 1 1 0 0 1	1207	:: ::==::====	
DIRECTION OF WIND FROM	13			77 77 7	m \$1 % 12	2-0 0.55	725 27
	'M 'N	** <u>*</u> =nn;	n = n	2014 2000	∞ :1 - . .	ិត១ ខែភភ	φnc m1-
	N.	=-n9 <u>: :</u>		:: 9 - : :	FT 스타이	350 695	200 000
glata	Monoszab to ok Johnota	ညး၊+ ဘက	:1 4	1-51 Car	721-	1 1 1 1 1 1 1 1 1 1	198 92
pnot	Mean amount of c	0.0	f.0	0.0		9.0	0000 201-
-imn	Mean relative H						
to 9	. Меан тетрегатиге .tniogwab						
	Createst daily	38.6	50 - 1 61 - 1 54 - 0	27.18 27.18 33.75 57.10	2 2 3 C	8.95	
	Mean daily range.	° 88	7 2 2 3 7 3 3 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	6.65 E	25.4		
	Date.	58888		22 :E	2525 2525 3525 3525 3525 3525 3525 3525	94255555 u	
AIR.		Χφφος: :			; ; ; ; ; ; ;	9999999	
go B	Lowest.	a 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	98 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	88488		
RATUR	Date	<u>តួខគ្គិ</u>	S 7 2 2 2 5	กล ลอออ	882225	18548845	8585850 888
TEMPRATURE OF	.tsədgiH	x 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	6 54 0 6 5 1 0 6 5 1 0 6 5 1 0 7 3 16 0 7 4 5 0	8 37 · 9 17 · 33 · 5 5 · 45 · 0 13 · 31 · 7 40 · 0 5 · 44 · 5	4 12 2 2 3 4 4 5 4 5 4 5 4 5 4 5 4 5 4 5 4 5 4 5	0.0010 1044 0.00000101000 0.00000000000000	111 23
	. 1749s observt.	7:07:19:		21 14 15 15 15 15 15 15 15 15 15 15 15 15 15	12.2 16.0 16.0 21.6		800 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	Piff, from aver-	: · · · · · · · · · · · · · · · ·	26.5 23.2 22.7 + 28.2 4 9 9 7 16.5 11.4 7 16.5			- 9 + 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	:axxxx-v
	Укан.			:			
HES.	.fsəwo.l			55 1-19 41 1-20 32 1-26			: : :- : : : : :
17.	120.00	10. 29.57 129.45 129.45 129.41	\$ 19 I I	200.41		5.5	1
E IN	.48-mgiH	in. in. 30-70-29-55 30-84-29-48 30-75-29-61 30-67-29-41		#G K		36.8	8.72
Pressure in inches.	изары пвоК	in.	30 07 30 75 20 49	30-08 20-05 20-41 30-11 30-7) 20-41 30-01 30-78 20-32		30.15 30.84	20 - 10 - 20 - 20 - 20 - 20 - 20 - 20 -
PE	Mean nethal.						9 3
		Sexution (c) Medicine Hat. Edmonton Pheasant Fork Maple Creek Swift Current Qu'Appelle Gleichen	Reginal Calculd Calculd Chaplin Prince Albert Collam Collam Collam Collam	Minnedosa, Minnipez Minnipez Pauphin 'Hillyia Mountain Steay Mountain	Tort Osborne Oak Bank Fort Ellier Posen Brandel, Armin	Vianto : 'Bada. 'Ananne 'Baccenang. North Bay 'Crotter 'North Bay 'Crotter 'Crotter 'North Bay 'Crotter 'North Bay 'Crotter 'North Bay 'N	ussandarian Part Arthur Part Somed Sougest Own a Somel Figures Durham Spring dale

PRESSURE, TEMPERATURE, WIND AND PRECIPITATION, &c. -- Condinued.

	PRESERT IN IN HES	"y" note that		TEMPERATURE OF	TURE OF AIR			1	ич	ECTION OF	DIRECTION OF WIND HIGH	7	Velorit	Vilocity of Wind		PRECRITATION	sum	1
	Mean rethined Mean rethined	Range.	Menth	Tents observe Highest	Pan Pa	Date. Mean daily range.	Grantest duity mange, Mean temperature description Mean relative fron Mean relative Mean relative Me	ytib Menn amount of el balmota balmota	E Z'E Z'	9 s	2 IL 11. 8 IL	og ponts Lord inniber	Mean, mile s per hour	s tab tealgitt ytisolay satib bun stad	тюп:	-1976 mon With	is a factor of the second of t	Zo. of Pogs.
		п. п	٥	0	5	3	9								ii.			
			26.53	C 65 C 8.1	9.98-15	16 15-1	9.58								1.63	1.56.	21 0 0	Φ
Coblementer			6.7.7.7 2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2	3.9 1437.5	21 - 18 4 22 - 20 6 33 - 30 6	25.52	38. 5 5. 5 5. 5 5. 5	6.7	0 =	19 F		40 95			3.08	# # # # # # # # # # # # # # # # # # #		= = =
	- 10	21-34 1-46	- 6 ii - 6 ii - 7 i	9.7577 TO 0		1	p.88		# = = = = = = = = = = = = = = = = = = =	1 - 0 1 0 = 1	19°	4.0		(21 e.g	NW 37-22	10.58 P. 14	0 0 51 12 0 0 14 0 0	= =
			71 7 21 23 21 23	6.24 8.44.6 3.6 18.48.6	71.75	9.21 E E			10 10 1	01 01	15 14 7.	e		(11)	NW 2:45	2 15.01 10.01	0 0 0 0 11 11	= =
			- 1 년 주 연 중 중	- 3-4 2 43-6 - 6-1 1 41-5	7. .	5.28 E 18.5 E	27.0								5.32	5 - 69-0 10-0 10-0	0 0 0 0 11 11	= =
			6.17	3-1 443-4	1	9.41 91				:					7 50 1. m	* 99.7	22 0 0 0 0	s =
			17	F. FF 8: 6.9	- 51 : 	x :	F. 0.			1		3			10.51	-0.29 13	000	= :
) 연호 함위	7.0 13 45.0	- x x	200	11.0		0.00	7	<u>- </u>	G			3.31	0.12	00 191	=
			1 - 12 95 9 21 2	5-6 13 42 0	\$ 10 m	21 ST	9.99			71		15			17-1	11.85 11	17 18 19 19 19	= =
			0 21 (1- (17)	0 0 0 0 0	2 (D) (31.8								716	0.55 13	18 0 1	٠.
	02.62 99.02 30.08			5 0 17 44 0	 	55 55 57 75 58 75	21 0 13 0 T	9 Z	Ξ. x	œ :	15 52 21	37 176	် ၈ =	731 T.X	15.1 M	Si	0 0 0 0 0 0	+ C
	St. 65 to 95 to 95 to 58	F 67 F 78 F 85	3.5	9 # 11 # 5	- 515	12 12 13 13 13 13 13 13 13 13 13 13 13 13 13	0 87	0.8	71	7 0	16 30 1	7 7		11.3 14	W 2.88	0.00.20	00	= =
			- e 5 5	2.019 6.8	1 1.0	2 11			20 13 1	5	20 18 2	S 0			2.51	-0.54 11	(주) (취)	= :
			25 to		-i-	9 11 12 12 13 13 13 13 13 13 13 13 13 13 13 13 13 1	# 5. FS	21 22 12 12 13 12 13 13 13 13 13 13 13 13 13 13 13 13 13 1							\$11 816 111	16.73	= = = = = = = = = = = = = = = = = = = =	= ::
			- 1	5.8 838.0	21 3 0		30.0	8 9.9	16, 8 2	::	9 75 1	:: s: 0			3.43	5 22 F	22 0 1	0
			: G	2 7 5 42 0	26 10.0				7	9 0	36 29 10				9::	0.48 11	F	: °
Yault Marie			1 1 2 3 3	1.0 141.7	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	= : = ::	I.Z		61 111	1 5 4	11, 25, 24	0 53			85. 	-3.50 13		0
								:				:	:		100.1			: =
			: . : x :: x	6.9 241.2	0 0 0 0 0 0 0 0 0 0 0 0 0 0	16 13 to 15	5.5 51 s	7.1	1 [1 6	71	10 24 20	1 93		VI 12	12 W 12 SE	91 09.0	1 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	-
			10 1 1 21 2	6.9 750.0	·	9 E E	27.0	9 10 :	÷	5. 21		61	Ξ	NS #1 11.8	97.5 Mx	10.15 11.11 11.11	1 = 2 = 2 = 2 = 2 = 2 = 2 = 2 = 2 = 2 =	cc
			- e - e - 2	0.15°	= <u>%</u>	 	· · · · · · · · · · · · · · · · · · ·		£ .	. o .	:	15 E			1-56	11	000 000 181	= 9
				- 1-75141-9 0-5 3405	in ix 	16 13 5 16 15 7	37 1 33	I ' : : : : : : : : : : : : : : : : : :		מתוה	88 88 84 85 85 85 85 85 85 85 85 85 85 85 85 85	981 - 68 0 - 68 0 - 68	. I	7.1	NW 3 53	0.88 13 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	18 0	- 40
Lindsay	30 08 30 08	36 1 32	x 5	4 4 10 40-2	8 9	16 18-1	35.7	0.7	王皇 1~ c 〒c	21.7	14 9 19	17 93	=		4.00 A	-0.44 16 + 1.10 9	35.0	10 C
			1 to	5-4 848-1	: i-	19 19 18	M.4		:		:						0	= 9
	#1.48 89.00 to.08	14 1.54		5.3 × 40.0	5 E	17 14.5	38°2	7.0 S.0 S.	- x	138		6.0 6.0	e	3 61) 11 9 1 21 8 1	88.7 88.7 88.7 88.7 88.7 88.7 88.7 88.7	1.62	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	> = =
	30-10 30-84 29		17 to 2	4.3 5 35.5	<u>: 2</u>	16 15°5 16 15•0	쥖휴	0.1		- : :	91 61 01	913	÷1 20	21 G. 13	<u> </u>	09.0	00 27,	10:
	30.34	28.45 1.69	5.71		10.00 10.00	도움 음감 음	38.4 15.5 91	5.9	e :	1 15 1	21 85 5	ee -	= :	IV 12	#1.62 M	1.43 19	5 6 5 6 1 1 1	21.0
			5 T	2 t 2 t 2 t 2 t 2 t 2 t 2 t 2 t 2 t 2 t		16 21.8	7.4	0.7 14		8 9. 0	# 2 E	23 93	=	ıv 12.	NW 2.28	00.00	19 0 0	c =
Cloutaif			19 1	5 7 3 3 1 1	30 -29 3	16 19:0	33.8		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 9	5 05 0	10 62			3.92	21 90-0	7 14 0 e	٥

00 00 29 88 80 00	•	55 :550000 ;H				
ာက ေတတ			000000::		000	50000000
	<u> </u>	71 :5544455 :9	512 5 12 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1	8 3	_ <u> </u>	11 14 15 15 15 15 15 15 15 15 15 15 15 15 15
		25.50 25.50	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		26 17 35 8 14 18	-88 13 -88 13 -60 17 -60 17
	+ + + + + + + + + + + + + + + + + + +	1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20	2.97 1.31 0.11 1.55 1.55	ē -	- : :	8 513
			-F++++ <u> </u>	<u>-</u> <u>:</u>		i i i i + i
38 37	3 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6.99 6.90 6.90	G 66 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	6.12 3.65	E 55 48	5.22 3.95 2.60 21.37 7.47 6.10
0 0 1 <u>—</u> 5,1		φή <u>το φορφου</u> φ	် ကေးက်က်လေးလောက်		10 T T	
i k	23 N.E. 24 N.E. 25 N.E		S. X. X. X.	11/	N.	N N N N N N N N N N N N N N N N N N N
(E	\$ 2 A B B B B B B B B B B B B B B B B B B	<u> - 명 : [일] [] [] </u>	ងឡើងដ	7	_ 12	- : : : : : : <u>«</u>
4	132 6 13 13 13 14 13 13 14 14 15 15 15 15 15 15 15 15 15 15 15 15 15	4 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6.3 V V	0.77	\$ 31	11.3
- : : - :	32 IX IX IX IX		16. 25. v	÷i į		
<u> </u>	9 = = =	7.5 12.0 4.3	5 = = =			5 1 0·3
			iř i i i i,	! !		
93	#85 83 85 88 88 88 88 88	88 888 88	62 62 93 93 81	62	1 7	186
2 : C	400 PR 01 179	5 X 0.0 0 1 1 1 1 1	-gnmer	_ O &	: :⊋	8 8 8
1 : :					: :-	: : : :
0 1 100	11 0 80 0 0 0 0 T	82 11 91 11 11	1	11 15	1 12 1	: : : : :
36	12 0 0 17 17 19 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 1	302 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	= 7	19	8
- : : ; ;	291 291 292 293 293 293 293 293 293 293 293 293	TO 01-1- 0 T	25311-71	x :1	3	7 1 10 10
13	51 2 - 1 2 2 3 4 6 - 1	00 244	7171010	<u></u>	30	9 5 7
2 : ::	86 - 50 cu -u	e - 10 9 t- 1 0 T	စေလည္ခ်ခ	23 13	6.7	0 175
- : :01	55 g 4 5 5 6 8 4 8 8 4 8 8 4 8 8 4 8 8 4 8 8 4 8 8 4 8 8 4 8 8 4 8	ၣႍ - 구구의 1- 11	4.011-0 x x	er or		
•	स्थित कृष्य गम <u>ळि</u>	99 99	=3-5	i 1- p	9.0	2 0
o 1 1 21 1	405 00 818 40	8 x x 5 2 1 0 1	E & E P E E & E & E	ခံ အ	28	09 0
	: : : : :			·o –		
	ೲ4ಪರ್ಷವ ೪೬	5 d x 5 5 2 12 1	102271	7 16	1 2	
, † ;	000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	9.7 0.6	9.6	0 0 0
36	8	E 95.93	22	1 :		88
: : : [®] :			· · · · · ·			
in in		14.5	<u> </u>			7 : : : : : :
23.5	8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	36.13 35.4 35.6 35.6 43.7 43.7	000 00 00 00 00 00 00 00 00 00 00 00 00	0 17	x = x	22.0 26.0 26.0 31.3
9 :	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		_ 61 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2.26 5.15	-5 33 - 1 33 - 4 6	9869 9869 9889 9889
ે ! != !	5.5.5. E	0.00 0.00	15 6 15-2 14-5 30-5 14-0	<u>::</u> 9	61 71 71	12 12 12 13 13 13 13 13 13 13 13 13 13 13 13 13
5 W 10 E	<u> </u>	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1281-6181	<u>=</u>	1-1	0 0 E E E E E E E E E E E E E E E E E E
: ⊃o :n⊂	. 045568.5150	26 - 4000000 0	044000;	= =	40 0	10 E C O 10 10
13.0		25 28 22 22 2 26 29 29 27 27 1	10.0 11.4 11.0 11.0 11.0	10 x	1 1 0 0 m m m m m m m m m m m m m m m m m	20.5 23.0 10.0 24.0 26.5 26.5
11:11						1:
2 x & c			<u> </u>	§ 8	E Z E	$\overline{x} \times \overline{x} = \overline{c} \times \overline{x}$
99 99	25 - 25 - 25 - 25 - 25 - 25 - 25 - 25 -	\$5.8 \$5.5 \$5.5 \$5.5 \$5.5 \$5.5 \$5.5 \$5.5	524.0 53.0 53.0 53.0	5470		55.0 55.0 55.0 55.0 55.0 55.0 55.0
286.0.05	11. 15. 0. 0. 11. 15. 0. 15. 0. 15. 0. 15. 0. 15. 0. 15. 0. 15. 0. 15. 0. 15. 0. 15. 0. 15. 0. 15.	18488888888888888888888888888888888888	11 48 11 48 11 53 11 53 11 53 11 53 11 53	19 54	_ 목속목 건 [구	: 백무 : 백원 :
F.T. 1 12	8 4 6 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2.0 1848.8 2.0 1847.0 2.1 1840.0 2.2 345.0 2.3 347.0 2.3 347.0 2.4 45.0 2.4 45.0 2.5 447.0 2.6 447.0 2.7 447.0 2.7 447.0 2.7 447.0		5.019	3.4 12 45.5 5.8 14 45.9	ထင္း က က
2 # 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	+ 3 4 17 38 5 5 14 5 6 6 14 5 6 6 14 5 6 6 14 5 6 6 14 5 6 6 14 5 6 6 14 5 6 6 14 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6			0.3	m 10	1 1 1 1 1 1 1 1
6.9 + 12.4 3.9 3.9 3.0 0.0	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		ಅ∞−ಞರಾವ :	9.73	17.8 23.4 1 22.4	1886 888 1884 1113
9 8 8	2 488451-8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8					
			21.00.1.	1. 2. 0	1.8	1 05
1 44					117	• • • •
If	12 75 12 15 16 16 16 16 16 16 16 16 16 16 16 16 16	88.9 9.9 9.0 9.0 9.0 9.0 9.0 9.0 9	2 7 7 7 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		28.26	9.5
	30 03 30 72 29 87 1 185 20 71 30 32 28 99 1 133 30 04 30 74 28 77 1 197	29 - 98 30 - 75 28 - 63 29 - 98 30 - 71 28 - 62 29 - 96 30 - 71 28 - 63 29 - 96 30 - 50 29 - 34 29 - 96 30 - 30 - 50 29 - 96 30 - 30 - 50 29 - 96 30 - 30 - 50	29-98 30-74 29-02 29-94 30-80 29-94 29-85 30-65 28-92 20-85	28-95 80-50 29-14		30 13 30, 57 29 51 1 06
, , , , , , , , , , , , , , , , , , ,	86 - 35 - 35 - 35 - 35 - 35 - 35 - 35 - 3	30 - 17 30 - 68 30 - 53 30 - 53 30 - 53	30 - 74 30 - 66 30 - 66	2 S	98	30.
308	30 03 30 72 20 71 30 73 4 30 74 30 74 30 74 30 76 30 90 30 74 30 75 30 90 30 75 30 90 30 75 30 90 30 75 30 90 30 80 75 30 90 30 80 80 80 80 80 80 80 80 80 80 80 80 80	29.98.30.75 29.96.30.77 29.96.30.68 29.96.30.68 29.96.30.30	29.98 30.74	9 3	54-56 30-15	30 13 30, 57 29 51 30 02 30 41 20 52
Ė	30 -05 30 -05	86.66 66.66 66.66 66.66	888		i i i	8 1 18 1
30-20 30-85	20-02	9667	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8			
			11111			
Meron Bay	Cree: Cree: Antreal Huntingdon St. Byacinthe Richmond Concottini Concottini Concottini Father Point Father Point Foint des Monts Tape Chatte	Ewderieton Chathan Bathust St Andrews Oracle Manan Toint Lepecaux St John Lepecaux St John Cityt St John Porter Burbester Dalhousie Parky Ritge Warstock	ova Scorfa - Ballika - Sylbey. Yarmouth Tento Pictor Pictor Vintedent		E Island Kilmabamaig Georgetown, Charlottetown,	Bequinalt. Bequinalt. Quamphan Barkerville. Aracej Port Mondy Maple Grove Kamhops
	the					CBJA:
12. Z	Mon Witte			2	THE STATE OF THE S	LUM Fried
Fee	Service of the servic	Name of the state		34	ISLAND - madramaly orgetown, arlottetow	P. Company
*Movat' *Heron Bay Little Forks	reger: Nontreal Montreal Muntingdon St. Hyacinthe Chicontinii Chicontinii Chicontinii Fichner Father Point Father Point Foint des Monts Cape Chatte	New Brees with a Fredericton Charlman Charlman Charlman Charlman Charl Manan Charl Lopiceau Charles and Charles Charle	Nova Scotfa Haltica Sydney Yarmouth. Tento Pieton Pieton Vinteliend	New Foundand (*) *1 Johns Berttoa	一直智慧	Burnsh Collman. E-quimall Quamichan Barkerville Artesi? Port Moody Maple Grove Kamloops
REGE?	Munti Montre Huntil St. My Richmo Chico Chico Chico Letmo Father Father Foint	国内であれられたりものと	REPARENT.	£7 E	부분(6년 4	- 발생 한쪽 작은 품질

STATIONS RECEIVED TOO LATE FOR THE DECEMBER REVIEW.

PROVINCE.	STATION,	MEAN	High Temper	HEST LATURE.	Low Temper	EST RATURE.	Paterer	fation.	Thender	Auroras
		TEMP.	Тепер	Date.	Temp.	Date,	Amount.	Days.	STORMS ON	ON
		v	e.		v		in.			
N. W. Territorie	. Pheasant Forks	5 57	36-0	28	—17 u	20		1		
	Banff	27 (6)	60.2	20	-3 1	ō	u 94	7		
Ontario	Lättle Current	In 20	45 0	20	14 !!	25	1.55	6		1, 19.
	Coblwater	15/26	39-6	21	-15.6	5	3 04	1:		
Quebec,	Lakefield	26.81	37 0	22	11 0	28	1/28	11		
	Pointe des Monts	5152	25 0	1	-15 0	29	6 90]ti		

PRECIPITATION.

The rainfall in general throughout the Dominion has exceeded the average by a small amount, except in Quebec and B. Columbia,

The distribution is as follows:-

In Ontario, West and South-West District, it was 159 in., or 003 in. above the average. In the North and North-West District it was 003 in., or 0021 in. above the average. In the Central District it was 184 in., or 0069 in. above the average, and in the East and North-East District it was 111 in., or 0031 in. above the average.

In Quebec it was 0.36 in., or 0.13 in. below the average.

In New Brunswick it was 2'95 in., or 1'43 in, above the average.

In Nova Scoria it was 3.61 in., or 1.37 in. above the average.

In P. E. ISLAND it was 2002 in., or 1/13 in. above the average.

In Maxirona and the X. W. Territories very little rain has fallen, although the temperature was very considerably above the average,

In B. Columbia it was (as far as heard from) 149 in., or 070 in below the average.

Rainfall 5 in, and upwards during month.

B. Columbia. Port Moody, 11:37 in.; Maple Grove, 7:47 in.; Esquimalt, 5:22 in.

N. Brexswick. Grand Manan, 621 in.: St. John, 522 in.

Nova Scoria, Halifax, 649 in.

Rainfall 1 in, and upwards in 21 hours.

1st, Saugeen, 127 in.; Parry Sound, 112 in.; London, 114 in.; Port Moody, 100 in.; Bognor, 106 in.; Owen Sound, 117 in.; Gravenhurst, 144 in.; Alton, 108 in.; Elora, 210 in.; DeCewsville, 104 in.; Norwood, 125 in.; Paris, 117 in.; Brantford, 123 in.; Zurich, 110 in.; Whiteside, 145 in.; Uplands, 110 in.; Sprucedale, 115 in.; Digby, 100 in.; North Bruce, 182 in.; Lucknow, 180 in.; Point Clark, 146 in.; Beatrice, 168 in.; Pelee Island, 170 in.; St. George, 114 in.; Port Hope, 100 in.; Scarboro', 100 in.; Orangeville, 122 in.; Glastonbury, 160 in.; Georgetown, 108 in.; Midland, 149 in.; Wyoming, 104 in.; Watford, 120 in.; Sunshine, 175 in.; Roschill, 160; Wiarton, 159 in.; Presqu'Isle, 200 in.; Nelson, 102 in.; Dea'town, 104 in.; Lions Head, 140 in.; Winona, 150 in.; Blenheim, 120 in.; Coldstream, 103 in.

2nd, Grand Manan, 1^o15 in.; Yarmouth, 1^o27 in.; Conestogo, 1^o05 in.; Pictou, 1.00 in.; St. John, 1^o66 in. 7th, St. Johns, Nfld., 1^o39.

12th, Fredericton, 1/45 in.; Sydney, 108 in.; Halifax, 1/22 in.; Dorchester, 1/03 in.; Pictou, 1/00 in.; Port Hastings, 2/17 in.

r3th, St. Johns, Nfld., r36 in.

18th, Port Hastings, 102 in.; Esquimalt, 1133 in.; Grand Manan, 3147 in.; Yarmouth, 1121 in.; St. Andrew, 1122 in.; Charlottetown, 112 in.; St. John, 1174 in.; Halifax, 1107 in.; Trur 9, 1150 in.; Port Moody, 2135 in.; Maple Grove, 1107 in.; Point Lepreaux, 1145 in.

10th, Port Moody 2:60 in.; Maple Grove, 1:30 in.

20th, Georgetown, P.E.L., 230 in.

22nd, Niagara Falls, S., 122 in.; Dorchester, 147 in.; Point Lepreaux, 132 in.; Fredericton, 135 in. 25th, Port Moody, 100 in.

Snowfall in the same districts as in the rainfall.

ONTARIO.—800 in., or 87 in. below the average; 164 in., or 92 in. below the average; 132 in., or 22 in. below the average; 181 in., or 13 below the average.

Quebec. 26.3 in., or o'8 in. below the average.

N. Brunswick. -33% in., or 94 in. above the average.

N. Scotta.—19'5 in., or 0'7 in above the average.

P. E. ISLAND. 26'0 in., or 1'2 in. below the average.

MANITOBA.—5'9 in., or about one-half the average fall.

N. W. Territories. 40 in., or about one-half that of January, 1890.

B. Columbia. About 6 in. has fallen.

Snowfall 15 in, and upwards during month.

B. Columbia. - Barkerville, 21 in.

Manitoba,—Posen, 15'9 in.

Ontario.—Rockliffe, 31 in.; Saugeen, 24 in.; Kingston, 16 in.; Parry Sound, 20 in.; Durham, 24 in.; Lindsay, 22 in.; Ottawa, 23 in.; Alexandria, 22 in.; Coldwater, 21 in.; Novar, 22 in.; Cook's Mills, 16 in.; Gravenhurst, 17 in.; Bognor, 25 in.; Mattawa, 19 in.; Georgina, 17 in.; Norwood, 17 in.; Lakefield, 18 in.; Beatrice, 24 in.; Renfrew, 17 in.; Bancroft, 21 in.; Ignace, 30 in.; Uplands, 17 in.; Axe Lake, 16 in.; Joly, 22 in.; Sprucedale, 18 in.; Sault St. Marie, 26 in.; Clontarf, 34 in.; Port Hope, 17 in.; Barclay, 21 in.; Peterboro', 19 in.; Thompson, 19 in.; Georgetown, 18 in.; Midland, 15 in.; Orillia, 19 in.; Goderich, 18 in.; Sunshine, 18 in.; Presqu'Isle, 17 in.; Denbigh, 26 in.

QUEBEC. -- Father Point, 40 in.; Quebec, 37 in.; Cape Magdalen, 37 in.; St. Hyacinthe, 23 in; Richmond, 25 in.; Chicoutimi, 16 in.; Montreal, 21 in.

N. Brunswick.—Chatham, 36 in.; Grand Manan, 21 in.; St. John, 28 in.; St. Andrews, 39 in.; Dorchester, 36 in.; Point Lepreaux, 28 in.; Dalhousie, 30 in.; Woodstock, 38 in.; Point Escuminac, 45 in.; Fredericton, 33 in.

Nova Scotia.- Halifax, 22 in.; Truro, 22 in.; Pictou, 17 in.; Cow Bay, 15 in.

P. E. ISLAND.—Charlottetown, 24 in.; Georgetown, 15 in.; Kilmahumaig, 39 in.

Snowfall 5 in, and upwards in 24 hours.

2nd, Father Point, 6 in.; Pelee Island, 6 in.

3rd, Ignace, 11 in.

4th, Ignace, 5'5 in.

5th, Yarmouth, 64 in.; St. John City, 9 in.

6th, Grand Manan, 5 in.; St. Andrews, 7 in.; Brome, 6 in.; Point Escuminac, 5 in.

7th, Grand Manan, 7 in.; Point Lepreaux, 14 in.; Winona, 5 in.; Fredericton, 5'5 in.

8th, Ignace, 6 in.

ioth, Glastonbury, 12 in.

11th, Ottawa, 8 in.; Alexandria, 7 in.; Georgina, 6 in.; Renfrew, 6 in.; Clontarf, 6 in.; Peterboro', 5'6 in.; Oliver's Ferry, 5 in.; Georgetown, 7'5 in.; Rosehill, 8 in.; Nelson, 5'2 in.

12th, Father Point, 11 in.; Quebec, 10 in.; Norwood, 6 in.; Stoney Creek, 6 in.; Lakefield, 6 in.;

Paris, 5'5 in.; Brantford, 5 in.; Chicoutimi, 5 in.; Denbigh, 5'5 in.; Aurora, 5'5 in.

13th, Durham, 12 in.; Little Forks, 6 in.; Savanne, 5 in.; Port Hope, 10 in.; Thompson, 5 in.

14th, Durham, 12 in.; Sault St. Maric, 6 in.

15th, Huntingdon, 6 in.; Axe Lake, 6 in.

16th, St. Hyacinthe, 8 in.

18th, Chatham, 15'2 in.; Woodstock, N.B., 20 in.; Dalhousie, 10 in.; Kilmahumaig, 14 in.; Woodstock, 20 in.; Fredericton, 5 in.

20th, Father Point, 5 in.; Kilmahumaig, 6 in.

21st, Cape Magdalen, 8 in.

22nd, Quebec, 11 in.; Clontarf, 8 in.

23rd, Durham, 5 in.; Beatrice, 5 in.; Denbigh, 5'5 in.

24th, Gravenhurst, 5 in.; Pictou, 8 in.; Presqu'Isle, 8 in.

25th, Sydney, 6 in.; St. Andrews, 73 in.; Charlottetown, 55 in.; Halifax, 76 in., Truio, 75 in.,

Point Clark, 6 m.; Dorchester, 85 in.; Digby, 5 in.; Georgetown, P.E.L., 6 in.; Cow Bay, 7 in.

20th, Norwood, o in.; Wallace, 7 in.

27th, Point Lepreaux, 6 in.; Goderich, 5 in.

28th, Thompson, 6 in.

20th, Sault St. Marie, 6 in.; Peterboro', 10.

30th, Charlottetown, 6/2 m.; Dorchester, 7 in.; Point Escuminac, 10.

Aurora recorded on

The class of aurora, if noted by Observer, is given (1) being the brightest, (1V) the feeblest in brilliancy.

1st, Father Point, IV.

7th, Little Forks, IV.

oth, Swift Current, III; Egremont, IV; Savanne,

10th, Port Arthur, H.; Minnedosa, IV.; Buda,

11th, Minnedosa, IV.

14th, St. Albans, IV.

10th, Woodstock, N.B.; Buda.

18th, Minnedosa, IV; Haliburton, IV; Gravenhurst H; Cottam.

10th, Prince Albert, IV.

20th, Prince Albert, IV.

25th, Savanne.

26th, Paris.

28th, Prince Albert, IV; Savanne; St. Albans, IV; Russell, IV.

PROPORTION OF BRIGHT SUNSHINE REGISTERED IN EACH HOUR OF THE DAY DURING WHICH THE SUN WAS ABOVE THE HORIZON IN THE MONTH OF JANUARY, 1891.

•	HL HV	1(1) 11		242 (3/24)											
														-	
						Н0	URS I	ENDIN	(G						
	5 A.M.	6 7 4. M 4. M.	8 1. M.	9 4. M.	In v.m.	11 A.M.	8008	1 P. W.	F. M.	B.M.	i r. vi.	5 P. M.	Б Р. М.	7 P. M.	З Р. М.
Winnieg			0.45	() 22	0.25	0.32	0.39	0.32	0.26	0.23	0.05	D +80			
KINGSVILLE			4363	146	()[1	19	21	-312	22	17	12	0.1			
Woonstock			(1)	12	21	31	783	24	.51	32	17	$(\cdot)_{\overline{i}}$			
Togoxto,			1165	19	25	23	25	26	29	29	25	114			
Lindsay			01	20	15	25	28	-32	34	34	25	16			
Вукар			12	. 15	15	111		30	31	9	.24	(1()			
Kingston			10	Ju	17	21	21	121	16	23	11	63			
Montri vi			*(4.,	_90	:1	36	36	35	30	21	11	(30			
FRIDERU ION			1.2	-7	\$11	45	50	in	17	Γ_{i}		1115			
SYDNEY			41,5	14	26	75	30	1 b 1 1	.17	.8	29	(15			
		Winner			KINGSVIIII	Woods Tork.	Tegenta	LINDSAV	TABLE .	Kivestov			MONTRBAL.	FREDERIC TON	SYDNEY
MEAN PROPORTION FOR MONTH		(4 1,2	7		++ 15	0.21	0.21	0.25	0.21	9.15			0.29	0.37	() ,11
MAXIMUM DAILY AMOUNT		11.5	1		0.70	11.87	0.59	1.00	0.86	0.94			0.97	0.90	9.91
DATE		- 1			- 2 mm	`	(4	16	4	ĩ			12	1	21
No. of Days Completely Croup is					10	1.1		Γ	15	15			12	11	(4

PROBABILITIES.

The probabilities issued by this office at 11 p.m. each evening are posted up at every telegraph station in Canada, and are for the 24 hours, beginning 8 a.m. the following day.

The number of predictions issued during the month was 500. These were divided as follows:—

	No.	•	VERI	FIED.	
DISTRICT.	Issued.	No. Fully.	No. Partly.	No. Not.	Percentage Fully.
Lower Lake Region.	108	71	22	15	75.0
Upper St. Lawrence	96	61	18	15 17	75·9 72·9
LOWER St. LAWRENCE.	9.5	68	14	13	79 0
Сеци	95	76	8	11	84 2
Maritime Provinces	106	65	20	21	70 8
Тотар	500	341	82	77	76.4

In order to obtain the percentage of verification of the predictions, the number partly verified is divided by 2 and added to the number fully verified, and the result divided by the total number issued.

In ascertaining to what extent predictions have been verified, the reports from the agents at the "Probability Stations," as well as the telegraphic reports, are used.

The daily probabilities and storm warnings were issued by Probability Officer H. V. Payne.

STORM WARNINGS.

During the month warnings on the approach of six storms were issued to our agents and cautionary signals duly displayed at the various signal stations. The total number of warnings issued was 68, of which 68 or too per cent, were verified. At 5 stations, however, the force exceeded and at 9 did not reach that indicated by the signals displayed; three stations reported warnings received late, owing to delay in transmission.

In connection with the warnings, predictions as to the probable direction of the winds were given, and of the 68 warnings verified as to force 56 or 82'3 per cent. were fully verified, and 61 or 89'7 per cent, were fully and partially verified, as to direction.

- No. 1. At 10.40 a.m. on the 5th Scotia and Fundy were warned for a heavy easterly gale, and during the same night as the disturbance for which these warnings were issued passed across the Maritime Provinces a heavy easterly gale was experienced generally, but no wrecks apparently occurred. Signals were lowered at 11 a.m. on the 7th.
- No. 2. Cautionary Signal No. 1 for a moderate easterly gale was ordered for all Ocean stations at 4.20 p.m. on the 11th, in advance of an area of depression south of the Lake Region. These signals were changed for a heavy westerly gale at 10.20 a.m. on the 12th, the disturbance having become more important as it advanced. During the evening and night of the 12th a heavy gale prevailed from the south and west in all districts, attended by an unusually high tide. Point Lepreaux says highest tide on record. St. Andrews reports very high tide on the 12th; damage done to wharves, cellars overflowed. Liverpool says heaviest tide for years. Point Escuminae recorded 51 miles an hour. Yarmouth, 48 miles. St. John, 50 miles, together with a very high tide, which did great damage. Signals were lowered on the morning of the 13th.
- No. 3. The Bay of Fundy was warned for a moderate S. E., S. and S. W. gale at 10.20 p.m. on the 13th, and the following evening a moderate storm is reported to have occurred at Point Lepreaux and St. John. Signals were lowered on the early morning of the 15th.
- No. 4. At 10.50 a.m. on the 17th Ocean stations were warned for a heavy E. through N. to N. W. gale in advance of a disturbance off the Carolina Coast. The disturbance afterwards passed to the southward of Nova Scotia, and caused in the Maritime Provinces a snow and sleet storm, together with strong winds and gales generally. At Point Escuminae, where the greatest force of the gale was apparently felt, 56 miles was recorded for one hour, and an average velocity of 53 miles for ten hours. Signals were ordered down on the night of the toth.
- No. 5. At 10.10 p.m. on the 21st cautionary signals for a moderate easterly gale were ordered for Ocean stations, and the next morning, the disturbance for which the warnings were issued,

having become more important, storm signal No. 3 for a heavy easterly gale was substituted for No. 1. During the night of the 22nd a fresh to heavy gale prevailed throughout the districts warned. Yarmouth recorded S. E. 50 miles an hour; St. John, S. E. 46 miles; Charlottetown, S. W. 31 miles. Signals were lowered on the morning of the 23rd.

No. 6 Ocean stations were warned for a moderate easterly gale at 10.10 p.m. on the 24th, in advance of an area of low pressure then over Virginia. Afterwards as it passed over the Maritime Provinces it gave a gale during the evening of the 25th, which, at Sydney, Liverpool and Canso, increased to a strong gale. Signals were lowered on the night of the 25th.

TORONTO OBSERVATORY.—MAGNETIC REVIEW FOR JANUARY, 1891.

The magnets were slightly disturbed on the nights of the 1st and 2nd. On the morning of the 3rd the diurnal declination curve was well marked. From the 3rd to the 9th the magnets were comparatively steady, with the exception of a little irregularity on the 5th and 6th after 10 a.m., lasting but a brief period. The 9th was an exceptionally steady day until after 11 p.m., when slight disturbing action appeared and continued more or less up to the morning of the 12th, followed by a quiet magnet until after 10 p.m. of the 13th. The declination magnet then took up a sharp tremor, at the same time moving east. It continued slightly disturbed all morning of the 14th, and came to rest about 11 a.m. A very steady magnet was shown up to 10 p.m. of the 15th, when slight disturbance again commenced; its activity increased considerably after 10 a.m., the declination magnet then began moving in sharp swings with a well marked westerly tendency, the maximum reading occurring at 11.45 a.m. Some very rapid vibrations were recorded during the afternoon, especially of the h. f. After 8 p.m. the magnets became quieter, but at 10.25 p.m. an increased activity commenced, the declination magnet moving slowly east; at 10'40 p.m. it paused for a short time and then again moved east, the extreme position being reached at 11.05 p.m. At midnight the magnets were much quieter. Between 10 a.m. and 11.05 a.m. of the 16th a well marked decrease of the horizontal force was shown.

Disturbing action continued without intermission until the morning of the 22nd. It was more marked on the night of the 18th and morning of the 19th. At 6.10 a.m. of the 23rd the declination magnet took a short casterly hitch, followed by a westerly swing; the magnet, however, quieted down shortly afterwards. A slight change of the vertical component and a larger one of the horizontal took place also at 6.10 a.m. After 10 p.m. of the 23rd another slight disturbance commenced, and was visible to 10 a.m. of the 24th.

A quiet period then ensued, lasting until 10.37 p.m. of the 28th, when a sudden easterly movement of 18' was recorded. The magnet afterwards gradually rose to its normal reading, and by 2 a.m. of the 29th was steady. The remainder of the month was free from any irregularities, the last two days in fact being the quietest during the month.

There were no auroras observed during the month. On the 2nd, 5th, 6th, 7th, 8th, 9th, 12th, 18th and 30th the sky was clear, but no aurora was observed. On all other nights clouds or haze would have hidden any aurora which might have existed.

CHARLES CARPMAEL,

Director.

METEOROLOGICAL OFFICE,
TORONTO, March 5th, 1891.

METEOROLOGICAL SERVICE, DOMINION OF CANADA.

Monthly Westher Review.

FEBRUARY, 1891.

INTRODUCTION.

In compiling the present Review the principal data made use of are the telegraphic reports of observations received at this office for the purpose of weather predictions, and the reports of storms received by mail. For the material used in tracing the courses of areas of high and low pressure in the United States, we are indebted to the Chief Signal Officer, Washington, D. C.

ATMOSPHERIC PRESSURE.

The average pressure, as determined from the observations taken at telegraph reporting stations, was slightly above the normal of seventeen years in Nova Scotia, New Brunswick and Prince Edward Island; elsewhere it was below the normal.

During the 1st, an area of low pressure was moving across the Maritime Provinces towards Newfoundland, rain fell in Nova Scotia and southern portion of New Brunswick, and snow in the northern part of New Brunswick and along the St. Lawrence. At the same time an important anticyclonic movement accompanied by very low temperature over the North-West Territories was spreading eastward over the Lake Region, there giving strong northwest winds and falling temperature. At night the northwest winds were felt as far east as the Gulf, and by the morning of the 2nd, with maximum pressure north of the Lake Region, the temperature was from 20° to 35° below zero in northern Ontario, and from 10° to 20° above in the Maritime Provinces.

A pronounced cyclonic development occurred west of the Mississippi Valley early on the 2nd, the centre thence moved quickly to the Lake Region where at night it caused a rapid rise in temperature and a fall of snow turning to rain. During the 3rd, the northwest anti-cyclone moved southeastward whilst the storm centre moved with increasing energy to New Brunswick and the Gulf. A high westerly wind with falling temperature prevailed all day in the Lake Region, and in the Maritime Provinces there was a southerly gale and heavy rain.

On the 4th, as the anti-cyclone was passing from the Mississippi Valley to the Atlantic States, lower pressure and milder weather prevailed in the Northwest Territories, fair, cold weather prevailed in Ontario and Quebec, and there was a strong westerly wind with falling temperature in the Maritime Provinces. The charts of the 5th showed a continuance of low pressure and comparatively mild weather in the Northwest, decreasing pressure with fair, milder weather in Ontario and decidedly high pressure with cold weather over the Maritime Provinces.

On the 6th heavy snow and rain fell, with decreasing pressure in the Maritime Provinces, and there was a little snow and a considerable rise in temperature in Quebec. During the night of the 6th there was a decided cyclonic development over the Southwest States, and a marked anti-cyclonic movement from the northward, with very low temperature, appeared over the Northwest Territories. Next day the storm centre moved to Ohio and thence eastward with diminishing energy; it caused several inches of snow over the Lower Lake Region during the afternoon and evening, a lesser fall at night along the Upper St. Lawrence, and a moderate tall during the early part of the 8th in the Maritime Provinces.

Another cyclonic development occurred over the Southwest States on the 8th, and the centre took a course to the Lake Region, there causing a rainy day on the 6th; at night it caused rain and snow along the 8t. Lawrence and rain and snow with a moderate southeasterly gale in the Maritime Frovinces. While this movement was in progress the anti-cyclone moved southeastward from the Northwest Territories and Manitoba and the weather there became more moderate.

After this for several days the only important cyclonic movement was on our Pacific Coast, where the weather was stormy and rainy; in other parts of the Dominion anti-cyclonic conditions were generally prevalent and the weather was mostly fair. During the night of the 13th an anti-cyclonic development over northern Canada caused a decided fall of temperature from the Lakes to the Atlantic.

On the 14th the centre of the principal anti-cyclone was moving southeast across the Ottawa Valley, and there was a developing depression over the Northwest States. Next day this depression was moving across the Upper Lakes and at night caused a few showers in Northern Ontario and in Quebec. A small subsidiary depression which developed to the southeastward of the Lakes caused rain and snow over the greater part of Ontario during the night of the 16th, and another, which seems to have formed over New England, caused rain and snow in Nova Scotia early on the 17th. On the 17th a disturbance developed west of the Lake Region, and with increasing energy moved quickly eastward down the St. Lawrence and across the Gulf, followed by an anti-cyclone from the Northwest States. The movement caused a small fall of rain and snow and strong winds, and during the night of the 18th as the pressure increased rapidly over the Lakes, there was a decided fall in temperature, and next day fair, comparatively cold weather prevailed from the Lake Region eastward.

While during the 19th anti-cyclonic conditions predominated over Canada and the eastern portion of the United States, an extensive and important depression covered the western portion of the United States. A rapid transference of the low pressure to the northeastward occurred at night, and as the barometer fell in Ontario there was a heavy fall of snow, turning to rain, which continued next day. On the 21st the storm moved across Northern Canada to the Gulf, and snow and rain fell in Quebec and the Maritime Provinces, while with anti-cyclonic conditions spreading eastward and southward continued fine, cold weather prevailed throughout the Northwest Territories. The main body of high pressure was on the 22nd, moving across the Lake Region, giving colder northwest winds from the Lake Region to the Gulf, and on the Californian Coast there was an important cyclonic movement, giving stormy weather and snow in British Columbia. This Pacific cyclone moved across the continent, it passed across Wyoming and thence northeastward to Lake Superior; it caused some snow in the Northwest Territories on the 23rd and a rainy day in the Lake Region on the 24th. In its subsequent movement east over northern Canada the storm gradually dispersed; it gave a heavy fall of rain along the St. Lawrence on the morning of the 25th, and a lighter fall later in the day in the Maritime Provinces. A subsidiary had by the morning of the 26th formed over the South Atlantic States, whence, with increasing energy, it moved quickly northeastward to the Maritime Provinces, there causing a very heavy rainfall between the afternoon of the 26th and forenoon of the 27th.

Anti-cyclonic movements which set in over the Northwest Territories on the 24th gradually spread and became more pronounced with increasing cold, and on the morning of the 27th the temperature at Winnipeg fell to -32, Prince Albert -46, Qu'Appelle -40.

The anti-cyclonic conditions spreading eastward gave a northwesterly gradient and moderately cold weather in Ontario and Quebec by the 26th, and in the Maritime Provinces on the 27th and 28th.

TEMPERATURE.

The average temperature, as determined from the observations taken at telegraph reporting stations, was above the normal of seventeen years at nearly all stations in Ontario and at southerly stations in the more easterly provinces; elsewhere it was below the normal.

The highest and lowest temperatures in each Province during February were:—

British Columbia. 51°0 on 3rd and 5th at Quamichan; —11°5 on 22nd at Kamloops.

NORTH WEST TERRITORIES. 30°8 on 3rd at Calgary; -55°4 on 1st at Prince Albert.

Manitoba. 36°0 on 6th at Fort Ellice; —49°5 on 2nd at Russell.

ONTARIO. 53°0 on 15th at Point Pelee, and 53°0 on 25th at Stoney Creek; --50°3 on 4th at White River.

Quebecc. 51°4 on 26th at Chicoutimi; - 32°6 on 6th at Richmond.

New Brunswick. 49°5 on 25th at Fredericton; - 28°0 on 14th at Parker's Ridge.

Nova Scotia. 52° 2 on 25th at Yarmouth; -- 14° 0 on 3rd at Truro.

P. E. ISLAND. 45° on 26th at Georgetown; -19° 4 on 3rd at Kilmahumaig.

=	
7.	
\sim	
\supset	
Ξ	
=	
Ī	
$\vec{}$	
1	
7	
7	
Ţ <u>r</u>	
\circ	
%	
0	
\overline{z}	
\equiv	
\subseteq	
$\tilde{\subseteq}$	
Ξ	
_	
\simeq	
.,	
Ź	
Ξ	
7	
7	
5	
AT	
N. AT	
ION AT	
TION AT	
ATION AT	
ITATION AT	
IPITATION AT	
CIPITATION AT	
RECIPITATION AT	
PRECIPITATION AT	
PRECIPITATION AT STATIONS IN THE DOMINION OF CANADA, FEBRUARY, 18	
CD PRECIPITATION AT 3	
AND PRECIPITATION AT 3	
AND PRECIPITATION AT	
3D AND PRECIPITATION AT 3	
IND AND PRECIPITATION AT 3	
WIND AND PRECIPITATION AT	
WIND AND	
TEMPERATURE, WIND AND PRECIPITATION AT 3	
TEMPERATURE, WIND AND	
WIND AND	

	Xo. of days. Xo. of fair days. Xo. of Auroras. Xo. of Thunderst Xo. of Pogs.	00000 00000 00000 00000 00000 00000 0000	88600000000000000000000000000000000000	2 X X X 2 X 2 X 2 X 2 X 2 X 2 X 2 X 2 X		
Precipitation	-1978 mort Thitl .988 -	in	0.52 -0.57 -0.97	52.00 10.00	0.05 12 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.1782 10 0.050 21 0.060
Precu	ушовиц	0.000 0.000	1.00 0.70 0.70 0.84 0.70 0.30	1.0000.0000.0000.0000.0000.0000.0000.0	9. 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6459355555555555555555555555555555555555
F WIND.	Pate and direction.	20 N 20 N 20 N 20 N 20 N 20 N	12 N II	25 NW 7 N E 25 NW 20 NE 20 NE 20 NE 20 NE 25 NW 20 NE 25 NW	N 12	25 84 N 12 25 N 16 N 16 N 16 N 17 N 16 N 17 N 17 N 17
Velocity of	Righest days	9.3 6.8 7 7 7 16.6	18.5	21:3 36:8 36:8 77 77	;	x 2 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
VEL	of hours. Mean, miles per hour.	556 556 556 556 566 567	28233 :			E==
N N	. 1. Total number	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	n ⊃ m ∪ η,			
OF WIND FROM	- X M X	# 0 - I = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0 =	550 o o o	20 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
N OF WI	S. W.		98 1 10			_ i : : :
Direction	E. S. E.	0-0000		1-41 5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
Q	N B	00 mana mana mana mana mana mana mana ma	7-665	7 13 2 - 3 1 1 2 1 1 2 1 1 2 1 1 2 1 1 1 1 1 1 1	្រុក ខេត្តពេលខេត្តក គ្រោះ ខេត្តព័ត្តពេលកិច្ច	- I-v.c w
1 .	No of days completed.	 	101 et 1			5 2 2 X 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Mean relative II dity. Mean amount of e		0.2			
	Mean temperatur dewpoint.					
	ганде. УПаб деябеят ганде.	24 - 0 24 - 0 29 - 6 35 - 5 29 - 6 35 - 5 20 - 4 33 - 8 23 - 2 33 - 8	23.4 45.4 22.2 240.4 22.2 240.4 22.2 240.4 22.2 22.2	2.0 - 2.0 -		
	Date. श्रेष्यम तस्रोतुर	1	1224-22	ាក្សសុខ្មាស់ គ្រីសំខ ក្រុកសសុខសេខ ុកស ្គ		ស្តែក្រុមភាគគឺគឺគឺគ្រង ស្ត្រាល់បាយសេចកស់ស្នួនធំប
TULE OF AIR	- 189 2 07]		4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			_
TEMPERATULE OF	Jealgill	3 88 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	5 4 0 5 11 5 0 1- 5 4 0 5 11 5 1 1- 5 5 1 0 5 11 5 1 1- 6 5 5 1 1	(2) (2) (2) (3) (3) (3) (3) (3) (3) (3) (3) (3) (3		
	Trong aver- age. Transio stret.	0 0 4 0 1 0 0 0 1 0 0 0 0 1 0 0 0 0 1 0 0 0 0 1 0 0 0 0 1 0 0 0 0 1 0	9 5 7 1 2 1	45 4000 94 100 100 100 100 100 100 100 100 100 10		_
	Means	10.00				
,,	.egmeH		11-16			
Pressure in in Hes	tsazor	in, in, in, in, 2007 130 - 143 20 - 153		10 1		
SURE D	Mean reduced. Tagliest.	in. in. 20-10:30-68 30-10:30-80 30-10:30-80 30-10:30-90 30-10:30-90	30-18 30-84	30-11-30-12-30-11-30-12-30-13-		21 of 0 of
Pres	Menn actual.	m. in. in. in. in. in. in. in. in. in. in	30-1			
		Assixhora: Medicine Hat. Felmonton Prince Albert Maple Creek Swift Current		ossa. Www.nesta. Fountain		

PRESSURE, TEMPERATURE, WIND AND PRECIPITATION, &:-Continued.

smlot	No. of fair days. No. of Auroras. No. of Thunders No. of Fogs.	1	0 0 0 73	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	14, 6 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		17 0 1 0		0 0 0 61	7	10001		0 0 0 1	0 0 0 0 8	16 1 0 0		14 0 0 0	7 : : : : : : : : : : : : : : : : : : :	26 0 0 8 0 0 0 8	17 1 0 1	0 0 1 21	0 0 7 6	0 0 0 0 0 0	23 0 0 5	11, 0, 0	12 0 0 0	0 0 0 0 0 0 1 0 0 1 0 0 1 0 0	0 0 0 21	0 0 0	10 0 6 0	
PITATION.	Diff. from average.	.i	11-14 6:	+0.77 15	10.01	0.35 14 1-10 7:	-0.29 11	1.08621	-1.57 18 -0.43 13	+0.62 11	13	0 88.1+	0 1 1	0.77 16	T 1 6 5 1	+0.51 14	81 th 1	11.0	11.83.0+	4Z 3	67 to 14	41 45 0-1	+1.8011	+0.69.13	61 10.0+	+ 0 52 15 2. 8. 9.	1.865	+1.40 17	+0.78 16	0.06.12	-0.83 11	世 2011年十	$\frac{-0.2918}{-0.7814}$	
Риесі	, timom A	in.	04.13 88.44	3 7 3	2 2 c	21 to 52 to	37	2.E.	3 . - c	3.08	, T.	4.17	2	91 :: -	07.7	3.74	S = = = = = = = = = = = = = = = = = = =	39.51 51.51	\$ 8 0 0	06.7	i i	0.50	10.0	∞ •11	2.65	01.5	: E	[6.7 [6.7]	33 100	3 07	1 2	10.7	$\begin{vmatrix} 2.06 \\ 1.93 \end{vmatrix}$	
WIND.	South bug stad direction.			W 81	W 52	3 1/1						:		// X ::	46.	:		:					15 S.W.		Z Z	// *	NNI	12 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	3.02	NX C		187.81		
VELOCITY OF	- synb isahgill synbasiday.) > 5	19.95									VI .	2 7 7								: 4		;; ;;	17.7	AI	0.83	200	<u> </u>		717		
V. ELC	Toq səfim, msəK			==		=								Ξ								:	= :		9.01	Ε.	= =	‡. 01 °.	10.0	=		= =		
	Total number same transfer same transfer same transfer to the transfer tran			:	-0 36 56	:		- -	5. 5.			1		75 G	1	9 0		T8 0	2 Z 0 C	10	5	0	5 &		12, 168			₩ 2012		- ×		17		
FROM			:	≅, ∝	ကမ	151	:	: X 1	-	:		-		ig e	1	-	: :	t~ §	क न		9 :	1	- 1		1	∞ -	್ ೧೦	2.4	10	: 27		=		
WIND	'M' S			1-4	ាជាក ត្រូក	01 61		5 26	75			:		X 7	0 :	15 10		97.6	2 E			117	120		7 00	75 40	25 10	31 E	18	10		9		
N 0F	8		_	: 5. 5. 2.	: '	12	-	- - - 3	=			:		;	- : :	7		1-	2 2	-	. :	:	2 25		ف	= =	7	° = 2	1.0	:	:	: 1~		
Direction	B. B.		-	1 2 2	1 16 0 8	11-		10			: :			23°	2 : 2 :	5			00		? -		t x g at	:	2.18	∞ : :-:	5 1 57-	87 O	: 0	12		200		
D	Z B			- :	- 1 (5) (7)	3.		0	===			:		សេខ	. : . :	1-		*7"	× =		, :		5 ox	:	3	[- ·	, 	- -:] i=	er.	'	-		
		1	i		e et er	-	:	=	- -			_:	: :	_ :	1	2		11				: -	† †	:	Ξ	= 10	0 0		- 10	: -		:::		
Tibide	Inno5 symb to nX Jedinofa			- 90 1	3 : 17									E.	-		5 I-	-	6. 15				5 " - 10		1-	e e] * - 10	101	. o	-		သေသ မောမာ		
.– ГиоТэ	- Adily		:	o s	i i	=		:	-					÷ :	0			0	0				: ò		=	0	÷ ÷	5 :	ò	5	_	5 5 ~		
	Mean relative Iti dewpoint Mean temperatur		:													:								:	0. F.	:		:		2 0 11				
1	Theb tsubert)	٥	0.75.0	9.65	7.85	531.0	0.0:	0.40	8.67		0 40 1 70 1 70 1 70	7.36.5	c :	8.31.8	9,33,0		7.178	0.18	- co	3.35 3		6.46	0.78	30 37 37	7 X 2 5	5,55,33	9-11-6	31:1	9.82	5 41 0 5 81 · 7	1.33-0	X 2: 100 X	550 0 047 6	
1	Mean daily Mean daily	٥	3-11-1	123		9-11-1	1	x 5	- 5			12	0,1	a i				7.55		51		17 10		3.8E-2	7	<u>x</u>	20.0	16.5	35.6	5 6 6 5 6 6 5 6 6	200	2.00	20.65	
A118.	.ataG		5.	rāc		1 4 2 2	, "O		0 4-1-		= =	0 3		0:	:15	=	w m	. =	in c	ਹੈ। ਵਿਚਾ	5	23 20 5	- =	=	: : : —	9	. 0	:::	o =	03	· · ·	= 40	C 71	
RF OF	Lowest	9	- <u>**</u> 	177	10 kg 1	10.0	26. (6)	- io - io	55 197	121	i i	(X):	1	on : Little	a i- 3 (3	55 67	61 5 1 2 2	0 135	25 9 15 1	16 16 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	-	36 - E	i i	1-	19	.e — e.	36 - 15	-9 - 97	12 - 21	$\frac{1}{12}$	25 — 250 ·	5 - - - - -	25 — 25 16 — 15•	
Temperature	Date.	!																							0-67		:			0.77		 8 28 8 37		
TEM	tyrasdo susa?		542 0	4-4 15 45 4	10 10 10 10 10 10 10 10 10 10 10 10 10 1	3 %	21.		0.87		. 13 J.,	F() F	0 -	1-1	- !-	45 9 9.	5-1 17 48-9		· -	: M:		9.870	9 E 1 7	ಣ	: 3	4-3 344 0	3.3 12.43.5	30	2.2	<u>ه</u> :	1 →	To so on one	2130	
	Piff, from aver-	٥	717 1+1		. [16-0		7. [- -	10.	200	0T.	æ: œ:	· :	5.1	i - i	. 1	<u>.</u>			- -	. :		<u>+</u> +		+ 5:	-				: a:	i	v å	00 1014 1	
	M	ũ	17.1	11.4		215	121	[- 9 [- 6]	91 7 71 7 71 7	31.0	7. T. O	000	61	χ. χ.	- = - 00 - 1 = 1	80 17 17	14 010	7.7	. 년 연구 영문	19	Σ Σ1	214	2 5 2 5 2 6	120.0	588	F1 :	0 00 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		15.	20.0	14.6	: - :: ::		
	Range.	in.	:		1 2				:					1.39	S 1		:					:					7 -		90 -	11.144				
Pressure in inches.	Lowest	i.			00 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -				:					87.67	00 T ST 07 CF 07 CD 08												04 1 08.62 07 07 10 08		30*05 30*80 29*20 1 60	type [100 + 26 + 16 + 16 + 16 + 16 + 16 + 16 + 16	05 ::			
E IN	tsafigill	.E			11.10				:					20 00 00 00 50 50 50	9	:											0, 0, 10 05		30.05 30.80	12. 07.				
HJ88H	Деян ведисе)	in.							:		:			意 新	90 08	:	:		:			:			: :		T = 13		30.02					
photos photos photos	.Inutas maR								:		:					:	:		:			:				:				87 56	, .	:		
			ONTABBO Continue I.	Coldwater Esatrice	*North Brace	Zurich.	Yt. Mary 8	Faris Lucknow	*Begner	*Cottann	Point Pelec	Chutham	Kulgetown	London	Fort Stanley	St George	Port Dover	Elora	Galt	Sault Ste. Marie	*DeCewsville	Mattawa	Conestone	Grergina	Toronto	Alton	Landsay	Deseronte	Ottawa	Lakefield	Renfrew	Petrolia	Haliburton Clontarf.	

· • : :•••	#0:0~0000 jo	೦೦೦ ಇ೦೦೦ : ೨೦೦೦	n====== ;	s =	c - 23	:encc::
T 000				- G S		
2::522	E: 222-2-22:	2551222 :0522	rana <u>zra</u>	7 2	355	Taggan i i
16 18 15 18 18 18 18 18 18 18 18 18 18 18 18 18	0.05 0.05		23 23 23 23 23 24 25 25 25 25 25 25 25 25 25 25 25 25 25	# 2 2 3	1.54 15	1
92.0		- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	21722	Ė	1 : 1	17 17 7 1 1 1
9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	200-0000-000 400000000000000000000000000	82488889488	#253894	F 5	\$ 19 E	
10 W.	10 SW 18 SW 17 NE 15 W.	19 19 19 19 19 19 19 19 19 19 19 19 19 1	E E E N N N N N N N N N N N N N N N N N	19 X W 15 X E	= × =	M 71 M 71
보 를	2 × E E E E E E E E E E E E E E E E E E	37 2 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2010	16.9	m = 2
= =	E H K K K K K K K K K K K K K K K K K K	, - a si a	1- 5- 2 21 = = =		ż	- =
3 3 8	525 25 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	\$2.5.2.5.5.5. 12 14 14 14 14 14 14 14 14 14 14 14 14 14	RESTRET	36	123	ž
ន្ទ នី ខ	wee wastea	១ ខ្លួនពេលខ្លួន	0 2 2 3 4 5 7 7 7 7	= =	- 1	H
ន	8 cc - 6 u - 5 o u 8	ទួ <u>ជភិក្</u> តុឡាញ	ត្ត <u>ន</u> ក្នុង ខ្លួន	3 =====================================	: : = =	= -
= 1 6	E.a. = [a.E.B.z.E.±.]		42-50-50	· · ·	3	=
			<u> </u>	7 8 5 6	115	
S 9	See	छ— <u>छछचच</u> ता € ⊢	्रेन्द्राहरू विकास कार्याच्या विकास कार्याच्या विकास कार्याच्या विकास कार्याच्या विकास कार्याच्या विकास कार्या	z -	1 12	
: :::	ដូត្ត ខែទទ្ធ		ngneege		= ==	
e - 1 9	\$47 SE87577	60121-4일표 [3] 년	-842074	1 - 1,	7.	<u>z</u>
(a) [1] [th	6	2114261 6 6	더욱캠트포즐모 :	4.	- 5	
	1-1-10 X 01 II D =		P92278	12 11 12 13	x	7
	0000000		0000000	9 9	1 1 2	3
	g.	n	7			ž X
	55 x	5				9
한 후 후 한 구 구 국 유 한 구 구	FFF6F9F9 :::	00000000000000000000000000000000000000	9.03.05 8.03.05 8.03.05 8.03.05	0.430	1953	
25.04 15.04 15.04 15.04	22488824	57778 088509 58855 848855	1- x x 21 0 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1	1 = 17 5 5 5 5	
2000 न क्राच्य		Soponno aleban.	5200000	<u> </u>	11 ** 11	25 -553
1-9 25 2 10	0.000000000000000000000000000000000000		: 	= :	77 3 7	
31.50					1 1 1 4 5	
3355455	ត្តត្តិត្តិតិសិស្តិតិសិស្តិ	ក្រុងបានក្រុងប្រាស្ត្រ តិសិសិសិសិសិសិសិសិសិសិសិសិ	5665555	71 71	559	49 h
3. 25. 5 3. 47. 0 3. 47. 0 3. 47. 0	6.2 21.13.7 6.2 21.13.7 8.5 10.40.0 8.6 10.10.17 10.11.10.17 10.10.10.10 10.10.10 10.10.10 10.10.10.10	2011 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1.3 17 48.2 1.4 21 47.4 1.9 11 52.2 2.0 17 51.3 0.4 11.4 0.0 0.4 11.4 0.0	314 19 3612	0.5 G	0.0 4 50 0.0 5 0.0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				_ <u>_</u>	2 1 ± 1 ± 1 ± 1 ± 1 ± 1 ± 1 ± 1 ± 1 ± 1	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		######################################			è :- :	
+ + + 1- p.s.s.s.s 8171612131	+ · i ·	F = B B B B B B B F = B F F F F F F F F	+ + 5029750 5455483	F6 - 63	1177 — 013 12 4415 1713 — 110 14 4115 1674 — 110 14 4115	200
						•
	75.1	20 of 20 co. 20	8544 8544 8544 8588	2019) 30105 28136 (155) 30-2120,515 28130 (015)	[26] * (20] (20) *(20)	10 1 1 1 1
	- AA A A	20 10 20 20 20 20 20 20 20 20 20 20 20 20 20	នៃតំត់តំតំ : !!! នៃការបាន : : : !	2019) Soral 2016 30-2120,5470100	1 1 5	9 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
		6.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5	914 9 P	i i		16 8
	9 1 9 8		8 4 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	F 5		
	20 00 30 15 29 22 1751 29 00 30 18 28 92 1 125 30 00 30 00 29 11 1 149	20 1 20 20 20 20 10 20 20 20 20 20 20 20 20 20 20 20 20 20				÷
					: : :	
NOVAL NOVAL North Bay Marsted Heron Bay Shannonville Cook × Mills.	Monttreal	Kew Buryswick : Frobereton Challoun Stathoun Stathoun Formal Manna Proof Leptreut Stathoun Stathoun Formal Manna Formal Manna From Leptreut Stathoun Formal Manna Mond-Statk Mond-Statk	Form A scottly Holding Scottly Total Form Holding Total Total Holding Total			
melu ille. Is	The state of the s			· .		
Feed of National Value	radio medicacina normal normal radio radi	CS. And Co. An	A Y out III.	2. d.		
ONTARIO—Concluded North North Bay Wanstead Herott Say Shannonville Cook - Mills.	Mounts Mounts Huntis Huntis Richma Chica C	New Burnswick: Froberston Charlan Standbar Stand		New York	P. J. D. W. C. K. d. St. C. W. G. C. L. St. C. W.	Billian of the control of the contro
Q ZNNN=tr	EREVIET CREEKS	* '	= / Z=== - / /	7. #	-	
		5				

RESULTS OF OBSERVATIONS at Spence's Bridge, B.C., during 1890, Lat. 50° 25 N., Long. 123° 30 W., Height above Sci 770 Feet.

Pressure at sea level. Observations at 7 a. m., 2 and 9 p. m. local time. Barometer cleaned by Mr. Carpmael on 19th July, 1890. Research of Observations at Moose Factory, H. B., November, 1889, to October, 1890, inclusive, I		December	November	October	September	August	July	June	May	April	March	February	January		
a level. Ob															
servation	29:96	29:952	30 <u>203</u>	29 925	30.050	139 139 139	50 See	29 732	199 T36	50.854	29 7S7	560.03	in. 29:943	Mean.	
nsat7a Moo	30.580	30 478	30 580	30°508	30 384	30.50	30.251	30 006	30 141	30 222	30 257	30 460	in. 39:544	Highest.	Pres
.m., 2 m	28 956	19.934	58.65	199 476	29:721	29 615	29 483	29 401	29:351	29 427	28 956	90 OS0	in. 29 ·11 5	Lowest.	Pressure.
nd 9 p. n ctory.	1 624	1 144	6.693	1 627	0 663	0.5%	0.738	0.902	0.780	n 795	1 301	1:380	in. 1 429	Range.	
L lucal ti	\$ 33	36 21	42.31	48183	61.71	71 S1	71.53	64 81	62 %5	36 93 93	39 51	17.19	11 94	Mean.	
Nov.	0.101	58 ::	55 +	73.0	S5 5	97.5	101 0	93	98 0	91.0	60 0	32 O	- £7 0	Highest.	T
Barometer cleaned by Mr. Carpmael on 19th July, 1800 wenther: 1889 to October 1890 inclus	- 14 0	18.0	19	35.0	0 .:.	21.5	50 0	#5: 0	10.0	23:0	14 0	- 9 9	- II.0	Lowest,	Temperature of Air.
- cleaned	:	†2 	21.42	(i) 76	76 36	84 %	31 57	3:15	74.29	64 13	S0 03	26:71	18:13	Mean Highest.	RE OF A
- to ()	:	30 74	55	41.30	#9 12	58 34	55 88	51 15	女马	85 88	30 39	9 11	4 29 0	Mean Lowest.	ur.
Carpmae	21.35	12.00	15 98	19 26	27 24	26 53	13	12 00	26.13	28 39	19 64	17 60	13 \$4	Mean Daily Range,	
l on 19t	.239	171	.294	- 100 A	1305	30 20	351	.350	.307	- 248	.170	260.	in. 0.079	Mean pre- of vapo	ssure ur.
h July	33	×	讨	53	55	55	#	¥	3;	21	÷1	ž	ź	Mean humidi	y.
. 1800.	=	# 13	= 5,	E 53	0 30	= to	∓ 29	0.9.0	9.52	= 55	±	0 45	D 65	Mean amo of sky clo	annt aded.
<u> </u>	5 .	=		-	=	c	-	=	\$	=	=	Ė	15	N.	-
<u>.</u>	7	2.0	_	1.5	_	Ξ	=	Ξ	=	_	=	to	J.	N. E.	
0	5	Ç	Ιŝ		19	14	51	12	5.	11	-1	1	15	E.	
= <u>.</u> ∠	<u> </u>	+-	<i>5</i> .	=	Įņ.	Ξ.	<u>.</u>	*		s.	27	ęs	=	8, E.	Рукво
		(2	_	15	→	<u></u>	E	53	3	£	15	\$0	=	S.	TION O
10.	3	2.0	14	5,	~ 1	·s	Ē	17	<u></u>	11	Çıo	+	15	s, w.	F WIN
at 51° 16′ N., Long, 80° 56 W.,	- E	į.	<u>-</u>	12	9	J.	13	÷	- t	9	ಲ	 	<u>-</u>	W.	Direction of Wind from
5. I	~1	_	=	=	Ξ	=	Ξ	15	4	=	=	=	=	N. W.	-
	215	¥÷	36	ij	H		1,7	I÷	i j	26	85	19	83	Calm,	
<u> </u>	986	€	- 1 #n	- }	÷.	-1	- I	÷	- <u>7</u>	2	ы	7.5	£	No. of observa- tions.	
=======================================	16-20	1.7	© %	= ::	# 24	9 5	= 51	1 %	_ ====================================	# 28	E 55	1 3 P		Amount.	R
7. e	ŧ	5.	15	3.	13	4	Ξ.	-1	45	t S	13	_	1.5	Days.	RAIN.
3	13 35	100	:	:	:	:	:	:	:	Э.	1 0	5 5	os os	Amount	Synw
Height above sea 30-5 ft.	Ιż	, o								ш	t S	5.	100	Rain. No. of for	
	6		- 1	+-		-								140, 01 [0]	5.**

l	7	H
١	ESULT O	r ressure at sea levet. Oo
	Ę	re at
Ì	0 13	Sea
l	313	16.A.e.
١	RVATION	· ·
l	TIONS at M	OSCIL
	y. 22	01112
l	=	TR SU
l	5	2
l	loose Fac	ID., 12
l	actory, H. B., Nov	oservations at 7 a. m., 2 and 9 p. m. local time. Birometer clean
l	1,10	9
l	,	m. I
l	==	Jeal 1
١	: }⁄	nme.
l	3.	5
l	. November, 18	LODI
l	Ĩ.	eter.
İ	$\frac{1}{x}$	clean
l	wember, 1889, to	164 [
l	to Octobe	cleaned by Mr. Carpu
l	o Octobe	021
1	5	cond
١	ber, 1:	10 197
I		nael on 19th July, 18th.
١	<u>.</u>	laf
l	ıeIı	y, 18:
l	<u>.</u>	.=
	1890, inclusive, Lat. :	
	Ë	
l	= 0	
	=	
	1	
	; 	
١) 110'	
ı	7.	
1	0	
	Ξ: 	
١	:	
l	=	
	V., Height:	
	:	
	100	
	, e	
	.: ::	
١	33	
- 1	-	

	October	September	August	July	June	May	April	March	February	January, 1890	December	November, 1889.	1~9-90.	
18 93	308.65	20 187	201 (107	21 851	E29 955	26 956	30 (83	30 025	30 069	30:105	30 000	in. 29 967	Mean.	
. 30 986	30 223	30 472	30.244	30 255	30 986	30 986	123 003	30 593	30 571	30 88	30.631	in. 30:730	Highest.	PRE
20 985 30 986 20 148	20 220	29 263	29 490	29 346	054 65	29 450	29 466	F9F 65	686 (E	29 148	50.585	in. 29°196	Lowest.	Pressure.
1 538	= 4	1 209	0.754	6.06.0	1 536	1 536	1 065	1 129	1:482	1 550	1 649	în. 1 554	Range,	
30 30	\$ #X	53 39	59 66	52.58	58 76	:4 71	98-40	9 66	- 3 53	- 9 36	设定	25 17	Mean,	
<u>\$</u>	7	82 1	<u> </u>	89-1	5 1	Ž	52.2	51	£ 1	38 0	35 =	· 46:1	Highest.	
1 #1 5	13	30 0	37-9	38.9	31 0	- 11 o	1 7 0	- 34 ⊕	1 37	1 47 5	1 15 0	— 15 ⊕	Lowest.	Темгек
:	- I - I	62:97	93.1	70 40	66.58	11.51	36:41	19 100	9 14	200	14 33	# # # # # # # # # # # # # # # # # # #	Mean Highest.	Temperature at
:	35 66	41 S	46 75	49.91	- - - - - - - - - - - - - - - - - - -	20.79	10.89	39. ×1	-17 61	-21:90	-	16 18	Mean Lowest.	
29.74	1::-11	131 OX	21 99	20 49	56 EE	20 (3)	95 F2	15.19	26 E	22 93 93	E 66	98.01	Mean Daily Range.	
0.53	0 135	0.32	0.61	6.67	0.51	0.00	0 60	0.50	∓ 81	0.5%	H 35	0.01	Mean amo of sky clor	unt ided,
jan Uz	သ (၁	<u>*</u> 1	4. 50	10	±-	5.0	4.6	4 5	*	30 g	- ::) O:	<u>1</u> 5.	Estimat- ed Force	WIND.
±.	ŧ÷	-	5.	÷	~1	0	C1	5.	Ξ	43	12	÷1	No. of Calms,	ND.
:	:	:	:	:	:	:	:	:	:	:	:	}	Amount,	Ear
å	-2	16	3.	21	14	**	1	:	:	:	:	Ç.C	Days,	
+		:	:	:	:	:	:	:	:	:	:	:	Amount.	Now
-1 	3.	=	=	=	=	- 1	IJŧ	Ē	E	£	15	10	Days.	.w.
H	=	j., 1	=	3.		Ξ		0	=	0	Ξ	=	Thunder	
-1	,	÷	15	15	=	Ξ	=	::	₩	_7	→	ť÷	Aurora.	
uja,	(5	prod	:	:	:	:	:		:	:	:	\mapsto	Fogs.	
Şŝ.	=	pard	=	=	15	=	Ξ		1.1	2.1	ال	~ 1	Clear Day	٧.

Pressure at sea level. Daily observation at "a. m., 2 and 7 p. m. local time.

STATIONS RECEIVED TOO LATE FOR THE JANUARY REVIEW.

PROVINCE.	STATION.	MEAN	Highest Temperature.		LOWEST TEMPERATURE.		PRECIPITATION.		Acroras	Tauxoea	
		Темр.	Temp.	Date.	Temp.	Date.	'Amount.	Days.	ON	STORMS ON	
		v	ů.		Ų		in.				
ritish Columbia	Fort Simpson	12 00	55.0	19	25.6	• 6	11 69	25			
	$Keremos.\dots\dots\dots$		45.5	27			0.20	::			
. W. Territories	Regina	11-13	f1 0	19	-31.0	31	0.5	2			
	0onikup	ēċ 1 −	39.0	19	-110	11	1.37	<u>-7</u> t)		-	
aniteba	Channel Island	-0.54	28 0	20	-40 5	15	0.50	**	10, 15, 15,		
ntario	Sombra	27:91	18 0	1	8.7	15	1:03	1311			
	Galt	22 41	10-4	2	-11	16	1.45	14			
	Chapleau,	2 13	31.0	23	-32 0	1	1.27	-			
	Wanstead		12 0	29	5 ()	13					
nebec,	Pointe des Monts	10 40	3010	5)1 c	-1 + 0	16	1.90	6			
ova Scotia	White Head	27 58	43:0	12	10.0	25	5.82	8			
ew Branswick	Parker's Ridge	14.68	42.0	12	-24.0	27	R (W)	12			

The observer at Channel Island remarks that on the 8th January, pine grosbcaks and wax-wings were flying about.

At Fort Simpson from the 12th to 16th inclusive, dense fogs.

PRECIPITATION.

The rainfall throughout the Dominion has in almost every part considerably exceeded the average fall, the excess being greatest in Nova Scotia, a slight defect occurring in B. Columbia.

The distribution is as follows:-

In B. COLUMBIA the rainfall was 0.59 in., about 1.50 in. below the average.

In the N. W. TEERRITORIES and Manitoba no rain is recorded.

In Ontario, West and South-West District, it was 2773 in., or 167 in above the average. In the North and North-West District it was 128 in., or 074 in above the average. In the Central District it was 172 in., or 107 in above the average, and in the East and North-East District it was 135 in., or 066 in above the average.

In Quebec it was 0.03 in., or 0.61 in, above the average.

In New Brunswick it was 1/84 in., or 0/42 in. above the average.

In Nova Scotta it was 474 in., or 301 in. above the average.

In P. E. Island it was 2.15 in., or 1.33 in. above the average.

Rainfall 5 in, and upwards during month:

N. Brunswick. Grand Manan, 508 in.

Nova Scotia. Halifax, 694 in.; Varmouth, 573 in.; White Head, 589 in; Truro, 543 in.

Rainfall 1 in, and upwards in 24 hours:

1st, Grand Manan, 200 in.; Pelce Island, 104 in.

5th, Fort Simpson, 108 in.

6th, Georgetown, P. E. I., 177 in.

11th, White Head, 101 in.

16th, Stoney Creek, 102 in.; Oil Springs, 100 in.; Blenheim, 123 in.; Dealtown, 128 in.

17th, Sprucedale, 100 in.; Pelce Island, 2'51 in.; Cottam, 1'35 in.

20th, Petrolia, 102 in.; Stoney Creek, 117 in.; Thedford, 100 in.; Sombra, 130 in.; Presque Isle, 150 in.; Dealtown, 149 in.

21st, De Cewsville, 146 in.

23rd, Pictou, 2'12 in.

24th, Sprucedale, 1/50 in.; Point Clark, 1/12 in.; Beatrice, 1/45 in.; Bancroft, 1/05 in.; Soubra, 2/00 in.; Lyons, 1/05 in.; Glastonbury, 1/61 in.; Presque Isle, 2/00 in.; Wauton, 1/30 in., 1/1008 Head, 1/35 in.

25th, Bermuda, 1/37 in.; Parry Sound, 1/72 in.; Chapleau, 1/17 in.; Joly, 1/23 in.; Whiteside, 1/47 in.; Brome, 1/20 in.

26th, Yarmouth, 141 in.; Digby, 100 in.; Dorchester, 142 in.

27th, Halifax, 183 in.; Sydney, 200 in.; White Head, 107 in.; Fort Hastings, 187 in.; George town, 233 in.; Truro, 140 in.

Snowfall in the same districts as in the rainfall :-

В. Социвил. 128 in.

N. W. TERRITORIES. 69 in., or about 2 in. above average.

MANITORA. 9'4 in., or 1'2 in. below the average.

ONTARIO, - 6'2 in., or 4'3 in. below the average; 18'4 in., or 3'9 in. above the average; 12'9 in., or 1'0 in. above the average; 15'5 in., or 0'3 below the average.

Quebrc.—244 in., or 48 in. above the average.

N. Bruxswick. 2000 in., or 24 in. below the average.

N. Scorta. - 10'4 in., or 8'2 in below the average.

P. E. ISLAND. 143 in., or 84 in. below the average.

Snowfall 15 in. and upwards during month:

B. COLUMBIA. Agassiz, 17 in.; Maple Grove, 16 in.; Port Moody, 22 in.

N. W. TERRITORIES.—Medicine Hat, 15 in.

Maxitoba, Burnside, 18 in.; Posen, 20 in.; Minnedosa, 15 in.

ONTARIO.—Saugeen, 24 in.; Port Dover, 20 in.; Parry Sound, 20 in.; Rockliffe, 16 in.; Cook's Mills, 22 in.; Heron Bay, 20 in.; Novar, 17 in.; Ignace, 20 in.; Biscotasing, 23 in.; Savanne, 22 in.; London, 15 in.; Whiteside, 16 in.; Owen Sound, 19 in.; Sprucedale, 16 in.; Lakefield, 18 in.; Beatrice, 21 in.; Gravenhurst, 16 in.; De Cewsville, 17 in.; Georgina, 18 in.; Lucknow, 18 in.; Sault Ste. Marie, 49 in.; Bancroft, 29 in.; Bognor, 30 in.; Barclay, 17 in.; Midland, 25 in.; Thompson, 27 in.; Presque Isle, 21 in.; Orillia, 34 in.; Port Hope, 26 in.; Wiarton, 18 in.; Goderich, 18 in.; Peterborough, 21 in.; Lindsay, 19 in.; Deseronto, 15 in.; Ottawa, 30 in.; Little Forks, 18 in.; Coldwater, 31 in.; Durham, 33 in.

QUEBEC. Father Point, 21 in.; Quebec, 19 in.; Cape Magdalen, 15 in.; Point des Monts, 82 in., Chicoutimi, 20 in.; Huntingdon, 17 in.; Richmond, 27 in.

N. Brunswick.—St. Andrews, 16 in.; Chatham, 26 in.; Dalhousie, 17 in.; Bathurst, 34 in.; Fredericton, 25 in.; Point Lepreaux, 15 in.; Parker's Ridge, 31 in.; St. John, 18 in.; Point Escuminac, 32 in.

Nova Scotia. Halifax, 18 in.

P. E. ISLAND.— Charlottetown, 15 in.; Kilmahumaig, 18:3 in.

Snowfall 5 in and upwards in 21 hours: -

1st, Port Hastings, 5 in.; Richmond, 6 in.; Ottawa, 6 in.

3rd, Father Point, 7 in.; Cartier, 6 in.; Whiteside, 5 in.; And Lake, 6 in.; Sault Ste. Marie, 8 in.; Orillia, 8 5 in.; Ottawa, 8 in.; Coldwater, 5 8 in.; Bathurst, 10 in.; Bancroft, 8 in.; Point des Monts, 9 in.; Midland, 9 in.; Point Escuminac, 5 in.; Presqu'Isle, 6 in.

4th, Cape Magdalen, 8 in.

5th, Port Hope, 6 in-

7th, Chicoutimi, 5 in.; Little Forks, 7 in.

8th, Yarmouth, 66 in.; Huntingdon, 6 in.

9th, North Bay, 11 in.; Sault Ste. Marie, 6 in.; Port Moody, 5 in.; Fredericton, 5 in.

10th, Port Hastings, 5 in.; Point des Monts, 26 in.; Point Lepreaux, 6 in.; Dalhousie, 5 m.; Richmond, 6 in.; Parker's Ridge, 7 in.; Kilmahumaig, 7 in.; Point Escuminac, 6 in.; Bathurst, 6 in. 11th, St. John, Nfld., 8 in.; Thompson, 5 in.

16th, Chatham, N.B., 5'6 in.; Point des Monts, 5 in.

17th, Fort Simpson, 6 in.

18th, Sault Ste. Marie, 6 in.; Point des Monts, 6 in.; Point Escuminac, 5 in.; Durham, 6 in.

10th, St. John, Nfld., 6 in.; Agassiz, 6 in.

20th, Port Stanley, 74 in.; Port Dover, 62 in.; Ignace, 145 in.; Buda, 6 in.; Nepigon, 6 m.; St. Mary's, 5 in.; Georgetown, 52 in.; Ottawa, 5 in.; Little Forks, 5 in.; Port Moody, 65 in.

21st, Father Point, 7 in.; Kilmahumaig, 6 in.; Point Escuminac, 8 in.; Sydney, 6 in.

22nd, Medicine Uat, 5 in.; St. John, Nfld., 5 in.; Chaplin, 6 in.

23rd, Minnedosa, 5'5 in.; Russell, 5 in.; Fleming, 6 in.; Thompson, 7 in.

24th, Minnedosa, 64 in.; Posen, 54 in.; Brandon, 6 in.; Point des Monts, 8 in.; Point Escummac, 5 in.; Burnside, 12 in.

25th, Chicoutimi, 6 in.: Thompson, 5 in.

26th, Point des Monts, 8 in.

27th, Bathurst, 5 in.

28th, Port Dover, 69 in.; Port Hope, 6 in.

Aurora recorded on

The class of aurora, if noted by Observer, is given (I) being the brightest, (IV) the reeblest in brilliancy.

2nd, Savanne.

3rd, Savanne.

5th, Swift Current, IV; Sydney, IV; Savanne, Gravenhurst, IV; Cotham, H; Posen, II; St. Alban's, III; Pembina, Alexandria, III.

6th, Port Arthur, III; Savanne, Posen, III; Brandon, IV; St. Alban's, IV; Pembina

7th, Minnedosa, IV; Chicoutimi, IV.

9th, Sydney, 111; Savanne, Gravenhurst, 111; Fort Ellice, 1; Grenfell, Posen, 1; Georgetown, 111; Pembina, Little Forks, 111.

10th, Grenfell, Cotham, IV; Chicoutimi, IV; Pembina, Little Forks, IV.

11th, Prince Albert, IV; Halifax, IV; Novar, IV; Savanne, Gravenhurst, III; Elora, Posen, I; Toronto, IV; Brandon, IV; Woodstock, N. B., III; Little Forks, IV; Durham, IV; Virden, IV; Fredericton, IV.

12th, Prince Albert, H; Novar, IV; Banff, IV; Cotham, H; Montreal, III.

13th, Swift Current, IV; Father Point, III; Novar, IV; Clontarf, IV; St. Alban's, II; Chicoutimi, III; Huntingdon, IV; Montreal, III.

44th, Father Point, III; St. Andrews, IV; Novar, IV; Egremont, IV; Savanne, Stoney Creek, II, Gravenhurst, II; Clontarf, III; Georgina, Chicontimi, IV; Denbigh, I; Peterboro', II; Alexandria, III; Durham, IV; Truro, IV; Toronto, IV.

18th, Rapid City, Little Forks, IV.

26th, Savanne, Chicoutimi, Pembina.

27th, Prince Albert, IV.

28th, Pembina.

The following arrivals of birds have been noted during February:

Horned Sparrow Sombra, 1st.

Crows Alton, 21st; Stoney Creek, 15th (large number); Georgina, 10th; Puris, 25th; Burnam, 24th; Posen, Man., 10th; Cowal, 25th.

Robins DeCewsville, 21st; Banff, 14th; Sombra, 22nd; Georgetown, 24th; Cottam, 8th

Chipping Sparrow DeCewsville, 22nd.

Shore Lark Lucknow, 17th.

Blue Fay Thedford, 12th; Sombra, 23rd.

Villow Bird Sombra, 231d.

Grey Bird Sombra, 25th.

Wild Geese Cowal, 22nd; Cottam, 23rd.

Lightning and Thunder on 24th, Elora; 20th, Ridgetown, Cottum; 21st, Port Moody, during a heavy snow storm.

Mr. Wm. Mowbray, the observer at Sarnia, notes that the River St. Clair has not been frozen from Corunna to Sarnia this winter.

							H	WRS I	ENDI	\$G						
	5 A. M.	6 A.M.	7 A.M.	S A.M.	9 A.M.	10 A.M.	11 A-M.	NOON.	I Р. И.	2 P. M.	3 P•M•	1 P.M.	5 P.M.	6 P.M.	7 P.M.	P. 3
			-						i.							-
Winnipeg			0.10	0:40	0 69	0.69	0.63	0.95	0.61	0157	0.46	0:43	0.08			
				1											1	
									i	1						
KINGSVILLE			1	.08	.55	27	:31	130	.31	. 134	*32	31	18	8.		
$Woodstock \dots \dots \dots \dots \dots \dots$.10	.30	129	.30	134	.34	.30	135	129	1(16)			
Тоголто				21	136	- 44	.44	. 1~	.43	41	42	41	15			
Lindsay				11	.51	27	137	. 42	52	148	46	135	26	18		
Barrie	٠.															
Kingston			101	:18	:52	-35	.37	- 38	.45	41	50	:30	121	S.		
														,		
CORNWALL					, .											
MONTREAL		-		105	25	137	. 42	145	49	:40	* 49	:40	:35	.418		
Fredericton				.21	-34	:36	141	15	46	50	-55	45	-31	8.		
Sydney			101	. 24	-42	* 40	45	45	43	4.)	.41	-39	.57	:01		
					-										ž	
			Winnipeg.			KINGSVILLE	W ояФЅТан'К	Tokonra.	Lindsay.	Barres.	KINGSTON.		1	MONTREAL.	FREDERICTOR.	SYDNEY.
MEAN PROPORTION FOR MONTH (Constant smarking being 1.)			0.50			0.52	0.25	0.36	σ 34		0.34			0.39	0.40	0%
MAXIMUM DAILY AMOUNT			0.50	1		0.85	0.89	0 89	10)		0.91			1 00	0.05	9.5
Date			27			11	14	14	4		4			19	- 23	
No. of Days Completely Clouded			4			8	11	5	9		11		1	11	7	1

PROBABILITIES.

The probabilities issued by this office at 11 p. m. each night are posted up at every telegraph station in Canada, and are for the 24 hours beginning at 8 a.m.

The number of predictions issued during the month was 482. These were divided as follows:--

	Σ_0				
DISTRICT.	Issufd.	No. Fully.	No. Partly,	No. Not.	Percentage Fully.
					1
Lower Lake Region	105	7.1	16	10	82.1
Upper St. Lawrence	100	70	11	11	82.5
Lower St. Lawrence	93	72	+4	12	82 3
GLE	80	71	15	1:1	75.7
Maritime Provinces	(15	75	10	10	45
Torvi	482	703	+16	53	

The percentage of verification is obtained by taking the sum of those fully verified and half the sum of those partly verified and dividing by the whole number.

In ascertaining the percentage of verification of the predictions the reports from the agents at the "Probability Stations," as well as the telegraphic reports, are used.

The daily probabilities and the storm warnings were issued by Probability Officer R. F. Stupart.

STORM WARNINGS.

During the month warnings on the approach of five storms were issued to our agents, and cautionary signals duly displayed at the various signal stations. The total number of warnings issued was 53, of which 32, or 630 per cent., were verified. At 3 stations, however, the force did not reach that indicated by the signals displayed; 5 stations reported warnings received late, 4 owing to delay, and 1 to issue, and 6 stations reported a storm for which no warning was sent.

In connection with the warnings, predictions as to probable direction of the wind were given, and of the 32 warnings verified as to force, 27, or 84.4 per cent, were fully verified, and 32, or 100 per cent, were fully and partially verified.

- No. 1. At 5 p.m. on the 31st January, Charlottetown, P. E. L., Pictou, N. S., and all stations along the Atlantic coast and in the Bay of Fundy were warned to expect a fresh gale from the east in consequence of a cyclone then over the Lakes, which, however, on reaching the Maritime Provinces dispersed and no storm occurred.
- No. 2. At 11 p.m. on the 2nd the same stations were warned to expect a fresh casterly gale, in advance of a small cyclone then developing over Michigan, which as it neared the Maritime Provinces became an important storm. Early on the 3rd the wind increased to a fresh gale on the Bay of Fundy and extended during the day over the whole maritime district, being accompanied by a general fall of sleet and rain. The wind, which at first came from the S.E., gradually veered, as the cyclone moved eastward, to the W. and S.W.
- No. 3. All Bay of Fundy stations, also Liverpool and Halifax, were warned at 10 p.m. on the 7th to expect a fresh easterly gale. Two small depressions at the time were visible, one over eastern New York and the other off the middle Atlantic coast. Next morning these had coalesced and apparently dispersed during the day off the coast. Early on the 8th there was a considerable E. and N.E. gale on the Bay of Fundy.
- No. 4. All Atlantic coast stations south of the Gut of Canso and Bay of Fundy stations were warned at 10.30 a.m. on the 20th for a moderate S.E. to S.W. gale. At the time an anticyclone of some importance combined with low pressure over the Lakes was causing steep barometric gradients over the eastern portion of the Lake District. During the 21st and 22nd a moderate gale prevailed in the Bay of Fundy and southern portion of Nova Scotia, which, coming at first from the S.E., eventually veered to N.W. as the depression over the Lakes passed across the country and off the coast.
- No. 5. At 10 p.m. on the 24th stations in Northumberland Strait along the Atlantic coast and in the Bay of Fundy, were warned for a moderate gale from the S. and W. An important cyclone was central over Lake Superior at night. During the 25th and 26th a moderate gale from the S. and W. prevailed over the greater portion of the maritime district as the cyclone passed eastward across this district.

TORONTO OBSERVATORY. MAGNETIC REVIEW FOR FEBRUARY, 1891.

A slight disturbance prevailed on the 1st. The following three days were much quieter. After 2 a.m. of the 5th the magnets became a little unsteady and continued so to 2 a.m. the following morning. They were again in a similar condition on the evening of the 6th. Nothing of importance was recorded until the morning of the 9th, when a disturbance commenced; previous to 10 a.m. the declination magnet moved steadily west until 11.15 a.m., it then became quieter until 6 p.m., when the movements increased and the disturbance continued until 10.40 p.m. On the 10th the magnets were unsteady all day, still there were no important changes recorded. The 11th was much more disturbed, the most prominent movement was an easterly swing of 32 at 16.25 p.m., followed at 10.45 p.m. by a westerly increase of 44'; the magnet then slowly regained its normal reading, but still remained slightly disturbed. On the 11th, after 8 p. m., the h. f. steadily decreased until 10.40 p.m., when a sharp increasing swing set in, a marked maximum taking place at 16.50, after which the magnet gradually took up its normal reading. At 10.40 p.m. of the 11th a decrease of the v. f. component was shown. Disturbing action was maintained up to the morning of the 15th, it was more active on the 14th and 15th, in fact it was the most important disturbance we have had recorded at the Observatory for some time.

The maximum reading occurred at 5 a.m., the reading then being 32' above the normal, and the greatest easterly reading at 1.57 a.m., the range being 56'2. Both forces were generally decreased throughout the disturbance, and after 6 a.m. of the 15th were slightly above their respective normals.

Slight d sturbance commenced on the morning of the 16th, and was visible during the following three days. This was followed by a period of quietness lasting until 10 p.m. of the 22nd, when another minor disturbance appeared and lasted until 10 a.m. of the 25th. On the 26th, at 10 a.m., the magnets again became unsteady and slight disturbing action was visible to the end of the month; the afternoons and evenings were however generally quiet.

Auroral light was observed on the 11th, class (IV.), also on the 14th. On the 1st, 3rd, 4th, 6th, 10th, 12th, 18th, 21st, 26th, 27th and 28th, the sky was clear but no aurora was observed; on all other nights clouds or haze would have hidden any aurora which might have existed. On the 11th, 12th, 13th and 14th, aurora was generally observed throughout the Dominion.

CHARLES CARPMAEL,

Director.

METEOROLOGICAL OFFICE, TORONTO, 6th April, 1891.

METEOROLOGICAL SERVICE, DOMINION OF CANADA.

Monthly Wenther Review.

MARCH, 1891.

INTRODUCTION.

In compiling the present Review the principal data made use of are the telegraphic reports of observations received at this office for the purpose of weather predictions, and the reports of storms received by mail. For the material used in tracing the courses of areas of high and low pressure in the United States, we are indebted to the Chief Signal Officer, Washington, D.C.

ATMOSPHERIC PRESSURE.

The average pressure, as determined from the observations taken at telegraph reporting stations, was everywhere above the normal of seventeen years. The excess above normal was particularly marked in Quebec and the Maritime Provinces, and at some stations exceeded 0.2 of an inch.

March was chiefly remarkable for the erratic movements of the low pressure areas. Twelve were of sufficient importance to be traced, and they travelled over almost all parts of the continent and from all kinds of directions.

The distribution of pressure throughout Canada during the 1st and 2nd was entirely anticyclonic, the pressure being generally very high. The weather was fine, attended by excessive cold, minima being recorded 34 in the Northwest Territories, --42 on the north shore of Lake Superior, --20 in the Parry Sound district and the Ottawa Valley, --12 in Quebec and 6 in the Maritime Provinces.

These conditions were interrupted between the 3rd and 5th from the Lakes to the Atlantic by the advance of a depression from the Southwest States, which as it passed into the Lake Region and subsequently with less energy over the New England States and along our Maritime coast, brough a heavy fall of snow together with a gale of wind, more severely felt from the eastward than from the other directions. Along the St. Lawrence and the Metapedia Valleys the snowfall was heavier and the gale of greater force than elsewhere.

The anticyclonic conditions which meanwhile had obtained in the Northwest, attended by a continuance of the excessive cold, minima of 42 being recorded, again spread to the Atlantic in rear of the disturbance, and lasted until the 8th, the weather, with the exception of a light snowfall over a portion of Ontario on the 6th, being fine, and the temperature, although higher from the Lakes to the Atlantic than in the Northwest, was as a rule below average, minima being recorded on the night of the 5th, of 414 at Parry Sound, 2 at Saugeen, and 6 at Rockliffe.

An area of low pressure which appeared in the vicinity of the Gulf of Mexico on the 6th, having apparently prior to this passed over the South Pacific States, then travelled northward and over Lake Superior. At the same time a subsidiary formed and moved up the Atlantic coast and over the New England States to Quebec and the Gulf of St. Lawrence, and still another depression travelled over the Northwest and eventually dispersed in the Upper Lake Region. These cyclonic movements gave much higher temperatures throughout Canada; also on the oth, a fall of snow occurred from the Rockies to Manitoba, together with strong winds and gales, and between the oth and 10th sleet and rain fell generally from the Lakes to the Atlantic. Again, during the night of the 11th snow and rain occurred in the Lower Lake Region, and on the 12th it rained heavily along the St. Lawrence Valley.

During the night of the 12th an important disturbance developed with great rapidity in a trough of low pressure which stretched from the Gulf of Mexico to Maryland. It at first travelled north-northwesterly to Lake Eric, and then northeasterly along the 8t. Lawrence Valley, reaching its maximum on the evening of the 13th, when, in the Ottawa Valley, barometer reduced to scalevel at Rockliffe 2858 inches. Its effect was to cause a heavy westerly gale in Ontario and portions of Quebec, and a storm of less severity in the Maritime Provinces. Precipitation occurred generally

in Ontario, chiefly confined to snow, which was especially heavy in the Muskoka and Parry Sound districts, and there was heavy rain, turning to show in some places, in Quebec and the Maritime Provinces.

An anticyclonic system moved into the Northwest Territories on the 10th, and was accompanied there until the 13th by fine and moderately cold weather, except during the night of the 12th, when temperatures fell from -20 to -30. It then passed southeast to the Middle Atlantic coast, and gave its fine and colder weather in Ontario on the 14th, and during the following day in Quebec and the Maritime Provinces.

Between the 14th and 17th a shallow depression, which however developed considerable energy when passing into the Gulf of St. Lawrence, as well as an area of high pressure of some importance followed one another with rapidity over the Northwest Territories and the Lake Region to our Atlantic coast. Light snowfalls attended the depression throughout its course, and colder weather and strong winds the high area, the weather conditions being most marked on the Lower St. Lawrence and the Gulf, where the snowfall was heavier and a northwesterly gale of short duration prevailed. The minima recorded were -- 18 to 24 in Manitoba, -- 30 on the north shore of Lake Superior, -- 16 in the Parry Sound District, and --22 in the Ottawa Valley.

Another anticyclone then passed over Canada, accompanied by fine cold weather; it was, however, preceded in Ontario on the 17th by a light fall of snow or sleet, caused by a depression to the Southwestward, also on the 18th in Quebec and the Maritime Provinces by another small depression which gave light falls of snow or rain.

Although this anticyclone afterwards hung persistently over our Eastern Atlantic coast and Newfoundland from the 20th until the 24th inclusive, the distribution of pressure elsewhere was cyclonic. In the first place the depression which had been in the Southwestward moved into the Lower Lake Region and dispersed; a second disturbance covered the Northwest on the 18th and 19th, and then passed southeast to the Middle Λ tfantic coast, skirting the southern portion of the Lower Lakes, and a third one on the 21st travelled from our Northwest to the Upper Miss uri Valley and then easterly over Canada to the Gulf of St. Lawrence. Along our Atlantic coast no precipitation occurred until the 231d, then it was confined chiefly to a few showers of rain or snow; elsewhere in Canada, however, unsettled weather prevailed generally during this interval and snow or rain frequently occurred, although not in any large amounts.

An area of high pressure which afterwards made its influence telt over the greater portion of Canada for rather a lengthy period moved into the Northwest on the 22nd, apparently from the Northward. On the 23rd it was central in the Qu'Appelle Valley as an important system, barometer reduced to sea level 30.70 inches. It was accompanied by fine, cold weather, the minima recorded being—18 at Qu'Appelle,—12 at Minnedosa. It then spread quickly throughout Canada, its centre being transferred to the Upper Lakes and the Ottawa Valley, where it hovered, thitting at times a little eastward or westward until the 30th, when it made a more decided easterly movement, and on the 31st lay over the Lower St. Lawrence Valley and the Maritime Provinces.

The interruptions to the fine weather which, as a rule, prevailed from the Lakes to the Atlantic during this protracted period, were a moderately heavy fall of snow and rain in the western part of the Lower Lake Region on the 27th, as an extended disturbance travelled the Mississippi Valley to Indiana, and then quickly changed its course to east-southeast and passed off the Middle Atlantic coast, a heavy rain over the greater portion of Ontario on the 31st, as a deep cyclonic system moved into the Lake Region from the westward, and light falls of snow or sleet in the castern half of the Maritime Provinces on the 28th and 30th, caused by depressions passing some distance off the coast. Temperature varied but slightly from normal, except in Ontario and Quebec, on the 28th and 20th, when it was much in excess of its average, maxima of from 50 to 54 being generally recorded. High winds were experienced on the 27th from the eastward, in the Lake Region, and from the northwestward in the Maritime Provinces; again on the 31st high easterly winds prevailed over the lakes.

In the Northwest Territories and British Columbia during the last week of the month the distribution of pressure alternated between cyclonic and anticyclonic. Temperature was generally in excess of its average, and with the exception of a few local falls of snow or rain, more especially on the 28th, 30th and 31st, the weather was generally fair.

TEMPERATURE.

The average temperature, as determined from the observations taken at telegraph reporting stations, was slightly above the normal for seventeen years to the east of the great lakes, but below the normal to the west.

The highest and lowest temperature in each Province during March were:—

B. Columbia, 00 to on 23rd at Quamichan : 4 12 0 on 2nd at Farkerville.

N. W. Territories, 58°11 on 25th at Calgary; 30°0 on 5th at Pheasant Forks, Manitoba, 55°0 on 20th at Oak Bank; 41°5 on 2nd at Minnedosa.

Ontario, 6000 on 20th at Little Forks: 4233 on 1st at White River.

Quebec, 57 o on 23rd at Huntingdon; 15° 5 on 2nd at Richmond.

N. Brunswick, 57 to on 30th at Pathurst; 18°5 on 3rd at Fredericton and Chatham.

N. Scotia, 60°0 on 24th at Truro ; $\pm 3°3$ on 26th at Truro.

P. E. Island, 48°2 on 14th at Georgetown; - 9°0 on 3rd at Kilmahumaig.

PRESSURE, TEMPERATURE, WIND AND PRECIPITATION AT STATIONS IN THE DOMINION OF CANADA, MARCH, 1891.

-SILLO	Ze. of Thunderst Zo. of Fogs.		:00	:0-0	00000		000000	000	99999999999
= -	Zo. of Auroras.	0-0000	:00	1000	+52115	1+20	0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 % 0	O C C C C C C C C C C C C C C C C C C
	Zo. of fair days.	5888598 : :	: # 0	:555	8888	1775	:888589	855	!취족평측의평요프형프로브림프트
ЮУ.	Zo. of days.		: [: E 7 (0)	2000 40 55 - 65	. E = 1	ing thing that is the	14 E G	PERCENTERS TO SERVE
Precipitation.	Diff. from aver-	1	0	9	1.0	17.0	100000	5 A	
PRECI	Amount.	E E E E E E E E E E E E E E E E E E E	=	0.17	\$ 3 5 5 5 \$ 3 5 5 5			5 5 % 5 5 6	588886688587888 6464666666668
WIND.	Content of the Conten	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	N.N.	M #7	E 7	χ. 	7 N N N N N N N N N N N N N N N N N N N	MN 53	
VELOCITY OF WIND.	Righest days	17.0 % % 8.0 14.0	÷	2	= :	-	2 2 2	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	2 E 2 E 2 E 2 E 2 E 2 E 2 E 2 E 2 E 2 E
Veloc	Menn, miles per i			=	- 3	=	=-=		-=
	sanoil to	888888 : :	18 B	9 :	00789	9		9.3.€	2229 932 122 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Total miniber	ន្ទន្ទ : : :	: :55	<u> </u>		= :	1 1 0 3 7 1 1 1 10 3 7 1 1	81212	
WIND FROM		មមណ្ឌិតរា :	100			÷			
2	Z' IL:	:::	:77 =	· · ·			11011	240	
W.T.	' '2 <i>II</i> .'	 ∞50==:::	1-12		a x nen	:		ភេទភ	
do ,		######################################	:	171 : :	- 5 - 1- x	- :	lian ili. Linerii	- = = -	
110.	H 18	ೂರ್ಣ-ಕರ್ಷ	26.21	: :: :::::::::::::::::::::::::::::::::		Ξ:			・ 一 : : : : : : : : : : : : : : : : : :
Викетном ок	E		: = =	: : : : : : : : : : : : : : : : : : :		a :	: IT		
۵	Z'E'	1-5-50	:==	:	-1x7c7-1-	<u> </u>		_ s <u>s</u> n.	10
	'X'	- F==== i	7.0	= : :		<u> </u>	: : : : : : : : : : : : : : : : : : :		lenge length is the
	elonded.		· [m]		- = =	= :		111	
	To timoum insek - Juropszych to lozek	wa au	12		e in in	-	1 1 1 1 1		
	- Am		1 1	1 1 1 1	1 1 1 1 1				
-imnt	thiograph Teathfeatrailte								
to of	ntaraquist nasK								
	Thinb Isotority	· 12 12 11	= :		- 0 for 12	÷:		9 :-	
	184896		= :		- FEE 13		177777	17	
	Tenn daily	<u>កាម គ្រឹ</u> ក្ស : ។ ១៩៤១១៤ !!!	tiga sa	:545 15-1	85945	51-51 d	1655555	15.	:
AIR.	- Date.					1.3	-	_	
1. A	Powest	999977 : : :	10.7		27.025	ម្នេច មានគ		· 基本書	
32	•		11		11111			THE	
Temperature	Date.	543558	និតិ	15 A E			1884888	有新药	838384458848888
MPE	Highest.		7.6 6.9 7.9		50855 58855 641 172	263		5 5 5 7 7 7 7 7 7 7	959859999999999 334893333333335 19777282248248
TE	Lears openat		144		611 172	1-10-4			2
	· 55 c	, #\$PP##	77.0	.	FP [25	. = 2 - Fillel		4 2 5	
	-тоук шол ДПС	7 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	111						
	Hard.K.	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 - x 2 x 5 ±	\$ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	*	PET.	X 2 2 2 2 2 2	89. 25.8	្តាត្តកំពុកសំពេញ សំពេញ មិ ក្រុមស្រាល់ស្នងក្រុមស្នង
	талия]								
Pressure in in hills	1.0n t.	10. 10 hs at acceptance of the							
2	1- 4 (7 1 1 1	7.13 11-17 1 1 1 1 1 1 1 1 1	16.1		5 7 5 13			: 4 1	
E	11-11	a 20 125 125 125 125 125 125 125 125 125 125			i da la			1 1	
2.5	Mean reduced.	in. in in in in in accordance, in ac	9 13		\$1.00 E. 10				
	Xean actual.	Ē							
		Assuments: Medicine Hat Education Pleasant Focks. Swift Unitent Qu'Arpe he Gleichen Kibar	George Colored	Percentage of the Conference o	N N N N N N N N N N N N N N N N N N N	= 7		£. /	
-		•			-			-	

PRESSURE, TEMPERATURE, WIND AND PRECIPITATION, &c.—Continued.

The control of the	1	. Xo. of Pogs.	0000000-0000000 1100000010 10000 10000100	
The state 1	smrot	Zo. of Thunders		22200000000
A				2011201120
Second S			endermenter interestante interestante de la competit de la competi	12252426446
Second S	VT10		2000 - 100 -	25
Promounce	PIT	Diff. from aver-	<u>~ 1 ~ 7 1 ~ 7 ~ 7 ~ 7 ~ 7 ~ 7 ~ 7 ~ 7 ~ 7 ~ 7 ~</u>	
Promounce	RECI	ушопит.	82222 2742335548	201284 20138 41.00 20128 41.00
The control of the	-	'		
The control of the	QXI.			6 N 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
The control of the	0.F W			
The control of the	YTI	synb tsodgill	* * * <u> </u>	4 7 28 24 24 24 24 24 24 24 24 24 24 24 24 24
The control of the	тос	ропь:		- = 7 φ ₌ ₌
Parties mark 2 2 2 2 2 2 2 2 2	×	Mean, miles per		
Power Powe				33333 B 84 1
Combon may Component Com	_			000 2 2 00
Combon may Component Com	FRO	Z. W.		27277 2 2 2 2 2
Combon may Component Com	î N			ongang in in i
Transfer	W	S. W.		2000 0 T T 10 10 10 10 10 10 10 10 10 10 10 10 10
Transfer	N 01		7 7 7 0 10 1 1 2 1 2 10 N 20 2 N 1 1 0 7 7 9 1	
Transfer	CT10	'S' E'		ည္းရွိအစ္ ည ျမွာ
Transfer	IRE	Ε.	22- 7 1 1 E 1 1-2 2 2 14 2 6 15 2 2 2 2 2 3 3 3 5 5 5 5 5 5 5 5 5 5 5	តែខាត នៃ ២១ 🔝
The second of the control of the c		Z. E.	8 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	7 - 4 6 7 7 6 5
Normal mount of the control of the		. X		25-45 12 120
The second The	Canard	ronged		0 10 -100-1-0
Parent				
Paragraph Para				
Parkette 1	-imn			
Taylor T	Jo ou	mirroquot mok ,		
Taylor 1 1 1 1 1 1 1 1 1				- 0.0.0.0.7.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0
There are in Moun return 1 Moun return		eange.		- n x a a x n n x + 0
Тамевие и меня и мен			= 5	
Threshold Thre	1R.	.ate.		
Threshold Thre	F A	c rowest.	ప్షెచ్ట్బర్శారాలం అట్టు ఉ.మ	25.50 117 117 117 117 117 117 117 117 117 117
Pressured. 10	RE C			
Pressured. 10	ATUI	Date.	9	
Pressure In Mean actual. iii	IPER			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
The sagns The	TE		তুতত হিন্তু হাত্ৰ বাৰ্টি হাত্ৰ বাৰ্টি হাত্ৰ	15002444 : 1601 : 1400868888848
Presented. 1		1,182	ವರ್ಷ-ಪರ್ವವಿ ಅವರ ಕರ್ಮ ಕರ್ಮದ ಕರ್ಮದ ಮರು ಅವರ ಕರ್ಮಕ್ಕೆ ಕರ್ಮಕ್ಕೆ ಕರ್ಮಿಕಿಕೆ ಕರ್ಮಕ್ಕೆ ಕರ್ಮಕ್ಕೆ ಕರ್ಮಕ್ಕೆ ಕರ್ಮಕ್ಕೆ ಕರ್ಮಕ	-1990000 100
PRESSURE IN MORE IN TROUBER IN TROUBER IN MORE IN TROUBER IN TROUB		-rova mort Trid		
PRESECUE IN Mean actual. iii. Mean actual.		o Menn.	3835555555555555 X385585 8335 883535	តិតិនិត្តិតិតិតិតិតិតិតិតិតិតិតិតិតិតិតិ
PRESECUE IN Mean actual. iii. Mean actual.		agunn.	111181118111111111111111111111111111111	6 178 8 1 1
Press of the state	* **			
Press of the state	NCHE	Powest.	-	1
	N.	.tsafgIII :		6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
	THE		- : : : : : : : : : : : : : : : : : : :	
	RE 5.8	Hean reduced.		8.8
	ì	Mean actual.		\tilde{x}
strain—Continuel. Are bake Gravenburst. Gravenburst. Gravenburst. Yorich. Yori		,		
NTMED—Contina ANY Lake The Lake				
NTARIO—Con Any Lake Battine Gartine Convenions North Bru Rocklithe Yorth Bru St. Mary S. Paris Paris Paris Coltan				
NTARIO — ANY Laboratory of Colory of Colors of				Frank Park
			Land of the state	ritsa seroi ngsto awa kefie xan ifrex ok's neroi ilbun
			#FERSSSEERSEERSSSEERSESSEREERSEERSEER	

00000:		10000 1919	110000-0-0000	000000x	s o	4 ¢ :1	: :
41000		1000 100	00000000000	5005050 ;	0 0	0 0 0	000:0000:
2 18 18 18 18 18 18 18 18 18 18 18 18 18	— 51 50 21 15 12 15		5251252 18885	5124228	<u>s</u> =	755	- 33 :2989 :
22 13 22 13 15 28 8 30 10				2.87 2.00 20 1.53 13 1.01 17 1.04 17 1.74 4	11 13	35,117 -47, 4 -77, 15	20 48 - 1 - 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2
<u> </u>	$\begin{array}{c} +0.48 \\ +1.00 \\ -0.43 \end{array}$	0 00 7				717	127 197 19
3.83 0.60 1.30 4.75		9.77 9.84 9.72 2.73 2.51 3.17	646882188168888	2255544 255555	e 9	$\begin{array}{c} 1.78 \\ 1.15 \\ 1.60 \end{array}$	#### 14 6 0 14 #### 6 6 2 4 6 1
14 NW 15 N. 27 SE.	14 S.W 14 S.W	4 N E 14 W.	6 N 15 NW 17 NW 14 SW 16 NW 5 NW 3 NE	17 NW 26 NW 6 N. 26 NW 14 SW	17 52 N N	27.V.W	2 X 3 X 5 X 5 X 7 X 7 X 7 X 7 X 7 X 7 X 7 X 7
N N N	39 · 7	36.0 VII 46.7	18.0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10 0 10 1 10 1 10 1 10 1 10 1 10 1 10 1	13.7	ب ا	30.2 2.3 8.4 1.0 4.0
= = -	15•6 II		9-9 11 14 8 111 11 11 11 11 11 11 11 11 11 11 11 11	1.0.0 1.0.0 H H H			x : : : : : : : : : : : : : : : : : : :
888	1 1	93 25 28 88 88 88 88 88 88 88 88 88 88 88 88	89989888	8488888	\$ \$	17-	<u> </u>
-17 ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° °	33	संदर्भ मुळ	wation on the w	् ० सम्बद्धः।	0 =	82	7 5 5 5
9 7 9 I	36	- 0.20 C 2		22222	- 10	21	3
	0.120	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	•••==================================	HOUSE SHO	2 20 8	អ៊ី	
9 6 14 15 0 17	7 119 0 26	2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -			n •	95 F9	φ
	52.	© n 1 − 1 − 1 − 1 − 1 − 1 − 1 − 1 − 1 − 1	11 t 1 t 1 t 1 t 1 t 1 t 1 t 1 t 1 t 1	Tana a x	12 21	201	
- 5 <u>7</u>	- 23.8	0 - 3 9 1- 11			.: =	= = =	2 - 772
13 8 1	55.5	ကြောင္း၊ ကြတ	3 0 1- 1- 1 X 11 1 1 1 1 1 1 1 1 1 1 1 1 1		2 2	15	7 3 3
01 01 01	100		20114488	ចិត្តិគឺគឺគឺគឺ	71 75	56	
1- 4 51	≥= 21 tO	r-n0	⇒ ω α 4 4 ω 4 ω 6	020227	2	=	9 = =
0.5	000	9.0	0.0000000000000000000000000000000000000	00000 80000 8001-44	9.0	; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	6.0
91	2		67 67	€			8 2
	50.7		1				
18.3 29.5 58.1 68.0	999	1799911		31 35 55 55 31 35 55 55 55 31 35 55 55 55 55 55 55 55 55 55 55 55 55	21.0	81818 8 a a	099 F917
ಣ∓ರಾಣ::	400 200 1000	200.73 16.83 10.93	8 8 7 10 10 7 6 7 7 1 8 8 7 10 10 7 6 7 7 1 8 11 11 11 11 11 11 11 11 11 11 11 11 11		13.0.21 9.8.1	× × -	292 2291
1810 1810 1818		nana na		nnngann:	1 1		
-0000 -0000			10 4 5 4 4 5 5 5 5 6 5 7	F 9 3 5 7 5 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	F 19	= = x	F 9 9 P 9 9 9
8 5 - 5 5 - 1 - 1 - 1	111				휴 축	1	8 2 2 2 4 5
ន្តែដក្	888	2885 28	<u> </u>	១១ភាភាភាព	1 7	27.7	180 H288
$\begin{array}{c} 1 \\ 3 \\ 3 \\ 3 \\ 3 \\ 3 \\ 3 \\ 3 \\ 3 \\ 3 \\$	$\begin{array}{c} 25.9 + 1.91749.0 \\ 25.3 + 0.92457.0 \\ 24.7 + 3.11452.9 \end{array}$	22-4 1 1 2 17 45-9 26-6 4 - 4 7 11 56-0 23-1 + 3-1 16 46-9 24-3 - 2-1 2-46-0 25-2 - 2-0 8-55-0	12.3 1.8 11 12.3 1.8 11 12.3 1.8 11 12.3 1.1 11 12.3 1.1 12.3	0.6.17.29.1 2.3.21.45.4 0.2.11.54.6 3.11.50.0 0.8.17.50.0 1.6.7.30.0	- 1 19 de	2.3 12 42.6 1.1 7 48.0 2.4 15 46.4	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
ਰ :ਰ :ਹ ਹ :ਰ :ਹ :	0 17 1 24 1 14	15 17 17 17 17 17 17 17 17 17 17 17 17 17		15111111	<u> </u>	21.1	+ + + 1 + 10 + + 1
1 0 1	+ -		1 1 1 1 1 1 1 1	0 21 0 8 21 2 1 1 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3		171	- 1
22.1.1 22.2.2.1 23.2.2.3 24.2.2.3 24.2.2.3 24.2.3.3 24.3.3.3 24.3.3.3.3 24.3.3.3 24.3.3.3 24.3.3.3 24.3.3.3 24.3.3.3 24.3.3.3 24.3.3.3 24.3.3.3 24.3.3.3 24.3.3.3 24.3.3.3 24.3.3.3 24.3.3.3 24.3.3.3 24.3 24		20.2 20.2 20.2 20.3 20.4 20.4 20.4 20.4 20.4 20.4 20.4 20.4	្ត ក្នុងស្គ្រក្នុងទី១៩ ក្នុងស្គីស្គីស្គីស្គីស្គីស្គីស	4		5. to 25	1
					20 05 , 0 , 20 20 45 0 55	30 to 50 to 2 20 to 7 1 4 7	
\$ 1 1 1	21 æ	8 1 5	〒무리하인 국 년 :	10-1 4-6 10-1 4-6 10-1 4-6 10-1 4-6	x 5	110	0.00 20 00 00 00 00 00 00 00 00 00 00 00 0
	តិតិ ១១		តិសិត្តស តែសិ ២០១០ឃុំ ១១	និងតិតិ ¹	一部 部	- 1 1 指 - 1 1 2	25 (20 20 10 10 10 10 10 10 10 10 10 10 10 10 10
s မွှ	# F F E		88888 88	8888	£ 5		
6.136	7 :	0 113	20 08 20 15 20 14 20 07 20 05 29 13 20 07 20 05 29 13 20 08 20 20 20 21 20 08 20 20 44 20 21 20 20 20 44	5 5 5		3.3	\$ 1
20. 25. 30. 84. 29. 67. 1. 15	29-18 20-19 20-18	30-13-30-59-20-22-1-37-30-50-39-11-1-49	20 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	20 - 07 30 - 50 20 - 24 1-22 20 - 10 1-20 20 - 10 1-20 20 - 10 1-20 20 - 10 1-20 20 - 10 1-20 20 - 10 1-20 20 - 10 1-20 20 - 10 1-20 20 - 10 1-20 20 - 10 20 20 20 20 20 20 20			
				1114 [11]		111	
10-1					860		
unelu us us ille	=	The thirt			Ŧ 1	A VACOUS TO STATE OF THE STATE	
Configuration of the configura	and the second s	atim secim dex D	Manual Ma				the state of the s
ONTARIO—Conclub-l. Novat. Little Forks. Wanstead. North Pay.	Querec: Montreal Huntingdon	Chicontini	New Buryswork: Fredericton Chatham Bathurst St. Anderse St. Anderse St. John St John Derbester Dalhonesie Dalhonesie Woodston K	Monta Scotty Holita School Variooth From Proper Pro	New Porty, Astronomics See Johnston Management	N. h. ch. on the Control of Contr	Leaf Cortico (2) (2) (1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2
O FNINNY		U PKAZZI.	Z1	Z / / H = -: /.	7/ =	14 J J	
			5				

STATIONS NOT ENTERED IN FEBRUARY REVIEW.

PROVINCE.	STATION.	MEAN TEMP.	H _{IG} TEMPEI Temp.		Темреі	Date.	PRECIPIT		Auroras.	Thunder Storms.
British Columbia	Barkerville	4 63	26 0	4-6	-26:0	1	in.	9		
	Fort Simpson Oonikap Woodstock	30 01 9 44 28:11	43°0 18°5 49°0	3 17	12:6 -45:0 - 8:0	14 I 17	6:19 0:80 3:83	11 14 15		

PRECIPITATION.

The rainfall in part of Eastern Ontario and Quebec is slightly above the average, in the other parts of Ontario and in general throughout the Dominion it has been considerably below the average.

The distribution is as follows:-

ONTARIO- In the West and South-West District it was 148 in., or 029 in. below the average. In the North and North-West District it was 050 in., or 049 in. below the average. In the Central District it was 143 in., or 002 in. above the average, and in the North-East and East District it was 244 in., or 146 in. above the average.

In Querec it was 1.15 in., or 0.41 in. above the average.

In New Brunswick it was 146 in., or 046 in, below the average.

In Nova Scotta it was 1.64 in., or 0.79 in. below the average.

In P. E. Island it was 0.93 in., or 0.88 in. below the average.

In Manitoba no rain has fallen.

In N. W. Territories at some stations about three tenths of an inch has fallen.

In B. Columbia as a whole 3:60 in, has fallen; along the coast range the fall amounted to over 7 in.; in the interior little has fallen, and the snowfall has only been moderate.

Rainfall 5 in. and upwards during month:

B. Columbia. Maple Grove, 6:51 in.; Fort Simpson, 7:37 in.; Port Moody, 7:30 in.

Векмира, 6'52 in.

Rainfall 1 in. and upwards in 24 hours :--

2nd, Bermuda, 1.02 in.

9th, Maple Grove, 100 in.; Huntingdon, 122 in.; Port Moody, 102 in.; Ottawa, 121 in.

10th, Point Lepreaux, 100 in.

13th, Glastonbury, 100 in.; Dorchester, 173 in.; Parker's Ridge, 165 in.

14th, Truro, 1/15 in.; Port Moody, 1/05 in.; Yarmouth, 1/38 in.; Fredericton, 1/33 in.

15th, Fort Simpson, 103 in.

20th, Sharon, 160 in.; Quamichan, 150 in.; Port Moody, 190 in.

21st, Maple Grove, 138 in.; Bermuda, 100 in.

23rd, Port Hope, 113 in.; Ennismore, 111 in.; Glastonbury, 200 in.; Shannonville, 100 in.; Rockliffe, 133 in.; Bermuda, 183 in.

20th, Blenheim, 1415 in.; Fort Simpson, 1707 in.

31st, Thedford, 171 in.; Watford, 130 in.; Winona, 100 in.; Dealtown, 101 in.; Lyons, 145 in.; Cottam, 134 in.; Stoney Creek, 104 in.

Snowfall in the same district as the rainfall:

B. Columbia. 53 in., or 16 in. below the average.

N. W. Terrerres. 64 in., or about 1 in. more than March, 1890.

MAXITORA. 41 in., or 17 in. below the average.

ONIARIO. 13.4 in., 4'4 in. below the average; 24'8 in., or 2'0 in. above the average; 17'7 in., or 3'4 in. below the average; 23'1 in., or 2'2 in. above the average.

Queenc. 1011 in., or 92 in. below the average.

N. Bruxswick. 127 in., or 85 in. below the average

N. Scoria. S4 in., or 90 in. below the average.

P. E. ISLAND. 5/8 in., or 7/7 in. below the average.

Snowfall 15 in, and upwards during month:

B. Columbia.—Barkerville, 23 in.

Ontario.—Sault Ste. Marie, 41 in.; Egremont, 38 in.; Novar, 32 in.; Beatrice, 29 in.; Gravenhurst, 29 in.; Alton, 15 in.; Bancroft, 24 in.; Point Clark, 19 in.; Norwood, 18 in.; Stoney Creek, 18 in.; Toronto, 19 in.; Goderich, 20 in.; St. Mary's, 33 in.; Uplands, 30 in.; Pelée Island, 16 in.; Lakefield, 28 in.; Joly, 31 in.; Lucknow, 17 in.; Ridgetown, 16 in.; Owen Sound, 41 in; Axe Lake, 22 in.; Zurich, 18 in.; Whiteside, 27 in.; Sprucedale, 30 in.; Birnam, 19 in; Midland, 25 in.; Wiarton, 28 in.; Georgetown, 24 in.; Denbigh, 20 in.; Glastonbury, 19 in.; Lyons, 16 in.; Midlothian, 27 in.; Cowal, 18 in.; Orangeville, 35 in.; Nelson, 16 in.; Ennismore, 18 in.; Aurora, 21 in.; Princeton, 15 in; Port Hope, 31 in.; St. Thomas, 19 in.; Wilton Grove, 16 in.; Orillia, 41 in.; Presqu'Isle, 19 in.; Coldstream, 21 in.; Oliver's Ferry, 16 in.; Haliburton, 19 in.; Georgina, 24 in.; Peterborough, 34 in.; Woodstock, 23 in.; Heron Bay, 17 in.; Sharon, 19 in.; Nepigon, 18 in.; Bognor, 32 in.; Shannonville, 19 in; De Cewsville, 16 in.; Buda, 20 in.; Savanne, 24 in.; London, 23 in.; Guelph, 19 in.; Durham, 52 in. Coldwater, 62 in.; Descronto, 23 in.; Lindsay, 32 in.; Alexandria, 16 in.; Conestogo, 15 in.; Rockliffe, 34 in.; Parry Sound, 27 in.; Kingston, 19 in.; Port Stanley, 20 in.; Saugeen, 29 in.

Ouebec. – Point des Monts, 62 in.; Anticosti, 22 in.; Richmond, 15 in.; Cape Magdalene, 22 in. N. Brunswick. — Point Escuminac, 16 in.; Parker's Ridge, 24 in.; Dorchester, 28 in.; Chatham, 18 in.; St. Andrews, 23 in.; Fredericton, 17 in.

Nova Scotia.—Truro, 19 in.

NEWFOUNDLAND .-- St. John, 36 in.

Snowfall 5 in, and upwards in 24 hours : -

- 1st, Point des Monts, 8 in.; Truro, 6 in.; St. Andrews, 5 in.
- 3rd, Oliver's Ferry, 7 in.; Orillia, 6.5 in.; Point Clark, 7 in.; Pelée Island, 6 in.
- 4th, Presqu'Isle, 6 in.; Port Hope, 12 in.; Glastonbury, 9 in; Denbigh, 6.5 in.; St. Hyacinthe, 6 in.; Novar, 5 in.; Beatrice, 5 in.; Gravenhurst, 8 in.; Bancroft, 7 in.; Brome 5 in.; Bognor, 7 in.; Renfrew, 6 in.; Sprucedale, 10 in.; Owen Sound, 8 in.; Goderich, 6 in.; Durham, 6 in.; Coldwater, 21 in.; Descronto, 6 in.; Alexandria, 6 in.; Rockliffe, 10 in.; Kingston, 8 in.; St. John, (Nfld.) 24 in.; St. Andrews, 12 in.
- 5th, Wiarton, 7 in.; Point Escuminac, 8 in.; Anticosti, W.P., 9 in.; Point des Monts, 7 in.; Woodstock, 6 in.; Richmond, 10 in.; Parker's Ridge, 12 in.; Whiteside, 5 in.; Grand Manan, 7 in.; Chatham, 7 in.
- 6th, Cape Magdalene, 12 in.; Dorchester, 13 in.
- 8th, Nepigon, 12 in.
- oth, Rockliffe, 5 in.; Edmonton, 5 in.
- 10th, Point des Monts, 5 in.; Buda, 6 in.; Pelée Island, 10 in.
- 12th, Lyons, 6'5 in.
- 13th, Novar, 5 in.; Gravenhurst, 6 in.; Point Clark, 8 in.; Bognor, 8 in.; Georgina, 10 in.; Sombra, 7:4 in.; Midland, 6 in.; Wiarton, 10 in.; Drayton, 8 in.; Coldstream, 8 in.; Presqu'lsle, 12 in.; Orillia, 10 in.; St. Thomas, 9 in.; Aurora, 5 in.; Cowal, 7 in.; Wyoming, 5 in.; North Bay, 14 in.; Mattawa, 6 in.; Woodstock, 6 in.; Axe Lake, 8 in.; Ridgetown, 6 in.; Joly, 12 in.; St. Mary's, 8 in.; Goderich, 6 in.; London, 11 in.; Duhram, 26 in.; Coldwater, 6 in.; Rockliffe, 5 in.; Parry Sound, 16 in.; Port Stanley, 17 in.; Saugeen, 6 in.
- 1.4th, Wilton Grove, 10 in.; Princeton, 6 in.; Orangeville, 10 in.; Mid-Lothian, 10 in.; Egremont, 15 in.; Novar, 15 in.; Bognor, 5 in.; Sprucedale, 11 in.; Whiteside,7 in.; Owen Sound, 24 in.; Lucknow, 6 in.; Uplands, 05 in.; St. Mary's, 8 in.; Goderich, 5 in.; Coldwater, 7 in.; Conestogo, 5 in.; Woodstock, 6 in.
- 15th, Port Hope, 6 in. ; Fleming, 6 in. ; Roseberry, 6 in. ; Norwood, 6 in. ; Cartier, 6 in. ; Sprucedale, 5 in. ; Axe Lake, 6 in. ; Durham, 6 in.
- 16th, Fleming, 5 in.; Point des Monts, 9 in.
- 17th, Midland, 7 in.; Wiarton, 7 in.; Orillia, 7/5 in.; Ennismore, 6 in.; Sault Ste. Marie, 17 in.; Durham, 7 in.; Truro, 6 in.
- 18th, Alexandria, 7 in.; Aurora, 5 in.; Orangeville, 528 in.; Glastonbury, 6 in.; Egremont, 7 in.; Shannonville, 6 in.; Owen Sound, 6 in.; Lakefield, 7 in.; Huntingdon 6 in.; Coldwater, 12 in.; Descronto, 5 in.
- 19th, Oliver's Ferry, 5 in.; Stony Creek, 5 in.

- 21st, Ennismore, 5 in.; Norwood, 8 in.; Lakefield, 5 in.; Rockliffe, 5 in.
- 22nd, Burnside, 6 in.
- 23rd, Point des Monts, 17 in.
- 24th, Point des Monts, 5 in.
- 27th, Lyons, 6 in.; St. John (Nfld.), 8 in.
- 28th, Mexandria, 7 in.
- 29th, Alexandria, 5 in.
- 31st, Sault Ste. Marie, 9 in.

Aurora recorded on

The class of aurora, if noted by Observer, is given (1) being the brightest, (IV) the feeblest in brilliancy.

- 1st, Pembina, II; Savanne.
- 2nd, Pembina, II; Russell, IV; Fort-Ellice, I; Posen, IV; Savanne, Durham, IV; Truro, IV; Chicoutimi, IV.
- 3rd, Russell, III; Posen, II; Savanne, Peterboro', II; Dorchester, St. Albans, II; Truro, IV; Portage la Prairie, III; Fredericton, III; Virden, IV.
- 4th, Posen, IV; Savanne.
- 5th, Pembina, III; Gravenhurst, IV; Savanne, Sharon, IV; Durham, IV; Virden, IV.
- 6th, Pembina, II; Egremont, IV; Chicoutimi, IV; Virden, IV.
- 7th, Chicoutimi, IV.
- 9th, Posen, IV; Savanne.
- 10th, Russell, IV.
- 11th, Cook's Mills, Zurich, 111.
- 12th, Thedford, Novar, II; Banff, IV; Fort Ellice, I; Brandon, IV; Egremont, IV; Posen, IV; Gravenhurst, IV; Alton, II; Sharon, II; Georgetown, P. E. I., Haliburton, IV; Joly, IV; Uplands, St. Albans, III; Durham, IV; Bancroft, IV.
- 13th, Truro, III; Minnedosa, III.
- 14th, Mid-Lothian, II; Hillview, Pembina, III; Russell, III; Cotham, II; Novar, IV; Fort Ellice, IV; Gravenhurst, IV; Cook's Mills, Gladstone, I; Axe Lake, I; Joly, IV; Truro, IV; Bancroft, IV.
- 15th, Point Escuminac, Hillview, Pembina, H; Cotham, HI; Fort Ellice, IV; Truro, IV; Minnedosa, HI; Virden, I.
- 16th, Novar, IV; Savanne, Sharon, IV; Joly, IV; Little Forks, III; Saugeen, IV.
- 17th, Posen, H; Minnedosa, IV; Chicoutimi, IV.
- 18th, Savanne, Edmonton, IV.
- 23rd, Pembina, I; Russell, IV; Fort Ellice, I; Posen, III; St. Albans, III.
- 24th, Hillview.
- 26th, Minnedosa.
- 27th, Posen, IV.
- 20th, Elora.
- 30th, Alexandria, II; Father Point, III; Quebec, III; Chicoutimi, III; Mid-Lothian, III; Russell, II; Cotham, I; Novar, IV; Banff, IV; Kamloops, Fort Ellice, I; Elora (bright), Gravenhurst, IV; Alton, II; Richmond, IV; Sharon, I; Peterboro', I; Haliburton, IV; Joly, IV; Kingston, IV; Virden, IV.
- 31st, Georgetown, III; Banff, IV; Kamloops, Richmond, IV; Parker's Ridge, I; Dorchester, I; Alexandria, III; Yarmouth, IV; Father Point, III; Quebec, III; Chicoutimi, IV; Virden, IV.

MIGRATION OF SPRING BIRDS.

Robins Thedford, 2nd; Birnam, 3rd; Kingsville, 8th; Zurich, 9th; Stoney Creek, 11th; Elora, 11th; Port Moody, 15th; St. Mary's, 18th; Lucknow, 20th; Paris, 21st; Midland, 22nd; Winona, 23rd; Point Clark, 23rd; Alton, 23rd; Axe Lake, 23rd; DeCewsville, 20th; Bognor, 28th; Wiarton, 20th; Egremont, 20th; Norwood, 20th; Beatrice, 30th; Presqu'Isle, 30th.

Meadow Larks Kingsville, 11th; Thedford, 19th; Point Clark, 21st; Scarboro', 24th; Stony Creek, 26th; Sombra, 26th; Winona, 28th; Egremont, 29th.

Blue Birds Port Moody, 7th; Stoney Creek, 11th; Cottam, 11th; Ridge town, 18th; Sombra, 20th; Winona, 20th; Scarboro', 24th; DeCewsville, 26th; Point Clark, 26th; Banff, 27th; Lucknow, 27th; Egremont, 20th.

Black Birds—Cottam, 12th; DeCewsville, 17th; Georgetown, 23rd; Winona, 23rd; Sombra, 23rd; Ridgetown, 25th; Birnam, 25th; Point Clark, 27th; St. Mary's, 29th; Egremont, 31st; Elora, 29th.

Grey Birds-Winona, 23rd.

Crows-Sharon, 1st; Peterboro', 1st; Richmond, 2nd; Nelson, 7th; Lucknow, 9th; Brome, 10th; St. Mary's, 10th; Point Clark, 11th; Shannonville, 11th; Haliburton, 12th; Sombra, 18th; Axe Lake, 18th; Paris, 21st; Manitou, 26th; Hillview, 28th.

Geese—Kilmahumaig, 8th; DeCewsville, 12th; Cottam (Ass.), 23rd; Rosebury, 27th; Manitou, 29th; Westbourne, 29th; Portage la Prairie, 29th; Fort Ellice, 31st.

Duck-Banff, 31st.

Song Sparrow—Egremont, 31st.

Hawks—Stony Creek, 11th.

Swallow-Quamichan, 10th.

Frogs—Zurich, 12th; Esquimalt, 13th; Stony Creek, 23rd; DeCewsville, 23rd; Cottam, 23rd; Kingsville, 26th; Lucknow, 27th; Birnam, 28th.

PROPORTION OF BRIGHT SUNSHINE REGISTERED IN EACH HOUR OF THE DAY DURING WHICH THE SUN WAS ABOVE THE HORIZON IN THE MONTH OF MARCH, 1891.

							He	FRS 1	ENDI	\$G						
	5 A.M.	6 A-M-	7 A.M.	8 A•M•	9 A.M.	10 A.M.	11 A.M.	NOON	1 P.M.	2 P.M.	3 Р.М.	4 P.M.	5 P.M.	6 P.M.	7 P.M.	P. M.
		-														
WINNIPEG		i	0.16	0.52	0.63	0:72	0.72	0.73	0.77	0.77	0.73	0.68	0.51	0.01	1	
						1 .		1								
KINGSVILLE			01	-22	134	-38	39	144	148	. 43	.40	00	. 21	104		
Woodstock			03	17	-29	135	.39	34	.34	.36	.36	:37	-21	:02		
Токонто			12	.43	150	.48	47	.44	-38	:39	41	43	138	38	s.	
Linds ay			22	40	*44	55	.23	. 53	150	.47	. 45	142	140	137	.15	
Barrie			21	35	48	:50	46	.44	46	45	46	.46	28	.01		
Kingston			20	.46	*59	:60	-56	·5 4	.58	153	147	45	135	-05	!	
												1		1		
Cornwall			!		i			١.								
Montreal		.02	*34	*54	. 53	.51	- 60	-66	64	164	-52	. 50	-24			
Frederictor			120	38	.45	·57	-51	150	150	153	-51	.59	-53	27		
Sydney			104	.24	.34	.34	-31	-32	- 00	.31	-26	-23	17	.05		
		-	ċ			LLE.	JUK.				×			M.	CTON.	
			WINNIPEG			KINGSVILLE.	Woodstock.	Toronto.	Lindsay.	EARRIE.	Kindston			MONTREAL.	FREDERICTON	SYDNEY
MEAN PROPORTION FOR MONTH	• • • • • •		0.58			0 31	0.27	0.38	0.45	0.33	0.45			0.53	0.47	0.27
MAXIMUM DAILY AMOUNT			0.90			0.86	0.53	0.93	1 ()	0.05	0.93			0.59	0.94	1.92
Date	• • • • • •		12			10	11	26	1	1	1			1	27	11
No. of Days Completely Clouded	• • • • • •		2			11	10	, ,	19	G	6)			65	1	12

PROBABILITIES.

The probabilities issued by this office at 11 p.m. each evening are posted up at every telegraph station in Canada, and are for the 24 hours beginning at 8 a.m. the following day.

The number of predictions issued during the month was 527. These were divided as follows:—

	No.	1		VERI	FIED.	
DISTRICT.	Issued.		No. Fully.	No. Partly.	No. Not.	Percentage Fully.
Lower Lake Region	112		511	20	12	80-4
UPPER St. LAWRENCE	103		79	12	12	8215
Lower St. Lawrence	100		83	7	10	\$6.5
GULF	101		73	18	10	81 2
Maritime Provinces	111		78	25	s	81 5
Total	527		393	82	52	82.4

In order to obtain the percentage of verification of the predictions, the number partly verified is divided by 2 and added to the number fully verified, and the result divided by the total number issued.

In ascertaining to what extent predictions have been verified, the reports from the agents at the "Probability Stations," as well as the telegraphic reports, are used.

The daily probabilities and storm warnings were issued by Probability Officer B. C. Webber.

STORM WARNINGS.

During the month warnings on the approach of three storms were issued to our agents, and cautionary signals duly displayed at the various signal stations. The total number of warnings issued was 36, of which 17, or 47'2 per cent., were verified. At 11 stations, however, the force did not reach that indicated by the signals displayed; 3 stations reported warnings received late, owing to delay in transmission.

In connection with the warnings, predictions as to the probable direction of the winds were given and of the 17 warnings verified as to force, 12, or 70.6 per cent., were fully verified, and 17, or 100 per cent, were fully and partially verified as to direction.

- 1. At 11.35 a.m. of the 3rd, signal No. 3 was ordered for stations on the Bay of Fundy, owing to developing depressions over the Mississippi Valley and off the Middle Atlantic coast. The development continued with a northeastward movement, and at 10.15 p.m. the warning was extended to other stations in Nova Scotia and Cape Breton. Strong winds and moderate gales with a snowstorm prevailed during the night of the 4th, while the disturbance was passing to the southward of Nova Scotia, and during the following afternoon there was a strong northwesterly blow in the western portion of the Maritime Provinces. Signals were lowered on the 5th.
- 2. On the 9th, at 10 p.m., signal No. 7 for a moderate gale at first from the eastward was displayed at stations in the Maritime Provinces; this was on account of a depression over the Lake Region and the apparent development of a subsidiary on the Middle Atlantic coast. The former dispersed while the subsidiary moved across the New England States, and during the night of the 9th and early part of the 10th there were strong southeast and southwest winds, with rain in the Maritime Provinces. Signals were lowered late on the 10th.
- 3. During the 13th there was an important storm moving northward across the Lake Region, and at 9.25 p.m. signals for a fresh gale veering from southeast to southwest were ordered for Maritime stations. The storm centre moved northeast from the Ottawa Valley, and to the northward of the Gulf with diminishing energy. During the afternoon of the 13th a moderate to fresh gale from the southeast and southwest, with rain, set in in the Bay of Fundy, and during the night a moderate storm was experienced in most of the other portions of the Maritime Provinces. Signals were lowered on the 14th.

TORONTO OBSERVATORY—MAGNETIC REVIEW FOR MARCII, 1891.

The month was remarkable for the number of disturbances, being the largest number registered at the Observatory for some time past.

The magnets remained unusually steady until 8.30 p.m. of the 1st, the declination magnet then taking a sudden westerly hitch, followed immediately by an easterly swing, the forces at first showing an increase, followed by a decrease. In about an hour's time the magnets were much quieter. On the morning of the 2nd sharp little vibrations set in and continued until 3 p.m. of the 2nd; between 1 and 2 p.m. the declination magnet moved considerably west, a marked maximum taking place at 1.42 p.m.; the magnet then trended east, and after 2 p.m. several important swings took place. After 2 p.m. of the 2nd both forces were rapidly increased, notably the horizontal component, which attained its maximum reading at 2.17 p.m. At 4 p.m. the magnets were at their normal readings and steady.

After 6 p.m. disturbing action again set in but did not assume an important character until 2.10 a.m. of the 3rd, the horizontal force magnet then suddenly increased its reading. From the 3rd to 10 a.m. of the 6th the magnets were in a disturbed condition, the movements being generally slow and undulating, and the most important change recorded was a bold easterly sweep of the declination magnet at 7.20 p.m. of the 3rd, the change amounting to 18', a marked minimum being shown at 7.50 p.m. The minimum reading for the next day occurring exactly at the same time.

After 8 p.m. of the 6th slight disturbing action again began and was visible up to 4 a.m. of the 8th, and became less active again during the night of the 9th. There was nothing of importance then shown until the 12th, when a moderate disturbance was recorded. Between noon and 5.45 p.m. the declination magnet moved gradually west; it then turned east, the magnet moving slowly at first, but soon the motion was accelerated, the easterly extreme taking place at 7.13 p.m., the reading being then 27' east of the normal; it then quickly rose to its mean reading and continued disturbed until 10 p.m. The magnet kept below its normal value until 10 a.m. of the 13th. Both forces were changing considerably on the evening of the 12th; a steady increase of the vertical component was noticed during the afternoon and evening of the 12th. After 6 p.m. a quicker increase set in, and after 8 p.m. it began to diminish until 4 a.m. of the 13th. On the 14th, between 5.30 and midnight, a moderate disturbance was felt; the declination magnet was the most affected and the principal movement was shown after 8 p.m., as an easterly sweep of 30', the extreme taking place at 8.49 p.m. Slight disturbance continued throughout the 15th. On the 16th it became more important and continued without interruption until the afternoon of the 18th. The most prominent deflection took place between 0.53 and 2.15 a.m. of the 16th: the range was 25'; the extreme westerly was recorded at 1.22 a.m., and the easterly fifty-one minutes afterwards. The movements were slow, except on the mornings of the 16th and 17th, when the magnets were moving in short vibrations.

From the 18th to the 22nd the curves were about normal, with the exception of slight disturbances during the night hours, lasting a short time. Previous to 2 a.m. of the 23rd the declination needle moved slowly east attended by a decrease of both forces; shortly after 2 a.m. the magnet moved west for half an hour; it then gradually took up its normal reading, but remained slightly disturbed until 8 a.m., of the 28th; during the night and early morning hours the disturbance was decidedly more active, the magnets showing a tendency to quiet down during the afternoon. Λ quiet period set in at 8 a.m. of the 28th, and the magnets were moving regularly up to the 26th. Slight disturbance sprung up on the 30th, and on this night the movements increased and culminated on the 31st in the largest disturbance of the month; its activity was principally felt between 5.45 and 0.30 p.m.; at 5.45 p.m. the declination magnet started on an easterly swing, and by 0.03 it had moved 51'; a retrograde movement then commenced, and by 6.20 it changed a similar amount. The force magnets felt this disturbance considerably; after 4 p.m. the vertical component gradually increased until 5.40, when a quick increasing swing brought it to its maximum at 5.55 p.m.; a sharp diminution then followed bringing the magnet to about its normal reading; it only remained there for a brief period, for a marked increase of force followed, lasting until 6.30 p.m., when a gradual diminution of force then commenced, and continued until midnight. The horizontal component shows a remarkably sudden increase, starting at 5.40, a distinct maximum being shown at 5.58 p.m; by 6.05 p.m. it had regained its usual position; the amount of increase was '0026 c.c.s. After 8 p.m. the disturbance became less active, and the month closed with a slight disturbance.

Auroral light was observed on the 30th at 10.15, clouds partially clearing away disclosing an auroral arch and a few short streamers.

On the 1st, 5th, 7th, 1oth, 11th, 13th, 14th, 16th, 23rd, 24th, 25th, 28th and 29th the sky was clear, but no aurora was observed; on all other nights clouds or haze would have hidden any aurora which might have existed. On the 30th and 31st brilliant auroras were generally observed throughout Canada, a number of them Class (I).

CHARLES CARPMAEL,

Director.

METEOROLOGICAL OFFICE,
TORONTO, May 5th, 1891.

METEOROLOGICAL SERVICE, DOMINION OF CANADA.

Monthly Westher Review.

APRIL, 1891.

INTRODUCTION.

In compiling the present Review the principal data made use of are the telegraphic reports of observations received at this office for the purpose of weather predictions, and the reports of storms received by mail. For the material used in tracing the courses of areas of high and low pressure in the United States, we are indebted to the Chief Signal Officer, Washington, D.C.

ATMOSPHERIC PRESSURE.

The average pressure, as determined from the observations taken at telegraph reporting stations, was not far from, but little below normal of seventeen years over the whole country.

Important anti-cyclonic conditions covered the whole Northwest, accompanied by cold weather at the commencement of the month. A smaller anti-cyclone also covered eastern Canada, where it was fine and cool.

Over the Lakes the type was generally cyclonic and extended to the Gulf of Mexico.

A marked development took place over the Lakes, and a general rainfall occurred on the 2nd. On the 3rd snow set in with a high northerly wind and colder weather. By this time the cyclone had developed considerably and moved to the Atlantic coast, being at 8 p.in. central near Sandy Hook.

A general and heavy rainfall with an E. to S. gale prevailed on the 3rd over the greater portion of the Maritime District, while a N. E. gale and snow extended throughout Quebec and northern portion of New Brunswick. From Sandy Hook the storm moved N.N.E. to the Gulf of St. Lawrence, where it hovered and slowly dispersed.

Anti-cyclonic conditions followed over the Lakes and slowly extended to eastern Canada, and a period of fair weather with cool days and frosty nights, and a general tendency to fresh W. to N.W. winds were the rule until the 10th, excepting a few hours on the 7th, when a small depression which suddenly appeared off the Cape Breton coast caused a W. and N. W. gale and moderate snowfall in the eastern portion of the Maritime Provinces.

In the North-West the conditions remained anticyclonic, and the weather fine, with cool day temperatures and cold nights, the temperature falling to zero on the night of the 3rd. This was succeeded on the 4th by lower pressure and a general tendency for S.E. and S.W. winds and milder weather. It was showery on the 8th in Alberta and Assiniboia, some showers also falling in Manitoba on the 9th.

During the 10th a cyclone of moderate depth, which had been slowly moving eastward across the Western States, approached the Lakes. It caused a general rainfall over Ontario on the 10th and 11th, which extended over Quebec on the latter day. By the 12th the cyclone crossed Quebec and fair weather, which had continued in the Maritime district, was succeeded by rain.

There followed a short period of fair weather and higher pressure in the Lake and eastern districts, but showery weather for the most part again became the rule, excepting eastern Quebec, on the 13th, 14th and 15th, but in some places the precipitation was in the form of sleet or snow.

The 16th brought a pronounced change to anticyclonic conditions and fairer weather, but this was of short duration, as a moderate depression from the west moved across the country, giving showery weather in Ontario on the 18th and throughout Eastern Canada next day, and was generally accompanied by higher temperatures.

In the Northwest fair mild weather, with a general tendency to the cyclonic type, prevailed till the 12th, when an anticyclone and colder weather spread over the Territories; but this was succeeded by milder weather next day in Alberta.

From the 14th to the 20th it was comparatively warm throughout the Northwest. There were a few showers in Manitoba on the 17th, otherwise the weather was fair everywhere in the Territories during this period.

An important anticyclone spread over the Lake District and Eastern Canada on the 19th, where it continued till the 22nd, bringing a period of fine mild weather.

Pressure gave way everywhere on the 22nd, and a general cyclonic tendency was shown. Showers in Ontario and the Maritime Provinces and light falls of sleet and snow in Quebec occurred during the next two days.

From the 24th until the 26th cool N.W. and W. winds with fair weather were the rule everywhere,

On the 27th a cyclone passed eastward across the Lakes, crossing Eastern Canada next day, and was accompanied by higher temperature and fair weather everywhere.

Anticyclonic conditions and cooler weather followed, and there were a few light falls of snow or sleet in eastern Quebec; but on the 30th a small cyclone passed eastward across Ontario and another appeared off the Nova Scotian coast. Some local showers fell in the Lake district and Maritime Provinces, and there was a general tendency for higher temperature.

On the 20th a general rainfall took place in Manitoba, after which fair, warm weather continued until the 25th, the temperature on that day rising to 90° Faht, at Winnipeg.

It was also warm further west until the 24th, when some showers fell in Alberta, and cooler weather set in on the 25th, which extended next day to Manitoba. From the 26th and until the 29th higher temperature and cyclonic conditions covered the Territories. Then followed cooler northwesterly winds, which continued till the end of the month, some showers falling on the 29th in Manitoba.

TEMPERATURE.

The average temperature, as determined from the observations taken at telegraph reporting stations, was above the normal for seventeen years. This was especially the case in Manitoba and the Northwest Territories, where the excess was from 4° to 10°.

The highest and lowest temperatures in each Province during April were:-

British Columbia, 77°2 on 17th, at Kamloops; 11°0 on 1st, at Barkerville.

N. W. Territories, 84°2 on 23rd, at Qu'Appelle; 3°1 on 2nd, at Prince Albert.

Manitoba, 92°0 on 25th, at St. Alban's; 1°0 on 3rd, at Russell and Minnedosa.

Ontario, 90° o on 29th, at Buda; 13° o on 4th, at Savanne.

Quebec. 73° o on 27th, at Huntingdon; 10° o on 6th, at Brome.

New Brunswick, 70°0 on 28th, at Woodstock; 10°0 on 2nd, at Chatham.

Nova Scotia, 68°4 on 28th, at Truro; 18°3 on 1st, at Pictou.

P. E. Island, 63°0 on 19th, at Georgetown; 10°0 on 2nd, at Kilmahumaig.

Errata.—In March Review the lowest temperature at Minnedosa should be = 34°9 on 4th, and the lowest temperature in Manitoba = 35°2 at Virden on 4th.

PRESSURE, TEMPERATURE, WIND AND PRECIPITATION AT STATIONS IN THE DOMINION OF CANADA, APRIL, 1891.

·sum	No. of Thundersto No. of Pogs.			= = = = = = = = = = = = = = = = = = =	
	.symbainflo.oX			0-10 t	
rion.	age. Xo. of days.	m	- 1	/ m m m = 12 E = E = E = E = E = E = E = E = E = E =	2002 x 12 13 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Precipitation	-197R mort Thid		7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		
PREC	Amount.	6.00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	95355 %#2954 05454 445466		
WIND.	-esta direc- noit	28 W 11 XW 11 XW 28 XW 36 XW 21 SW	2 W C C W C C W C C W C C C W C C C C C		
SITY OF	synd days yrionlog	13.1 19.1 19.1 19.1 19.1 19.1	2 77 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		F 2= 2377 2
VELOCITY	Mean, miles per lour.				= = = = = = = = = = = = = = = = = = = =
6	Total number and to form	888888	858 85 85 888	1 2 2 1 1 E	88 888 888 88
FROM	- 10		ခ (- <u>ကို</u> တို့ ဂ) ခ ချွဲ ခ	: ::	86 86 8 MOS 179
ND FE	X' IL.		5 x 5	1997 5	
OF WIND	8. 11.	1 : : :	ក្នុក១ កញ្ញា ១৮១ 		
0 X O	.8	: ::	-2-1	1*=: 11	773 773 771 771 771
Direction	E. E		819 12 12 13		
Ď	Z. E.	1 : : : : :	2nia 8-5-5-1-1-2	= = = = = = = = = = = = = = = = = = =	
	.X	_ 45\$620 0 -3	202 05 605	# # # = = = =	
ă[ə1ə]	Zo. of days comp clouded.		- nn_ -:	- 5 ::	
pnot	o lo tanona, aseK		0 00 07	17 -7 -7	
-ium	Menn relative H dity.				
jo a	Mean temperatur. Autoq <i>n</i> 9b				
1	Think deather to	2 2 2 2 2	248 STE 278	\$ C \$ E C	
	Mean daily	2 0.7.1.1 E	14429 849 149M	9948 K	
	Date.	01		ennnin n i	· 11 11 11 11 m m m m m m m m 12 2 2 m
E OF AIR	Lowest.				
NTCE	Date.	្រង់និងនិង នៃ គឺម	ត្តវត្តិ៍ កានុសភាព្យ ត្រូវក្សី តាធិសិស្សិក្សិក្	1	តែខិកិតិសិតិតិ គឺតែងតែកំពុំ
TEMPERATURE OF	.म्ड मी श्रांस		9 - 9 - 9 - 9 - 9 - 9 - 9 - 9 - 9 - 9 -		
T	nge. Vegas observa.		다 [다] [1 1	
	-roza most :fild			1 1 1	
	.msoR.				AARONE HEREE
"	-स्तामस्य				
INCH	.tsowod	4 55 25 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	44 I 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5		
NI AN	. Bendgi III	6.5 S S S S S S S S S S S S S S S S S S S			
Pressure in inches	Mean reduced.	In.			
i ii	Mean netual.				
		Assixinota: Nedictine Hat. Rediction: Phenoment Torks 'Map before & Salit Correction Out Appeller Giordian Film of Mort	Market Ma		
			3		

PRESSURE, TEMPERATURE, WIND AND PRECIPITATION, &c.—Continued.

1	0.05 25.0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1997 1997	90 9.5 23.0 28.0 281
1997 1998	90 9.5 23.0 28.0 281
1	0.05 25.0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1	0.05 25.0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Trigger Trig	0.05 25.0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Trigger Trig	0.05 25.0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
The control of the	0.05 25.0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
28.20	7 11 11 06 06 06 06 06 06 06 06 06 06 06 06 06
1	7
1	6
28.20	
1	n
101 201	
The content of the	
The content of the	
The content of the	_ · · · _ · _ ·
The content of the	: : : :
A	
1	
Tannara Tann	21
Target T	_: : :
Party from average and average	_ ::
Taxper from average and a second and a secon	
The property The	0.0
Taylor and The Control of the Contro	ខ្លួំ ខ្លួំ ខ្លួំ ខ្លែំ
Therefore the control of the control	ı- 7 0
TEMPERATURE 1910 1910 1910 1910 1910 1910 1910 191	8 8 8 5 6 6
Tament Time	1888 1444 164
Taxpen and Taylor of the property of the prope	581818181818181818181818181818181818181
Tament and the property of the	L TO SI TO TO TO TO
Diff. from average Diff. f	4050010
186 - 196 -	and English
186 - 196 -	500000000000000000000000000000000000000
186-4 196-4	၁၁၈ျဖစ္စုက
186-4 196-4	8 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
-1-++	
	71+1+++1- 21-20-4-6
	244234445 2443884445 244388
. 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1.01
	29.63 0.73
29 98 88 30 00 10 Mighrest. In Mean reduced. 10 10 Mighrest. 10 10 10 10 10 10 10 10 10 10 10 10 10	29.79
	86.45
25 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	
	25 42
NTAERO—("outinued. Are Lake. Coldwater. Betrife. Gravenhurst. Gravenhurst. Gravenhurst. Fronth. Front	
	-
Partie Barren Ba	
Are Lake Coldwater Ecatrice Gravenlurst	
Oxtaino—Continuol. Ax. Lake. Ax. Lake. Golwater. Fording by the continuol. Surich. Youth Parec. Rocklitte. St. Mary s. Paris. Paris. Point Pelec. Kingsville. Clatham. Point Pelec. Kingsville. Condon. Port Stanley. Ragetown. Rogetown. Yought. You Gorden. Stanley. Radell. Stanley. Radell. Stanley. Stanley. Radell. Stanley. Sta	
The second secon	

00000 00:00 70:00	H00000000		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0	000 000 035	
5 8 4 8 8 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	\$4.8.55 + 5 + 5 + 5 + 5 + 5 + 5 + 5 + 5 + 5	9199-3-3-5 	_ = = = = = = = = = = = = = = = = = = =	222	
+0.30	835582 :55 0570 :55 ++11 -1	2459388445	873 66878 611 66878	. 1.52	16:11	2 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
2	378488888888888888888888888888888888888			20.00	\$ \$ Z	11
1212 121 X W	28 W. 24 W. 3 N E. 4 S.E. 4 N.	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3 N E. 3 N E. 3 S N E. 3 S N E.	1 N.E.	: ::::::::::::::::::::::::::::::::::	9 E. S.
× 8 7	% X X X X X X X X X X X X X X X X X X X	13.8 13.8 13.9 13.9 15.1	18.3 18.3 18.3	30.0	18:0	2
===	16.2 III	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	7.5			x = = = = = = = = = = = = = = = = = = =
85 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	22	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	- a 45 to	99 9 9 7	12	8
0.0000000000000000000000000000000000000		A-24222 P 2	្តីក្នុងក្នុង ក្នុងក្នុងក្នុង	∵o t-	13.5	2 1 2 2 3 4 4 4 4 4 4 4 4 4
2222	## 0254556 ## 05068556	អភិគស្គបិធី : ១ ២ ស៊ីស្គម្មធ្វី : [ស៊ី] ស្	481-194-19 195594-194	9 9 9 \$	1 1 5	I
#E 8 - I -	2	4 12 5112 10 4 12 14 15 14 15 14 15 14 15 14 15 14 15 14 15 14 15 15 15 15 15 15 15 15 15 15 15 15 15		. n	108 130	# T 17 9 T 17
က္ညေကာင္း		φ = 	11 12 2 2 2 2 11 10	2 2	124	5 7 52
ର୍ଷ୍ଟେମ : : ଶ୍ରରର : :	12 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	= a-an-a==		- E	12.5	20 1 1 1 1 1 1 1 1 1
0 8 7 7 1 1 1		1-1-01041-5 1 2 A	25821 25821 25821 25621 26621	:1 =	51 73	
040	101124-12169	- ω ι- α ω ι- υ <u>Ω</u> <u>Ω</u>		<u>s</u> ::		C 5 +1-
9 % 10	F-21-22600F-	292 9099 n H	Ø1-21-710	is		ν ω μ-
	5	3	5.0			- 2
	5	6.5	주요 : : : : : : : : : : : : : : : : : : :			<u> </u>
12 4 0 5 12 4 0 5 13 13 13 13 13 13 13 13 13 13 13 13 13 1	**************************************	7 x 5 1 5 1 6 1 6 1 6 1 6 1 6 1 6 1 6 1 6 1	8848	0.53	自由各	1199 1990 1199 1990 1199 1199
0.8.5.6.	x x 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		######################################	8:11 8:11 8:11		
ರಾಟ್ ಆಗರ	 ភេទ១១១៩១១១១១១		-2-2-2-	et	:1~~	
1.3 19.0 19.0 20.0			200 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	19.60	5 <u>5</u> 5 5	
왕담왕타당	51 51 51 51 51 51 51 51 51 51 51 1+1+1+1- X + X 1+ 21 X + 1+1		$\frac{1}{44} \times \frac{1}{44} $	= #		TOPOLIPE
4 4 14 18 6 8 8 8 14 18 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	100 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	811118 1993 1993 1993 1993 1993 1993 1993 1993	1 8 11 65 75 1 8 21 62 3 1 1 5 11 5 4 3 2 5 17 65 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	19 61 '4	持續	70000000000000000000000000000000000000
1 + 2·1 · · · · · · · · · · · · · · · · · ·	+ r + + r + + +	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 2 W - 10 - 2	: : : : : : : : : : : : : : : : : : :	21 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5	7 0 5 × 7 1
54454	#148888444488 #16888444448	######################################		0-45	5.75 5.88	######################################
20.20 30 84 29 80 1.04	20-14 1-10 20-14 1-01 20-14 1-12 20-15 1-23	55 25 25 25 25 25 25 25 25 25 25 25 25 2	20-89 Ser46 Ser36 1-16 20-85 Ser38 Ser38 1-65 20-81 Ser48 Ser38 1-25 20-81 Ser48 Ser36 1-95	ñ : - •		
9	20 - 24 - 24 - 44 - 20 - 15 - 26 - 14 - 26 - 26 - 14 - 26 - 26 - 15 - 26 - 15 - 26 - 16 - 26 - 26 - 26 - 26 - 26 - 26	ភាគ្គីគ្នាគឺ គឺគឺ គឺគឺគឺគឺគឺ គឺគឺ	8888	39-41 29-12 0.44 29-12		9
8 0 84	29 - 92 - 92 - 94 - 95 - 95 - 95 - 95 - 95 - 95 - 95	2019 20 20 20 20 20 20 20 20 20 20 20 20 20	30 - 133 30 - 133 30 - 133	7 1		
_ E 07.0	29 - 92 - 30 - 154 - 30 - 154 - 30 - 154 - 30 - 155 - 3	25.58.20.45.20.20.45.20.20.45.20.20.20.45.20.20.20.20.20.20.20.20.20.20.20.20.20.	7.7.5 9.8.5 9.8.5			6
20.20 30 84 29 80 1.04	8 88 1 8 80 1 8	តំព័ត៌អត់ (១០)	27 86 86 86 86 86	7	1 1 21	
Novar Little Forks Wanstead Cook & Mills Shannorville	Renderd Montreal Burtingdon Britannia Bremmen Checottini Quebec Grindstone Grindstone Father Point As Monts.	New Bitt Newton. Production. Charlish. Eddinist. St. Andows. St. Andows. Clause Maturi. Toint Leprenov. St. John Citye. St. John Citye. Dailorsie. Ballorsie. Ballorsie. Patiersie Klarge.	Nova Scoluta. Hallan Hallan Yashir Tara or the Tara or			
orks vi Mills aville	don min inthe 'oint	A COLUMN TO THE PROPERTY OF TH				
tle Foursten	ntread nting himman icouti icouti shee, nikita incost	New Bitt Switch: Pro Serieton Gradient St. And Sw. St. And Sw. Grand Matan. Today, St. John Ulyered St. John City Digital St. Bullers Seriet Ulyers St. Bullers Seriet Ulyers St. Bullers Seriet Ulyers St. Bullers Seriet Ulyers St. Woodstork			2 A S A C A C A C A C A C A C A C A C A C	
Novara Little F Wanster Cook's	Queen Montre Montre Michael Chico Quebe Grind St. IIy Bround Father Father Point	gatără za	FERRESE P	1 1 1 E	7230	

STATIONS NOT ENTERED IN MARCH REVIEW.

PROVINCE.	STATION.	MEAN	Нісі Темркі	HEST CATURE.	Low TEMPER		Рвьстри	ration.	Auroras,	THUNDER
		Тимр.	Temp.	Date.	Temp.	Date.	Amount.	Days.		STORMS.
-		v	0		o		īn.			
N. W. Territories	Regina	7 91	42 0	31	-38 0	3-6	0:37	7		
	Oonikap	9.81	4710	20	-32 0	2+3	0.63	s		
Ontario	Galt	25.88	50 0	2)	- 5 0	17	3 33	13		
	Cloutarf	21:35	50 3	28	-1512	2	5 57	15	[4, 46, 30.	

PRECIPITATION.

The rainfall, except in Quebec, Nova Scotia and Manitoba, has been considerably below the average.

The distribution is as follows :--

In B. Columbia on the coast it was 5.77 in., or about 2.17 in. above April, 1890, but in the interior almost none had fallen.

In the N. W. Territories about 0.80 in, has fallen, considerably above the amount of last year.

In Manitoba in was 111 in., or 031 in. above the average.

In Ontario, West and Southwest District, it was 174 in., or 0.22 in. below the average. In the North and Northwest District it was 2.04 in., or 0.35 in. above the average. In the Central District it was 1.81 in., or 0.09 in. below the average, and in the Northeast and East District it was 1.49 in., or 0.17 in. below the average.

In Ourbec it was 1.60 in., or 0.20 in. or above the average.

In New Brunswick it was 1'30 in., or 0'74 in. below the average.

In Nova Scotia it was 3'74 in., or 1'34 in. above the average.

In P. E. Island it was 113 in., or 069 in. below the average.

Rainfall 5 in, and upwards during month:

B. Columbia.— Quamichan, 5'36 in.; Agassiz, 8'14 in.; Port Moody, 5'60 in.; Fort Simpson, 7'42 in.; Maple Grove, 6'85 in.; Bermuda, 5'77 in.; Nova Scotia, Sable Island, 5'39 in.

Rainfall 1 in. and upwards in 21 hours :-

3rd, Yarmouth, 125 in.; Halifax, 105.

6th, Bermuda, 121 in.; St. John, Nfld., 108 in.

11th, Durham, 200 in.; Huntingdon, 150 in.

12th, Whiteside, 102 in.; Sprucedale, 110 in.

14th, St. Thomas, 100 in.; Princeton, 100 in.; Lyons, 100 in.; Sarnia, 100 in.; Woodstock, 105 in.

15th, Paris, 115 in.; Winona, 100 in.

16th, Pelce Island, 105 in.; St. George, 105 in.; Stony Mountain, 10 in.

17th, Little Forks, 200 in.

10th, Georgetown, P.E.I. 125 in.

20th, Port Hastings, 175 in.

21st, Quamichan, 290 in.; Little Forks, 150 in.

22nd, Agassiz, 1'82 in.; Maple Grove, 1'50 in.

26th, Bermuda, 142 in.

27th, Agassiz, 1°78 in.

20th, Pelee Island, 114 in.; Bermuda, 110 in.

30th, Port Hastings, 135 in.; Sable Island, 195 in.; Sydney, 1.95 in.

Snowfall in the same districts as the rainfall:

In B. Columbia little or no snow has fallen.

In the N. W. Territories and Maxitona about 1 inch has fallen at a few stations.

In ONTARIO. OT in., or 10 in. below the average; 117 in., or 017 in. below the average; 012 in., or 115 in. below the average; 018 in., or 310 in. below the average.

In Quenec it was 80 in., or 03 in. above the average.

In N. Brenswick it was o't in., or 1'5 in. above the average

In N. Scotty it was 76 in., or about the usual quantity.

In P. E. Island it was 45 in., or 64 in. below the average.

Monthly snowfall 8 in. and upwards :-

ONTARIO.—Sault Ste. Marie, 8 in.

QUEBEC.-W. P. of Anticosti, 9 in.; Point des Monts, 17 in.; Grindstone, 17 in.

Nova Scotia.--Port Hastings, 28 in.; Cow Bay, 17 in.; Truro, 12 in.; Sydney, 17 in.

New Bruxswick.—Point Escuminac, 10 in.; Parker's Ridge, 15 in.; Chatham, 9 in.; Rich mond, 8 in.; Fredericton, 9 in.

Snowfall 5 in, and upwards in 21 hours.

- 3rd, Point Escuminac, 5 in.; Parker's Ridge, 10 in.; Point Lepreaux, 7 in.; Truro, 67 in.; Brome, 6 in.; St. Andrews, 56 in.
- 4th, W. P. Anticosti, 7 in.; Point des Monts, 14 in.; Bathurst, 5 in.; Dalhousie, 6 in.; Richmond, 6 in.; Fredericton, 60 in.
- 5th, Cow Bay, 6 in.
- 7th, Port Hastings, 24 in.; Cow Bay, 9 in.; Sydney, 8 in.
- 8th, White Head, 9 in.; Grindstone, 8 in.

Thunder or lightning recorded on-

- 4th, Sable Island.
- 9th, Elora.
- 10th, Cottam, Pelee Island, Kingsville, Ridgetown, Lucknow, Sombra, Brantford, Wilton Grove, Thedford, Cowal, Point Clark, Petrolea, Guelph, Conestogo, London.
- 11th, Cotham, Wilton Grove, Coldstream, Blenheim, Sunshine.
- i2th, Coldstream.
- 14th, Cottam, Boyner, Lucknow, Sombra, Zurich, St. George, Wilton Grove, St. Thomas, Thedford, Georgetown, Ont., Cowal, Galt, Durham, Petrolea.
- 15th, Winona, Stoney Creek.
- 16th, Pelee Island.
- 17th, Cottam, Kingsville, Point Lepreaux.
- 18th, Elora, Sharon, Georgina, Peterborough, Midland, Georgetown, Ont., Presqu'Isle, Graven hurst, Coldwater, Lindsay.
- 19th, Presqu'Isle, Scarborough, Wiarton.
- 22nd, Kingsville, Sombra, Georgetown, Ont., Cowal.
- 23rd, Pelce Island.
- 25th, Posen.
- 27th, Joly.
- 28th, Buda, Portage la Prairie, St. Albans, Brandon, Rapid City, Cartwright, Posen.
- 29th, Buda, Pelec Island, Gladstone.
- 30th, Buda, Pelce Island, Cotham, Point Clark, Durham, Brome.

Aurora recorded on

The class of Aurora if noted by observer is given, I being brightest, IV the feeblest in brilliancy.

- 1st, Battleford, I; Russell, IV; Chicoutimi, Point Escuminae (bright); Dorchester, Cotham, II; Pembina Crossing, II; Rapid City, Woodstock, N.B., Banff, IV; Posen, I; Truro, III; Bathurst, Grindstone, IV; Father Point, III.
- 2nd, Cotham, II; Pembina Crossing, II; Banff, IV; Posen, I; Virden, IV; Bathurst, Prince Albert, II; Russell, IV; Winnipeg, IV.
- 3rd, Buda, Savanne, Cotham, IV; Virden, IV; Minnedosa, II; Prince Albert, III; Battleford, I; Winnipeg, III.
- 4th, Savanne, Cotham, IV; Posen, I; Virden, IV; Prince Albert, IV; Winnipeg, IV.
- 5th, Cotham, IV; Alexandria, IV; Prince Albert, III; Russell, IV.
- 6th, Buda, Pembina Crossing I; Oak Bank, H; Nova, IV; Gravenhurst, H; Winnipeg, IV.
- 7th, Point Escuminac, Fort Ellice, Savanne, Sharon, I; Pelee Island, Clontarf, Joly, HI; Haliburton, Axe Lake, Ridgetown, Portage la Prairie, I; Cotham, I; Zurich, H; St. Albans, H; Thedford, III; Georgetown, Ont., III; Peterborough, II; Pembina Crossing, III; Oak Bank, II, Rapid City, Cartwright, I; Novar, IV; Posen, I; Point Clark, I; Gravenhurst, II; Durham, III; Fort Simpson, IV; Coldwater, I; Parry Sound, I; Prince Albert, IV; Winnipeg, I; Toronto, III.

- 8th, Elora (very bright), Buda, Cartier, Savanne, Sharon, I; Bognor, III; Pelee Island, Uplands, Clontarf, Joly, II; Haliburton, Axe Lake, Birnam, III; St. Albans, III; Georgetown, IV; Peterborough, II; Pembina Crossing, II; Cartwright, II; Novar, IV; Bancroft, II; Gravenhurst, III; Cook's Mills, II; Alexandria, II; Coldwater, II; Little Fork, III; Ottawa, III; Port Arthur, II; Parry Sound, IV; Grindstone, IV; Saugeen, IV; Port Stanley, III; Father Point, III; Minnedosa, II; Prince Albert, IV; Russell, IV; Winnipeg, III; Toronto, IV; Montreal, IV.
- 6th, Savanne, Cotham, IV; Mid-Lothian, Gravenhurst, IV; Alexandria, 111; Port Arthur, 111; Saugeen, IV; Father Point, III; Montreal, IV.
- 11th, Hillview, Sayanne, Little Forks, IV; Russell, III.
- 12th, Hillview, Bognor, H; St. Thomas, IV; Pembina Crossing, I; Oak Bank, H; Virden, I; Toronto, IH.
- 13th, Hillview, Savannee, Cotham, IV; Pembina Crossing III; Oak Bank, II; Posen, II; Port Arthur, I; Minnedosa, II; Winnipeg, III.
- 14th, Buda, Hillview, Portage la Prairie, IV; St. Albans, III; Pembina Crossing, I; Posen, IV; Father Point III; Minnedosa, II; P. Albert, III; Winnipeg, IV; Chicoutimi, IV.
- 15th, Prince Albert, IV.
- r6th, Tedford, IV; Peterborough, IV; Huntingdon, II; Father Point, IV; Chicoutimi, IV.
- 17th, Hillview, Rapid City, Virden, IV.
- 24th, Elora.
- 25th, Winnipeg, IV.
- 27th, Pembina Crossing, I; Posen, II.
- 28th, Elora, Savanne, Haliburton, Cotham IV; St. Albans, III; Georgetown, IV; Oak Bank, III; Novar, IV; Posen I; Gravenhurst IV; Fredricton, IV; Winnipeg, IV.
- 29th, Thedford, IV; Pembina Crossing, HI; Minnedosa, IV.
- 30th, Cotham, IV; Father Point, IV; Chicoutimi, IV.

PROPORTION OF BRIGHT SUNSHINE REGISTERED IN EACH HOUR OF THE DAY DURING WHICH THE SUN WAS ABOVE THE HORIZON IN THE MONTH OF APRIL, 1891.

							ПО	URS I	ENDIN	ZG.						
	5 A.M.	6 A.M.	7 A.M.	8 A.M.	9 A.M.	10 A.M.	11 A. M.	NOON.	1 P.M.	2 P.M.	3 P•M•	4 P.M.	5 P.M.	6 P.M.	7 P.M.	9 P.M.
Esquimalt		0 01	0 02	0 21	0-29	0.35	0:40	0.47	0.46	0.46	0:45	0:37	0:34	0.14	0.01	
Winnipeg		02	153	.63	:67	-66	-68	69	.68	.72	72	-71	:60	.35	.02	
Kingsville		- 06	34	-55	-55	54	159	-63	-62	.68	- 69	-65	. 60	. 30	.09	
Woodstock		.09	-26	45	-69	164	164	162	-58	159	159	-54	150	-11	.01	
Токомго		10	111	- 50	-55	58	-57	- 56	-58	-57	152	-51	156	45	-08	
Lindsay	1	-17	- 13	-45	-52	:54	-63	- 60	.60	.60	-62	-57	.50	-14	-38	-01
BARRIE		s.	-19	-35	150	-58	157	159	154	-57	-57	-59	143	:30	-07	
Kingston		13	142	:51	150	152	158	-55	155	154	-58	-55	-51	-29	-96	
												1				١
Cornwall																
		09	- 00	-11	46	-49	149	:51	52	-51	140	135	-30	11		
MONTREAL		,00	-38	13	-50	150	-57	47	44	-19	:39	37	:30	19	-04	
FREDERICTON		16	- 40	-32	-37	.42	47	150	-49	41	144	15	-40	135	.17	
Sydney		10	***			4	4.	(11)	4:1	***	11	10	1"	,	1,	
		١	-	1	=-		! 	-						-		
			Esquinalf.	WINNIPEG.		KINGSVILLE.	Woodstock.	Toronto,	LINDSAY.	DARRIE,	KINGSTON.			MONTREM.	FREDERICTON.	SYDNEY.
MEAN PROPORTION FOR MONTH (Constant sanshine being L)			0.28	0:38		0.50	0.46	0 45	0.52	0 43	0:46			0 42	0.38	0138
MAXIMI M DAILY AMOUNT			0:77	0.90		0.90	0.86	0 88	0.99	0.83	0.95			0.00	0.03	0.91
DATE			13	22		26	25	21	25	25	21			20	9	27
No. of Days Completely Clouded			5	2		5	6	4	6	7	7			7	6	s

STORM WARNINGS.

During the month warnings on the approach of two storms were issued to our agents, and cautionary signals duly displayed at the various signal stations. The total number of warnings issued was 55, of which 52, or 945 per cent., were verified. At three stations, however, the force exceeded that indicated by the signals displayed; four stations reported warnings received late, owing to delay in issue, and two stations reported a storm for which no warning was sent.

In connection with the warnings, predictions as to probable direction of the winds were given, and of the 52 warnings verified as to force 52, or 1000 per cent., were fully verified.

No. 1. At 11 a. m. on the 27th cautionary signals for a moderate S. W., W. and N. W. gale were ordered from the Georgin–Bay to Lake Ontario, inclusive, in advance of a depression then central over Lake Superior, which, as it passed over the districts warned during the day, caused a gale generally. Presqu'Isle reported S. W. 45 miles an hour, Saugeen N. E. 32 miles, Goderich S. W. 40 miles, Toronto W. 32 miles, Kingston S. W. 25 miles. Signals were lowered at 11.30 a.m. on the 28th.

No. 2. All Lake stations from Sault St. Marie to Kingston were warned for a moderate S. W., W. and N. W. gale at 10.10 p.m. on the 29th, in advance of another depression of some importance over Lake Superior. Like its predecessor, it was attended by strong winds and gales as it passed over the Lake region. Parry Sound reported N. W. 30 miles an hour, Goderich S. 35 miles, Pelee Island S. W. 27 miles. Trenton a moderate gale. Signals were lowered at 10.20 a. m. on 1st May.

PROBABILITIES.

The probabilities issued by this office at 11 p.m. each evening are posted up at every telegraph station in Canada, and are for the 24 hours beginning at 8 a.m.

The number of predictions issued during the month was 532. These were divided as follows:—

	No.		VERI	FIED.	
DISTRICT.	Issued.	No. Fully.	No. Partly.	Na. Nat.	Percentage Fully.
OWER LAKE REGION	116	82	21	13	7 + 7
PPER St. Lawrence	105	73	21	1.5	79-0
OWER ST. LAWRENCE.	103	74	15	11	80 G
ULF	105	79	16	10	82.9
Aaritime Provinces	103	71	22	10	70.6
Тота,	532	379	18	55	80:5

The percentage of verification is obtained by taking the sum of those fully verified and half the sum of those partly verified and dividing by the whole number,

In ascertaining the percentage of verification of the predictions the reports from agents at the "Probability Stations," as well as the telegraphic reports, are used,

The daily probabilities and storm warnings were issued by Probability Officer II, V. Payne.

TORONTO OBSERVATORY MAGNETIC REVIEW FOR APRIL, 1801.

A slight disturbance prevailed during the first four days, the most important movement being an easterly swing of the declination magnet at 6.30 p. m. of the 2nd, the extreme taking place at 6.47 p. m. The magnet then slowly regained its normal reading. A little irregularity is shewn after 9 p. m. of the 5th; otherwise the magnets were quiet up to the 6th. On the 7th disturbing action commenced and assumed a more important character after 10 p. m. All morning the curves were undulatory, and a marked absence of rapid movements, still the magnets were decidedly disturbed. Slight disturbances continued until the afternoon of the 12th, when the movements increased and a well-marked storm was registered during the night of the 12th. The most important deflection was a westerly swing of 48' at 8 p. m., the extreme reading taking place at 8.40 p. m. A somewhat similar movement was recorded the previous evening about the same time, but of a much less extent. The vertical component of the force was increased during the afternoon of the 12th, and a sharp decrease set in a little before 8 p.in. There were no important changes in the horizontal component. The magnets continued slightly disturbed up to 10 a m. of

the 15th, and for the following twenty-four hours a steady magnet prevailed. On the afternoon of the 16th another small disturbance sprung up and became more pronounced on the mornings of the 17th and 18th. A marked increase of the vertical component set in at 8 a. m. of the 17th and continued until 2 p. m., the h. f. showing a decrease from 6 a. m. to 10.50 a. m. The next morning this component was also changing.

From the afternoon of the 48th until 2 a. m. of the 20th the magnets were unusually steady. A disturbed period set in on the morning of the 20th and lasted until the morning of the 25th. The most important movements of the declination magnet took place between 8 and 10 p. m. of the 21st, slow waves of disturbance being then shown. From the 25th to the end of the month there were no changes of any importance, the magnets being generally steady, with the exception of a slight disturbance which was recorded on the night of the 28th and a few hours on the 29th.

On the 7th sudden display of aurora at 9.50, bright from 10 to 11.30 p. m. At midnight aurora still visible (class IV). On the 8th faint auroral light observed at midnight. On the 12th auroral arch and streamers, 8 to 8.30 p. m. (class III). On the 4th, 5th, 6th, 10th, 16th, 17th, 18th, 19th, 20th, 21st, 22nd, 25th, 26th, 27th, 28th and 29th the sky was clear, but no aurora was observed. On all other nights clouds or haze would have hidden any aurora which might have existed.

It may be remarked that brilliant disylays of aurora were generally observed throughout the Dominion on the 7th and 8th.

CHARLES CARPMAEL.

Director.

METEOROLOGICAL OFFICE, TORONTO, June 8th, 1891.

METEOROLOGICAL SERVICE, DOMINION OF CANADA.

May 1891.

INTRODUCTION.

In compiling the present Review the principal data made use of are the telegraphic reports of observations received at this office for the purpose of weather predictions, and the reports of storms received by mail. For the material used in tracing the courses of areas of high and low pressure in the United States, we are indebted to the Chief Signal Officer, Washington, D.C.

ATMOSPHERIC PRESSURE.

The average pressure, as determined from the observations taken at telegraph reporting stations, was above the normal of seventeen years, except in the neighbourhood of the Gulf of St. Lawrence.

May was remarkable for the great drought that prevailed over Ontario and the greater portion of Quebec, and also for the large number and comparative importance of the anti-cyclonic systems.

During the first few days of the month comparatively high pressure covered Manitoba, the North-West Territories and British Columbia, and low pressure existed from the Lakes to the Atlantic. On the 2nd, from the Rockies to Manitoba, light falls of snow occurred in most localities, and on the early morning of the 3rd showers fell over Ontario, and later in the day in Quebec and the Maritime Provinces, otherwise the weather was generally fine. Temperature was, as a rule, below its average, more especially in the North-West, where minima of 10° were recorded.

By the morning of the 4th the high pressure which still covered the North West had developed into an anti-cyclonic system of some importance, which then passed slowly over the continent to the South Atlantic States. Its advance was marked between the 4th and 7th, in the Lake Region and along the St. Lawrence Valley, by some strong winds or moderate gales from the westward, with local showers of rain or snow and sharp frosts at night. In the Maritime Provinces also, it gave some local showers and frosts.

An area of low pressure which had apparently given copious rains in British Columbia on the 4th, immediately moved into the North West Territories as the anti-cyclone advanced. It gave a decided change to warm weather, maxima occurring from 82° at Calgary, to 04° at Winnipeg. Its showers and thunderstorms were also experienced in many localities, more generally on the 8th than at other times.

From the North-West the depression, between the oth and 11th, passed over the Lake Region to the Atlantic, maxima of 76° to 80°, attended it in Ontario and Quebec together with some showers and thunderstorms. In the Maritime Provinces also, its showers were experienced in most localities.

The distribution of pressure, from the 11th until the 31st, was largely anti-cyclonic from the Lakes to the Atlantic, no less than six high pressure areas made their influence telt during this period, and their movements were all from the north westward or northward. The low pressure areas were few and their energy was feeble. The rain which they brought was chiefly confined to the Maritime Provinces, and throughout the month Ontario and a large portion of Quebec suffered from severe drought. The interruptions to the long-spell of fine weather were, in Ontario, a few showers, generally light, on the 15th, 21st and 25th, also a few showers on the 30th, confined to the south-west portion, and, in Quebec, heavy rains from Montreal east between the 10th and 18th, a well as some showers on the 21st and 20th. In the Maritime Provinces, as stated above, the rain was more frequent and general. On the 13th, heavy rain fell as far north a the Mir unich river and depression passed south of Nova Scotia; between the 10th and 18th nearly two medics fell in many places as another depression moved up from the Atlantic, and on the 22nd, as well as again on the

30th, showers were very general. Temperature was about average or rather below; the nights were as a rule particularly cool, especially in Ontario where frost was of frequent occurrence, noticeably on the nights of the 12th, 13th, 16th, 17th, 24th and 27th. The maximum temperature occurred between the 28th and 31st, over 80° being reported from most localities. A moderate gale was felt from the eastward on Lake Erie and the western half of Lake Ontario on the 22nd, but at other times the winds seldom reached the force of a strong breeze.

In the North-West Territories and Manitoba, after the 8th and until the end of the month, the distribution of pressure varied between cyclonic and anti-cyclonic. Contrary to the conditions in other portions of Canada, however, the cyclonic predominated, the winds also were frequently very strong, especially in Manitoba, on the 18th, 23rd, 25th, 27th and 29th. Rain fell at frequent intervals, more so between the 17th and 20th, again on the 23rd, and then from the 28th to the 31st inclusive; the largest and most general amount fell between the 30th and 31st, when, in some localities, it was mingled with sleet. On the 28th, also, snow seems to have fallen generally in the Rocky Mountains slope. The temperature changes were at times large and varied, but on the whole the temperature was about normal or a little above. Sharp frosts occurred in most places on the 10th, 15th and 21st. Minnedosa reported 18° on the latter date. On the 29th, also, frost prevailed from Prince Albert to Edmonton. The maxima of the month ranging from 80° to 88° occurred on the 14th, 26th and 27th.

TEMPERATURE.

The average temperature as determined from observations taken at telegraph reporting stations, was below the normal of seventeen years except in the neighbourhood of the Gulf of St. Lawrence.

The highest and lowest temperatures in each Province during May were:

British Columbia, 89° 0 on 25th, at Quamichan ; 89° 0 on 26th, at Maple Grove ; 230 on 2nd at Barkerville.

N. W. Territories, 93°0 on 27th, at Battleford; 7°0 on 3rd, at Regina.

Manitoba, 99°1 on 7th, at Gladstone; 0°0 on 3rd at Kola.

Ontario, 80°0 on 8th, at Nepigon; 15°0 on 4th, at Savanne.

Quebec, 82°6 on 30th at Chicoutimi; 24°3 on 11th, at Chicoutimi.

New Brunswick, 80°:5 on 29th, at Chatham; 25°:0 on 12th, at Bathurst; 25°:0 on 6th, at Dorchester; 25°:0 on 6th, at Parker's Ridge.

Nova Scotia, 81°0 on 20th, at Pictou; 26°3 on 24th, at Truro.

P. E. Island, 80°2 on 30th, at Kilmahumaig; 27°8 on 6th, at Kilmahumaig.

PRESSURE, TEMPERATURE, WIND AND PRECIPITATION AT STATIONS IN THE DOMINION OF CANADA, MAY, 1891.

The property 1		Amount. Diff. from average. Xo. of days. Xo. of thir days. Xo. of Thunders Xo. of Thunders Xo. of Thunders	in. in. 1-13 = 0.03 y 22 0 0 0 0.90 = 0.67 15 16 1 0 0	9.0- - 0.3- - 0.3-	1 1 2 1 3	0.21 -0.12 2.23 0.00 0.25 -0.12 2.23 0.00 0.54 -0.12 2.23 0.00 0.54 -0.12 2.23 0.00 0.54 -0.12 2.23 0.00 0.55 -0.12 2.23 0.00 0.56 -0.12 2.23 0.00 0.57 -0.12 2.23 0.00 0.00 -0.12 0.00 0.0	22 — 0.98 10 12 1 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	21 - 0.30 222 1 1 0 25 - 0.15 623 1 1 0 26 - 1.32 823 0 0 0 21 - 1.30 525 0 0 0 21 - 0.51 521 4 1 0 60 625 0 2 0	412
The property Prope		inoit.			v.				
The property Prope	CITY OF	Uighest days velocity.	15.5	35.0	15	7		12 X C 1 X	F 8 8 2 2 2 2 2 3 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
Total control Total contro	Velo	Mean, miles per lands.			11.6		<u>~</u>	= = = 5	3 3 2 3 5 6 6 6 6 6 6 6 6 6 6
Property			\$ B	388		23	3 4 3 8 8 8	8888	232 3353 335 SE
Control of the cont	W(7.5	13 a a		e m	40 080	115	<u> 182 7938 800 -2 17</u>
Control of the cont	D FR					5 2		[5223]	255 Page 255 185
Control of the cont	WIN		t= †i	: # # = :			: :	naxn	
Control of the cont	N OF		9 ∺	: ::::::::::::::::::::::::::::::::::::		- 5	:	×5.42	
Control of the cont	ECTIC		=	ादश व		99	::		Table Harman
The control of the	Dir		भ्यत्त्व भ्या	111211				: : : : : : : : : : : : : : : : : : : :	
Pearly P			22 71	1-000		. =			
The content of the	Alatak		1 - 01	150			10 m = 11 = 1	25 - (2.2)	
The mode			9 7	ю+			10 10 T T T		
The control of the		dewpoint. Mean relative 1					31.13		
The control of the			2 - 22	1 17 2	0.91	7 17 17 17 17 17 17 17 17 17 17 17 17 17	1 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
Table Tabl		range.					これは、一世の日	オピアフラカ	# # # # # # # # # # # # # # # # # # #
Table Tabl				:		n m m m			아무트이온도로의 트립트롱으로드 그림도
PRESSTIR IN MORES 1	S OF AIR	$_{\rm Jsowod}$	σ <u>x</u> i- c	18.01	9		e II ≈ <u>X & ⊕</u> + ± 4 × 0 ÷ 0 c c c		12/63/192 Sécalina 93
PRESSTIR IN MORES 1	ATUR	Date.	1- 0 71 7		51	2) 7 (2) 2) 1 (1) 2) 2 (2) 3) 1 (1) 4 (2) 5) 7 (3) 5) 7 (3) 7	1-1-1-1-1-1-1-1	[J] =] = [= [=] =] = =	
PRESSTIR IN MORES 1	Temper		3 5 8 8 51 9 8 8 51 9 8	9 7 8 8 9 7 8 8 10 9 10 10 10 10 10 10 10 10 10 10 10 10 10	5				
Hart Mount netting Mount		9 ñ.c.'			71				
Phesical design of the property of the propert			1 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7				11111 111111 4654346		
PESSTR	េកពាក						:	is a company	
Present and the state of the st	CHES	Nomest.						44 114	
	1N 13	.मेश्यतिष्रां H	E 55		100		- ## : 14 : 6 - 20 : 15 : 2		
	881.13F	рээпрэг ивэд	- 7 6 F			· 1 1 1 1 1			
	Pre	. Ազան ռջնում.		1 1 1					
Assimulation Medicine Hattern Medicine Hattern Medicine Hattern Maple Use Sant Polynamic Maple Use Sant Polynamic Medicine Medici									
			Assiminate: Medicine Hat	Photogram Forks Swift Current	Korpe Court	Cal zary. Cappling Communication of the Cappling Computer Configure Communication of the Cappling Communication of the Cappling Communication of the Cappling Communication of the Cappling Cappling Communication of the Cappling C			2 . / . /

\sim	
_	
	ı
~	
~	
- 2	
- 2	
-	
~~	
()	١.
_	
,	
1	
٠.'	
-	
•	
_	
•	
$\overline{}$	
_	
_	
_	
_	
NOITIVITIES.	
- '	
_	
_	
^	
_	
_	
-	
_	
31	
-	
~~	
_	
^	
_	
_	
_	
•	
•	ŀ
-	
~	٠.
- ~	٠
_	
_	
1	
17	
CINI	
CINI	
VINID	
UNIM	
WIND	
WIND AND PREC	
TEMPERATURE.	
SSUBE, TEMPERATURE,	
TEMPERATURE.	

	PRESSURE IN INCIUS.	Temper	TEMPERATURE OF	A118.	ĵo (-iu			Ривет і	AO NO	Direction of Wind From	М	1. El	VELOCITY OF WIND.	F WIND.	Precipitation	ATION.	SHITE	
	Mean netuah Mean reduced Highest Lewest Range:	Mean. Piff from aver- age. Years observe. Highest.	nate. 	Date. Mean daily range.	Greatest daily range: Aean temperature	dewpoint. Mean relative Har dity.	Nean amount of cl No. of days compl clouded.	Z. E.	8' E' E'	8' <u>II.</u> '	'X II.' II.	். மேர்ப் எமையை	of bours. Mean, miles per hour,	Highest days	Date and direction.	Amount.	1947 - Тери 20. of days. 20. of days.	Xo. of thir days. Xo. of Auroras. So. of Thundersto	zgod lo .oZ
	in.	6			3		_	-									E.	1	
ONTARIO—Continued.		5.48.6 CO. 5.64		# 15 m 15		:							:	:		90.0	3.56	31. 0	0:
Contwater Beatrice							6.0	6 5	e m	x :	10 25	35	: 2 0	12/2	NX t	5 - 5 5 - 5 7 - 1	9 % C		
North Brace Rockliffe	80-00 96-66 66-66	1		1	9			יה בני מי פיי	. = ~ · o s	====	: <u>9</u>		= 	9.97	- : - 1		165 165 177	- = = - = = - = =	
Zarich Point Clark		0 : S	: 51 £	1-13	₽ 86_ 86_			12	7	5		G	: 2			338	7 = 2 2 = 2 1 = 1	2 2	2.0
St. Mary s				0.07	0 T T								= :	-		7.3		: = = : : : = =	: O :
Lucknow		- -	(5) S (8) S	; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;						-			: : 2				195 195 195		00
Birnam		- I 			: i : 71 : 54 : 54 : 5			·			1]]] ;			3.2	80.1	1 = 1 = 1	0
Point Pelec		0.13 × 0.13 × 84.5		S. 7	0 75 9			51	-	 	-	=	: :			1 1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	20 E	0 0 8 8	s ⊕ 5 =5
Kingsville		-	Ξ	.5 5 19.	 				:		:					- 1 - 2 - 1	2 11:5	0 17	0
Ridgettown		1 7 1	5	- 65 - 11 - e	2 2 2 2											= = :	22 S	: : = : : = :	=======================================
Vondstock		1 · 2 · 3 · 3	5 5	121 0	- 4 x E	5.0.7 5.0.7	+ io.		ຫຼວ - ວະຕ	ਜ਼ ਨ ਜ਼ ਨ ਵ	56 55 56		ž Po			z <u>e</u>	01 55.0	0 0 5 2	= 0 = =
Port Manley	30.02.30.31.20.86			4 5 21.	531.0	:	6.0	::	3 10 5	20	55 4	·	72	17.5	3 W	1.51	0.73 15	16 o o	÷
Xt George																	3		: :
Cinclph		510 - 0517 74 7		0 19 0 19 0 19	: : ::: :::: :::::::::::::::::::::::::		9.0									0.68	21 22 23 24 25 25 25 25 25 25 25 25 25 25 25 25 25	2 C 2 C	0 5
Blora		0.00		in a constant of the constant	6.37.6	:	55.0	;;;;	===		11 12 12 13 13 13 13 13 13 13 13 13 13 13 13 13	•	<u> </u>			H .	1.93	51 5 51 5	= =
Ningara Falls, S.			1 3 1 1 3 1					19	9	- 15 	35					38.	9 8 1 5 5 7 7 9	181	0.0
• DeCewsville		- 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10		i- က ၈	::::::::::::::::::::::::::::::::::::::			17		1 2	5 11 17	0	 Ę			1 1 2:3: 	5.00 5.00 5.00 5.00	= 0 7 8	0 0 0 0
Nombra		52 8 - 0.7 B		± 1 · 2 · 2	9,51.4	:	:	:	:							1 55 57 57	6.79	20 20 20 20 20 20 20 20 20 20 20 20 20 2	0 0
Concaton		51.3 - 1.9	150	95			0.7	: -	<u> </u>			0	: 2	<i>></i>	11: NW	0.13	0 5.3 3 5 7 7)	2 = 0 2 3 1 1	==
Georgina				5 7	: :		F. 0	x :	† 	5	2 1	2	F :	= :	11 N G	- 1 07:10	66.50 66.50 66.50	- o	00
*Shared	160-6a, O., O., 301-05,	# 1 m 1 m 1 m 1 m 1 m 1 m 1 m 1 m 1 m 1			10	9 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		55	5 E		9 15		93	0.16		- 6F-0	1.35 ×	- s	0:
Alton			:						- !			- : - :		:	* :		7		: :
Norwood	89.65 65.05 80.68	5.7 T 1.50			: : :: : :: : :: : :: : :: : :: :		9.0		0.00	22	57 22 2-	<u>x</u> c	= - E 11	<u> </u>	11N +	1 2:0	21 12 15 21 12 15 21 15 15	o c 음 낡	s c
Descronto			181	m :	: : : :: : :: : :: : ::						[위] [무]			24.7	: <u> </u>	1 2 .	1 G 2 G 2 G 2 G 2 G 2 G 2 G 2 G 2 G 2 G	5 5 5	• • •
Offawa	99-0 89-07/15-08/20-0-0	1 7 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		9 5 9 5 9 9	6 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	3.9.56	ခောင် လူလုံ	×Ω Ξ-	e e e e e	2 12	5	- · - ·	න් සි - - ග	9 1.8	= = 0	- 0 - 0 - 0 - 1 - 1	1.30 13	0 0 2 0	= = = =
LakefieldAlexandria	S S S S S S S S S S S S S S S S S S S	52 5 1 4.1 7.1 1 9.1 7.1 1 9.1				69					20	=	: E	, , , , , , , , , , , , , , , , , , ,	.11.74	1 22.0	0.000	0 0 97	• •
kenfrew		52.5 - 3.4		12	 									• !		13 13 - 6	1.55 6	9 18	0 0
Dancoft	27 C 27.62 55.52 C 77.72 C 78.72 C 78.	51.5 - 5 5 5 8 6 6 5 5 5 5 5 5 5 5 5 5 5 5 5 5	555	8 8 8 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	 	13		<u>x</u> :	- 15 15	_ ~ _ ~ _ ~	** ## ** ## = **	= 22	වේව් කිසි	≣ ≻	N : +	1.75	5 G	០ ១ ១ ខា និ	c =
Daliburten		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		: : : : : : : : : : : : : : : : : : :	0.11.8				:	:		:		:	:	0.76	01 12-1	51	د ب د
Tould H		0.78.7 - 1 - 2.64		. ET 61 e	:			:		:		:			:	1	98.	÷	21

0 000	01024300406670 00400400000			in ±	~ 0 0	======;;
25 4 4 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	00000000000000000000000000000000000000		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 =	-00	505556
्लिक्कल	252022200759	STEPTER X See S	- 52253333	2	885 393	
_2 64 0.46 1.86	하다 유유 (# 51 등 61 등 5 년 년 - 1 년 6 년 6 년 6 년 6 년 6 년 6 년 6 년 6 년 6 년	77777777777777777777777777777777777777	8 8 8 9 9 9 9		922 711	\$2582 77777
- 0 - 28 0 - 128 0 - 15 - 0 - 15	11.84.99.99.99.99.99.99.99.99.99.99.99.99.99	6. X 2 2 2 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		2. S. 1-	要用点 产品品	25 2 2 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
4 W 10 N	X X Y X X X X X X X X X X X X X X X X X	25 KW	5	24 N E 6 N W	# X 50	·
E E	25 K R R R R R R R R R R R R R R R R R R	9.1.2.4 1.6.0		x 51 51	<u>x</u>	1 6
= -	=======================================	$\frac{i}{2}$ $-=$ $=$ $\frac{x}{2}$ $ \frac{i}{2}$	9 in H H			2 7 1 21 1 21
2 2 2 2 -	## % ################################	22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	888888888 :	: : 3 2	i i i	
 	- o : o : - w o : o : 5	α α π π π α α α α α α α α α α α α α α α	១១១១១១១	င င	1 8	Z 7
91 - 18	10 H	= + = = ° = - °	2221-1-820v	15 (+	Ξ	*
208	252 262 263 263 263 263 263 263 263 263 26	- 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5	25112377 62 25112377 62	2 2	1 15	
ဖွာ့ ကျစ	55		= 5 % + 10 = 1 + 6	= x	12993	\$
335	_ gx ΦηΦπησ-στχ - is εποπερίησ-			6 <u>15</u>	2	2
-95	= #2 %c=q===================================			9 1	16	.,
=01-	# = = = + + + + + + + + + + + + + + + +	X-0 W 4 T 0 D	451-x525=	÷	12	
(- :1	2) 2) 2) 2 2) 46 W X	5777661- 6 9	चचारा-ळाड	25. 21	i i e	- +
9 4	_ ឯ೪೧೮೩ಈഎ6	ବସ୍ଥ୍ୟ ବ୍ୟବ୍ୟ ବ୍ୟବ୍ୟ	10 th (1-10 th	1+ 45	7	-
	я I I I I I I I I I I I I I I I I I I I	8 147				2 2
	\$					支持基础
5.5 2.5 3.5 4.1	99999999999999999999999999999999999999		24448	31.0	5 5 5 5	
80.0 81.1 82.0 83.0	8984848	<u> </u>	9-1-118	1	854 852	253 33
FT THE FE	សញ្ជបញ្ជបញ្ជាក់ ស ក	မာတည္ကေလာက္မက္ကမည္ ကိ	######################################	Ξ =		21 x x x x x x 1
22.22 23.23 23.83 24.83		8990088999895 8888888	5 2 2 2 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	\$ E	$x \doteq z$	A B B B B B B B B B B B B B B B B B B B
3 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	និង និងសម្ព័ ង្គិននិង	តិតិគិតិសិសិសិសិសិកភិតិសិស	931955755	71	888	តិពុធព្ធព្ធក្នុង ក្នុង
28.5 — 4.5 4.84.9 48.3		2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	E 1-	7 5 5	5555555 1000000000000000000000000000000
4 14 1 2 1 2 2 4 1 4 2					11-12	1 - 1 - 2 - 1
17 25 26 21	11111 141			1 .		
	អ្នក និង		14003555 14003555	7 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8 × 1 × 4 = 3 = 3 = 3 = 3 = 3 = 3 = 3 = 3 = 3 =
	2 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	20 0 20 20 20 20 20 20 20 20 20 20 20 20	20 0 20 0 20 0 20 0 20 0 20 0 20 0 20	2008-2006-2-2002-10-0 0-11-0-12-2082-0052	\$ c.0 10 17 5 10 5 10 5	\$
	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	######################################	9596	H 7	1 1 5	
	20 20 20 20 20 20 20 20 20 20 20 20 20 2	6 4 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	7.589 8.88		1 1	
		10 - 60 - 60 - 60 - 60 - 60 - 60 - 60 -	20 - 20 - 20 - 20 - 20 - 20 - 20 - 20 -	2008-2008-2008-2008-2008-2008-2008-2008	1 17	
	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	the contract of the contract o		1.0		
Noval Noval Cock 8 Mills Wanstead Shannouville	Montreal. Montreal. Huntingdon Richmond Chicoutini. Queber Sr. Hyachithe. Father Point. Foint des Monts. Miquet hatte. Kippe Magisleine. Cape Magisleine.	Fredericton Charlean Bathuste St Andews Grand Matan Point Lepeans St John City St John City Hotebeste St John City Hotebeste Frederick R 420 Rakets R 420				- 1
Font of Italians	in the					
ar Krs M istear inner	Montreal. Huntingdon. Richmond. Chicoutinif Queber. St. Hyacinthe Father Point Toint des Mont Cape Chatte Gape Magdalei Antreosti. W.F.	Factor of the fa	Halita Solues Yatmouth P. tos 191, is a Mr. tos Sabit Star	St. July St.		
OXTABLO—Conclude Nowat Cock's Mills Wanstead	Montreal. Montreal. Montreal. Montreal. Richmond. Chicontinni. Quebov. St. Hyacinthe. Brone. Father Point. Point des Monts. Cupe Unite. Richnet. Richnet. Richnet. Michael. Michael. Michael. Autrosti. W.P.	New Barysways: Fredericton Chathout Bathursts St Andews Orand Mahan Point Leposity St John Crity St John Crity Horchester Dallones - Parker's R dge	Non A Scottia Halitan Yadinootiliaa Triusa 1912-ba 1912-ba Willowski	Newborty 21 July Beautra		
ū		5		-		

PROVINCE.	STATION.	MEAN TEMP.	Highest Temperature.	LOWEST TEMPERATURE.	Precipitation.	Auroras.	Thunder Storms.
			Temp. Date.	Temp. Date.	Amount. Days.	1	DIVINA,
		0	0		in,	,	
N. W. Territories	Regima	43 53	85 0 23	10 3	0.85 6		28th, 29th.
Manitoba	Channel Island	28 83	62.5 + 21	-13 0 3	0.15	1, 2, 7, 8, 13, 17,	
Ontario	Alton,	40 19	75 0 28	13.5	1 60 8	8.	11th, 18th, 30th.

At Channel Island, 6th, Wild Geese; 8th, Crows; 9th, Gulls; 19th, Wild Ducks; 20th, Robins, Gold-winged Woodpeckers, Blackbirds and Warblers; 20th, first rain; 28th, ice breaking up in Lake Winnipeg.

In Alton, 2nd, Wild Geese; 6th, Grey birds; 14th, Frogs heard; 26th, Whip-poor-Will heard; 26th, ground frozen.

PRECIPITATION.

The rainfall throughout the Dominion has fallen very far below the average, affording a marked contrast to that of May, 1890, the average of which is given for comparison. At some stations in Ontario during the past month no rain has fallen.

The distribution is as follows :-

In British Columbia, 1:60 in., about the average (1800, 174 in.).

In Maxitoba and N. W. Territories it was 0.73 in. or 1.72 in. below the average (1800, 1.75 in.).

In Oneario, South and Southwest District, it was 1148 in., or 0.74 in. below the average (1890, 430 in.). In the North and Northwest District it was 0.66 in., or 1.89 in. below the average (1890, 2.88 in.). In the Central District it was 0.62 in., or 1.26 in. below the average (1890, 3.05 in.), and in the East and Northeast District it was 1.53 in., or 1.78 in. below the average (1890, 2.72 in.).

In Ourne it was 208 in., or 060 in. below the average (1800, 3.62 in.).

In New Brunswick it was 2'23 in., or 1'06 in, below the average (1800, 6'27 in.).

In Nova Scotta it was 3'03 in., or 0'34 in. below the average (1800, 3'30 in.).

In P. E. ISLAND it was 2.26 in., or 0.75 in. below the average (1890, 3.71 in.).

Rainfall 5 in, and upwards during month:

St. John, N. F., 5'55 in.; Bermuda, 7'63 in.

Rainfall 1 in. and upwards in 21 hours.

3rd, Agassiz, 158 in.; Ignace, 108 in.

4th, Port Moody, 123 in.

13 h, Picton, 205 in.; Georgetown, P.E.L., 146 in.; Port Hastings, 1285 in.; Cow Bay, 1410 in.; Halifax, 150 in.; Truro, 194 in.

14th, Sydney, 131 in.

16th, Richmond, 107 in.; Father Point, 137 in.; Quebee, 114 in.

17th, Dorchester, 1907 in.; Cow Pay, 1910 in.; Digby, 1900 in.; Halifax, 1940 in.; St. John, 1904 in.; Truro, 1934, in

20th, Savanne, 145 in.; Ignace, 120 in.

21st, Watford, 140 in.; Wyoming, 150 in.

22nd, Birnam, 102 in.; Wanstead, 130 in.; Stoney Creek, 103 in.

24th, Bermuda, 100 in.

31st, Savanne, 1715 in.; Ignace, 1760 in.; Bermuda, 2705 in.; Morris, 1770 in.; Carman, 1744 in.; Regina, 1734 in.

Snowlall. Snow tell pretty generally in the early part of month, and as late as the 30th and 31st in the N.W. Territories, the general distribution and amount when measurable was as follows:

1st, Maple Creek, 3 in.; Channel Island, or5 in.; St. Albans, Barclay, Calgary 2nd, Pembina Crossing, Treherne, 1/5 in.; Kola, Bradwardine, Swift Current, 1/4 in.; Maple Creek, 1 in.; Fort Ellice, 1 in.; Channel Island, 0/3 in.; St. Albans, Brandon, 1 in.; Posen, 0/4 in.; Portage La Prairie, 2 in.; Evandale, 2 in.; Rapid City, 0/5 in.; Battleford, 0/8; Minnedosa, 1 in.; Qu'Appelle, 0/2 in.; Calgary.

- 3rd, Georgina, Sunnyside, i in ; Savanne, Gravenhurst, Bancroft, oʻz; Glen Adelaide 2'5 in.; Midland, Orillia, oʻ5 in.; Barclay, i in.; Heron Bay, 2 in.; Cook's Mills, Norquay, 2'5 in.; Hartney, 2 in.; Turtle Mountain, oʻ8 in; Selkirk, Pilot Mound, Gretna, oʻ5 in.; Craigilea, 3 in.; Minnedosa, oʻ5 in.
- 4th, Georgina, Birnam, Novar, 1 in.; Wanstead, Gravenhurst, Cartier, 1 in.; Joly, 13 in.; Barker-ville, Parker's Ridge, Beatrice, 05 in.; Ean Claire, 08 in.; Cowal, Peterboro', Chicontimi, Dalhousie, 2 in; Lindsay, London, Conestogo, Guelph, Durham, Thedford, Georgetown, Orillia, 05 in.; Wiarton, Mid-Lothian, Sharon, Uplands, Parry Sound, 03 in.
- 5th, Paris, Bognor, Ridgetown, Birnam, Shannonville, Collingwood, Novar, 0.2 in.; Stoney Creek, Cartier, Joly, 69 in.; Bancroft, 67 in.; St. Hyacinthe, Egremont, 16 in.; Elora, 66 in.; Galt, Parker's Ridge, Beatrice, 16 in.; Point Escuminae, Sunshine, Ottawa, Petrolia, Lindsay, 63 in.; London, Ottawa, Conestogo, 66 in.; Guelph, 64 in.; Aurora, Presqu'Isle, Cowal, Denbigh, Sprucedale, Thedford, Georgetown, Huntingdon, Deseronto, Durham, Parry Sound, 67 in.; Kingston, 62 in.; Saugeen, 67 in.; Orillia, Mid Lothian, Thedford, Sharon, Cottam, Uplands, Sault Ste, Marie.
- 6th, Paris, Collingwood, Norwood, Joly, 1 in.; St. Hyacinthe, 10 in.; Egremont, 04 in.; Galt, Thedford, Sharon, Lindsay, Huntingdon, Descronto, 06 in.; Durham.
- 7th, Digby, Truro, Kingston, 02 in.
- 9th, Glen Adelaide, 0.5 in.; Barclay, 2 in.; Pembina Crossing.
- 10th, Savanne.
- 14th, Chicoutimi, Petrolia.
- 15th, Savanne, Norquay.
- 16th, Collingwood, Presqu'Isle, Durham.
- 17th, Joly, Uplands
- 18th, Barkerville, Parker's Ridge.
- 20th, Calgary.
- 24th, Savanne.
- 26th, Uplands.
- 28th, Edmonton.
- 30th, Chaplin, 0.5 in.; Maple Creek, 4 in.; Swift Current, 20 in.
- 31st, Swift Current, 26 in.
- The record of frost during the month is extensive, and when frost is not noted, the readings of the ther mometer when 32° or below is given.
- tst, Birnam, Gravenhurst, Eau Claire, Brandon, (ice); St. Thomas, Cartwright, Turtle Mountain, (25°).
- 2nd, Sunnyside, (*Rhubarb and Maple leaves nipped by frost*); Picton, Gravenhurst, Sombra, Scarboro, St. Thomas, Uplands, (25°); Posen, (18°); Shoal Lake, Evandale, Cartwright, Turtle Mountain, Treherne, (20°).
- 3rd, Pictou, Dorchester, Sombra, Sault St. Marie, Posen, (18°); Portage la Prairie, (6); Rapid City, (icc 1½ in.); Norquay, (42°); Turtle Mountain, (10°); Kola, (6°).
- 4th, Shoal Lake, (wheat ent down); Norquay, (16°); Turtle Mountain, (16°); Treherne, (17°); Chaplin, Renfrew, (28°); Georgina, Peterboro' (29°); Sombra, Gladstone, (ground from 1 in.); Brome, Brandon, Wiarton, Uplands, (25°); Posen, (17°); Portage la Prairie, (16°); Rapid City, (ice 1 in.); Pilot Mound, (wheat from close to ground); Morden, (from all that was nf).
- 5th, Paris, (+2-in, ice); Bognor, North Bruce, Renfrew, (28"); Birnam, (ice+1, in.); Buda, (47"); Peterboro, (29"); Niagara Falls, S., (24"); Stoney Creek, Sombra, (ice+1, in.); Scarboro, (ice+1/in.); Wiarton, St. Thomas, (ice); Cottam, Uplands, (24"); Posen, (20"); Rapid City, (5cheat ent down); Cartwright, Selkirk, (47"); Guelph, (heavy); Toronto.
- 6th, Owen Sound, (24°) ; Renfrew, (30°) ; Georgina, Shannonville, (30°) ; Pelec Island, Sombra, (iee); Cowal, (iee); Nelson, (iee); St. Thomas, (10°) , $(iee^{-1} \cdot ine)$; Digby.
- 7th, Ridgetown, (238); Rentrew, (30°); Birnam, (161); Wanstead, (24); Zurich, Sombra, (161); Wiarton, Cottam, Sault St. Marie, (25); Woodstock, (22); Petrolia, (21°).
- 8th, Sombra, St. Thomas.
- 10th, Clandeboye, Bradwardine, Battleford, (20°).
- 11th, Georgina, Eau Claire, Cowal, Wiaiton, Turtle Mountain

- 12th, Renfrew, (30°); Georgina, Birnam, Whiteside, (25°); Gravenhurst, De Cewsville, Clontarf, Sombra, Brome, Eau Claire, Scarboro, St. Thomas, Sault St. Mar,ie (26°).
- 13th, Kingsville, Birnam, Whiteside, (26°); Collingwood, Pictou, Gravenhurst, De Cewsville, Treherne, (25°); Winnipeg, (23°); Clontarf, Sombra, Eau Claire, Georgetown, Wiarton, St. Thomas, Uplands, (25°); Cartwright.
- 14th, Georgina, Pictou, Eau Claire, Cowal.
- 15th, Toronto, (*icc*); Renfrew, (30°); Birnam, Peterboro', (32°); Pictou, Novar, (28°); Dorchester, Sombra, Brome.
- 16th, Port Arthur, (25°); Ridgetown, (28); Shannonville, Buda, (30°); Savanne, (18°); Novar, (29°); Cartier, (27°); Biscotasing, (25°); Eau Claire, (heavy); Sarnia, (fruit damaged); Mid Lothian, (icc); Clandeboye, Petrolia, (27°).
- 17th, Paris, (icc 12-in.), garden stuff destroyed; Lucknow, (half the grapes destroyed); Ridgetown, (20°); Cottam, Kingsville, (32°); Renfrew, (27°); Birnam, (icc 14-in., great damage to vegetables and fruit); Whiteside, (30°); Petrolia, (23°); Lindsay, (26°); Durham, (24°); Toronto, Shannonville, Novar, (25°); Wanstead, (28°); De Cewsville, Joly, (22°); Clontarf, Zurich, Sombra, (ice); Bancroft, (28°); Egremont, (27°); Beatrice, (28°); Eau Claire, Scarboro', (ice); Wilton Grove, (severe); St. Thomas, (ice 12-in.); Uplands, (23°); Sault St. Marie, (26°); Deseronto, (28°).
- 18th, Peterboro, (31°); Sombra.
- 19th, Renfrew, (23°), (*leaves touched*); Bancroft, (27°); Richmond, St. Hyacinthe, Wiarton, Huntingdon, (26°); Alexandria, (27°); Rockliffe, (24°)
- 20th, Pictou, Evandale.
- 21st, Hillview, (ice); Russell, (12°); Fort Ellice, (wheat and vegetables frozen); Posen, (ice ¼-in.); Portage la Prairie, (24°); Rapid City, Treherne, (26°); Clandeboye, Pilot Mound, Winnipeg, (25°).
- 22nd, Georgina, (heavy); Collingwood, (heavy); Savanne, (21°); Denbigh, (severe).
- 23rd, Beatrice, (29°); Eau Claire, (*icc* 14-in.); Wiarton, (ice); Nelson, Uplands, (22°); Coldwater, (23°); Renfrew, (25°); Georgina, (*heavy*); Whiteside, (31); Collingwood, Peterboro', (29°); Novar, (22°); Gravenhurst, Pelee Island, Joly, (25°); Haliburton, (28°); Bancroft, (26°); Brome, Richmond, Coldwater, (23°); Rockliffe, 24°); Toronto.
- 24th, Ridgetown, (24°); Mattawa, (24°) Whiteside, (30°); Shannonville, Buda, (32°); Peterboro', (30°); Pictou, Novar, (27°); Gravenhurst, Russell, (24°); Stoney Creek, Clontarf, Zurich, Sombra, (icc); Selkirk, (30°); Hanlan, Woodstock, (29°); Winnipeg, (27°); Coldwater, (27°); Guelph, (28°); Brome, Richmond, Egremont, (28°); Galt, (29°); Cowal, Scarboro', (icc); Georgetown, (icc); Wiarton, (icc); Nelson, St. Thomas, (icc); Uplands, (22°); Cartwright, Pembina Crossing, Conestogo, (severe); Lindsay, (30°); Toronto, (26°); London, (31°); Guelph, (28°); Coldwater, (27°); Parry Sound, (28°).
- 25th, Sunnyside, (23°); Savanne, (20°); Eau Claire, Georgetown, Cartwright, Pembina Crossing, (25°); Clandeboye, Stony Mountain, (28°); Port Arthur, (26°).
- 26th, Hillview, Georgina, (heavy); Collingwood, Sunnyside, (30°); Savanne, (18°); Haliburton, (27°); Sarnia, (apples all gone); Pembina Crossing, (30°); Kola, (icc); Clandeboye, Hanlan, Winnipeg, (28°).
- 27th, Lucknow, (29′5°); Ridgetown, (27°); Mattawa, (25°); Owen Sound, (30°); Renfrew, (25°); Birnam, (*ice* ½ *in.*); Whiteside, (27°); Peterboro', (30°); Novar, (22°); Wanstead, (30°); Gravenhurst, Joly, (27°); Clontarf, Axe Lake, (28°); Zurich, Sombra, (*ice* ¼ -*in.*); Bancroft, (24°); Brome, Egremont, (27°); Galt, (30°); Point Clark, Beatrice, (29°); Wiarton, (*ice* ½ -*in.*); St. Thomas, (*ice* ¼ -*in.*); Petrolia, (28°); Alexandia, (30°); London, (31°); Guelph, Huntingdon, (30°); Durham, (28°); Coldwater, (27°); Rockliffe, (25°).
- 20th, Russell, (30°); Pattleford, (28°).
- 30th, Russell, (29°).
- 31st, Savanne, (32°).
- Thunder recorded on
- 1st, Shannonville, Pelce Island, Peterboro, Ottawa.
- 2nd, Dorchester, N.B., Truro.
- 3rd, Joly.
- 6th, Portage la Prairie, Evandale.

- 7th, Hillview, Russell, Gladstone, Channel Island, St. Albans, Posen, Portage la Prairie, Rapid City, Cartwright, Craigilea.
- 8th, Whiteside, Savanne, Gravenhurst, Joly, Clontarf, Gladstone, Mid Lothian, Uplands, Posen, Pembina Crossing.
- 9th, Pelee Island, Brome, Cottam.
- 10th, Cowal.
- 12th, Truro.
- 14th, Kilmahumaig.
- 16th, Barkerville, Woodstock, N. B.
- 18th, Keremeos, Winnipeg.
- 19th, Russell, Glastonbury.
- 20th, Stoney Creek, Fort Ellice, Blenheim, Scarboro, Wiarton, Deseronto, Alexandria.
- 21st, Ridgetown, Kingsville, Birnam, Brome, Richmond, St. Hyacinthe, Elora, Galt, Thedford, Georgia, Wyoming, Thedford.
- 22nd, Paris, St. Mary's, Scarboro, Nelson.
- 23rd, Quamicham.
- 25th, Pelce Is'and.
- 26th, Pelee Island.
- 27th, Russell, Portage la Prairie, Evandale, Selkirk.
- 28th, Sunnyside, Gladstone, Channel Island, St. Albans, Posen, Pembina Crossing, Hanlan, Cartwright.
- 29th, Evandale.
- 30th, Sunnyside.
- 31st, Ignace.
 - Auroras recorded on-

The class of aurora if noted by observer is given, I being brightest, IV the feeblest in brilliancy.

- ist, Savanne.
- 2nd, Russell, III; Cottam, IV.
- 3rd, Cotham, IV; Portage la Prairie, IV; Winnipeg, IV.
- 4th, Bognor, IV; Savanne, Novar, IV; Gravenhurst, IV; Channel Island, III; Egremont, IV; Elora, Nelson, Sharon, II; Posen, I; Pembina Crossing, III; Winnipeg, II.
- 5th, Chicoutimi, IV; Portage la Prairie, IV; Port Arthur, H.
- 6th, Savanne, Channel Island, IV; Elora, Peterborough, III.
- 7th, Sunnyside, 1H; Cotham, 1H; Chicoutimi, 4V; Pembina Crossing, 1H; Winnipeg, 4V; Minnedosa, 4V; Father Point, 4V.
- 9th, Russell, II; Stoney Creek, IV; Cotham III; Pembina Crossing, III; Swift Current, II.
- 10th, Bognor, IV; Novar, IV; St. Albans, III; Posen IV.
- 11th, Savanne, Chicoutimi, IV; Pembina Crossing, I.
- 13th, Hillview, Father Point, II; Savanne, Russell, III; Cotham, II; St. Albans, II; Posen, I; Cook's Mills, Pembina Crossing, II; Cartwright (fine), Edmonton, III.
- 14th, Russell, III; Dorchester, I; Channel Island, III; Cotham, I; Winnipeg, IV; Swift Current, III; Port Arthur, I.
- 15th, Russell, III; Fort Ellice, II; Channel Island, III.
- 16th, Minnedosa, III.
- 17th, Russell, HL
- 20th, Russell, HL.
- 23rd, Peterborough.
- 24th, Chicoutimi, IV.
- 26th, Chicoutimi, Portage la Prairie, IV.
- 27th, Russell, II; St. Albans, II; Posen, II; Pembina Crossing III; Cartwright (fine).
- 28th, Posen, L.

MIGRATION OF SPRING BIRDS.

Swallows Treherne, 1st; Birnam, 3rd; Russell, 7th; Portage La Prairie, 7th; Paris, 9th; Toronto, 9th; Mid-Lothian, 9th; Gladstone, 13th; Fort Ellice, 10th; Beatrice, 17th; Dorchester, 18th; Sombra, 23rd.

Bobolinks Posen, 8th.

Night Hawks-Lucknow, 23rd.

Vellow Birds - Egremont, 1st; Bognor, 9th; Sombra, 10th; Beatrice, 24th.

Wrens Sombra, 12th; Gladstone, 19th.

Cat Bird Sombra, 15th.

Humming Birds—Sombra, 4th; Birnam, 8th; Georgina, 14th; Galt, 19th; Bognor, 28th.

Oriole—Sombra, 8th; St. Mary's, 11th; Toronto, 14th; Birnam, 23rd.

Whip-poor-Will—Posen, 3rd; Egremont, 11th; Gladstone, 16th; Cornwall, 17th; Evandale, 17th; Sunnyside, 20th; Gravenhurst, 20th.

Fire Flies-Sombra, 24th; Lucknow, 20th; Gravenhurst, 30th; Egremont, 31st.

The following record of a brilliant meteor observed on the 3rd day of May is furnished by the Observer at Sombra, Ontario, Mr. W. S. Howell:—

On Sunday evening, the 3rd of May, about 6.45 p.m., standard time, a large blazing meteor passed over the central part of the Township of Sombra, passing to the southwest. I heard several persons speak who saw it, as a ball of fire with a fiery tail blazing behind it. It must have descended quite gradually to the ground; its line of motion being apparently at a low angle to the surface of the country, but the motion was very swift, as it passed out of view to the S.W. in a very few seconds indeed. As it disappeared, a tremendous explosion was heard (no doubt the noise was made by the motion of the meteor through the air), I heard the sound myself. It was not like thunder, nor like any cannon I ever heard, and the sound was somewhat prolonged, loudest when first heard. Mr. R. G. Allan who had been through the American civil war and marched with Sherman to Atlanta, said he never heard such a sound as that from all the cannons he had ever heard. It was heard far and wide in the Townships of Sombra, Dawn, Enniskillen, Moore, Camden, Chatham and Dover, but I did not learn of where it struck, and will not venture to write down mere rumors as facts. One man said he heard that it was seen near Detroit. The sky was clear and the sun was shining.

PROPORTION OF BRIGHT SUNSHINE REGISTERED IN EACH HOUR OF THE DAY DURING WHICH THE SUN WAS ABOVE THE HORIZON IN THE MONTH OF MAY, 1891.

	HOURS ENDING															
	5 A-M-	6 A.M.	7 A.M.	S A.M.	() A.M.	10 A.M.	11 A.M.	NOON	1 P.M.	2 P. M.	3 P.M.	4 P.M.	5 P.M.	6 P. M.	7 P. M.	8 P.M.
Esquimalt	0.00	0 12	0.35	0.41	0.67	0.60	0.63	0-69	0:78	0.78	0.75	0.70	0.73	0 67	0.25	8.
Winnipeg	:02	154	:67	.72	.75	.74	73	.70	.71	69	:67	66	63	. 63	140	
KINGSVILLE		06	.37	:51	165	68	.73	.79	181	181	-77	73	. 63	. 55	124	
Woodstock		40	.36	51	.58	-67	-70	71	:65	.74	-73	72	68	:52	20	
Toronto		11	39	. 50	-60	:62	68	69	69	65	66	167	60	50	22	8.
Lindsay	:06	-24	. 97	.41	.63	67	68	.20	66	-61	65	.54	.35	.30	-31	.75
BARRIE		-20	128	-44	-60	59	61	58	59	161	65	164	-61	1 149	12	
KINGSTON	8.	-21	10	-43	.50	165	-66	74	169	.62	65	:60	55	. 36	114	
	•			1					1	!						1
					.,	, .										1
***************************************					* *											
**			.03						.10	. 50	1.00	.01				•~
Montreal	.01	23	136	49	57	.99	-65	69	69	70	69	-64	-57	-28	01	
Frederictor		30	.35	. 50	54	.01	'61	-63	166	65	61	- 55	151	40	15	' S.
STONEY	• •	15	*34	147	-54	*53	- 59	-58	-57	.56	-746 	-57	*50	43	.36	(17
		_														
			Esqumale.	Winsuped.		Kingsville.	Woodstock.	Токомто.	Lindsay,	BARRIE.	Kingston.			Montreal.	Гавренстом,	SYDNEY.
We are December of the Manager			n 59	0.62		0.56	0.53	0:51	0.49	0.46	0:49			0.55	0.47	0.46
MEAN PROPORTION FOR MONTH (Constead sunshine being 1.)			0.53	0/02		(71 -)()	U DO	11	ir 4t	ti dit	0.457			0.00	17 41	11 49
MAXIMUM DAILY AMOUNT			0.87	0.94		0.57	0 55	0.88	0.99	0.88	0.89			0.95	0.91	. 0 97
DATE			2	13		9	24	24	17	12	23			23	27	20
No. of Days Completely Clouded			2	1		1	0	1	1	1	1			2	5	3

PROBABILITIES.

The probabilities issued by this office at 11 p.m. each evening are posted up at every telegraph station in Canada, and are for the 24 hours beginning at 8 a.m. the following day.

The number of predictions issued during the month was 553. These were divided as follows:—

	No.	•			
DISTRICT.	Issued.	 No. Fully.	No. Partly.	No. Not.	Percentage Fully.
Lower Lake Region	120	95	17	3	×6 3
UPPER St. LAWRENCE	115	91	18	6	87:0
Lower St. Lawrence	106	7.9	19	3	877
GULF	105	76	12	ĩ	82.9
Maritime Provinces	107	77	16	14	79.4
Тотал	553	 415	92	43	83.9

In order to obtain the percentage of verification of the predictions, the number partly verified is divided by 2 and added to the number fully verified, and the result divided by the total number issued.

In ascertaining to what extent predictions have been verified, the reports from the agents at the "Probability Stations," as well as the telegraphic reports, are used.

The daily probabilities and storm warnings were issued by Probability Officer R. F. Stupart.

STORM WARNINGS.

During the month warnings on the approach of one storm was issued to our agents, and cautionary signals duly displayed at the various signal stations. The total number of warnings issued was 11, of which 8, or 72'5 per cent., were verified. Three stations reported warnings received late, owing to delay in issue.

In connection with the warnings, predictions as to the probable direction of the winds were given and of the II warnings verified as to force, II or 1000 per cent., were fully verified.

At 1040 a.m. on the 22nd warnings were issued to Lakes, Eric and Ontario Stations to expect a moderate easterly gale in advance of a depression then over the Middle Mississippi Valley. Port Dalhousic reported a moderate N. E. gale during the 23rd, and Pelec Island also a moderate N.E. gale early on the 22nd. Elsewhere no storm was experienced. The depression dispersed on nearing the Lakes.

TORONTO OBSERVATORY -MAGNETIC REVIEW FOR MAY, 1891.

The first two days were free from disturbance. Early on the 3rd a small disturbance appeared and continued until 10 a.m., after which a steady increase of westerly declination set in until 11.15 a.m. when a slow easterly movement commenced lasting until 1 p.m., after which a very steady curve followed. All throughout the 4th a slight disturbance prevailed, also on the morning of the 6th and all day of the 7th, in fact it was visible often on up to the 6th. There was nothing of importance shewn until the morning of the 13th when the magnets became slightly disturbed. Between 1 and 7 p.m. the declination needle moved east when the movements increased. After 4 a.m. of the 14th the disturbance became more active and all morning the magnets continued in a disturbed condition. There was a strong resemblance in the declination curves for the afternoons of the 13th and 14th. During the night of the 14th there were some rapid movements of the declination needle, a marked easterly extreme taking place at 8.08 p.m. After 9.55 p.m. a quick westerly swing brought the magnet to about its normal reading and it remained tolerably steady until after 3 a.m. of the 15th when quite a storm began. Λ well marked double westerly maximum was recorded at 4.00 and 8.50 a.m., the readings being then 42' west of the normal. The total range of declination on the 14th and 15th was 1° 30'. There were some rapid movements during this storm, an easterly-sweep of 48' after 4.00 aam of the 15th, and between 7 and 9 a.m. the curve presents a constant vibration. The force magnets were considerably disturbed during the storm. On the 13th and 14th the horizontal force curve was very wavy. A sharp vibration of this magnet is shewn at 4.33 p.m., the initial swing was a decrease of force

followed immediately by an increase. After 5 p.m. the force gradually increased and a little after 6 p.m. the movements were considerably accellerated, a maximum being registered at 6.58 p.m. The force after this began to diminish in short vibrations until it reached its minimum at 9.20 p.m., the range for that period being '0060 C. G. S. Between 10 p.m. and 3 a.m. of the 15th a quiet curve ensued, and was followed on the morning of the 15th by some rapid changes. After 3 a.m. the force began to diminish until 7.45, when an increase set in and by noon the magnet was at its normal reading. The vertical component reached its maximum value at 6.56 p.m. of the 14th and its minimum at 4.11 a.m. of the 15th. A marked increase is shewn between 7.40 and 11.50 a.m. of the 14th, and also on the following morning, except on the latter date, the magnet was more disturbed.

Between 2 and 8 a.m. of the 16th, another storm was registered although not as active as the one on the 15th, still there were some important swings. The most westerly reading occurred at 4.50 and the easterly at 6.30 the range being 1°. After 4 a.m. both forces began to diminish until 5 a.m. The h. f. shews some quick swings between 6 and 7 a.m., and a noticable increase of both forces is shown after 0.30 p.m. attended by a gradual increase of westerly declination at first, followed in half an hour by a sharp easterly deflection. The movements of the force magnets then being considerably accellerated. After 2 p.m. the magnets gradually regained their normal readings and remained fairly steady until 6.25 p.m., when a sudden easterly sweep of the declination needle took place; the extreme was reached at 6.50 followed by a corresponding westerly rise of 37′, after reaching its normal position it came to rest very quickly. During the time the declination needle was moving east the horizontal component was little affected, and it was not until the westerly swing that the h. f. changed, an increase of force being then shewn. The v. f. curve presented nothing of importance.

A slight disturbance appeared on the evening of the 17th, and continued to act up to the morning of the 24th, this was followed by a quiet period, and it was not until the night of the 26th that the magnets shew any changes; a slight disturbance then springing up and was visible up to the 30th; it was more active on the night of the 27th. During the afternoon of the 28th, the h. f. was changing considerably. On the last day of the month the magnets were quiet and changed little from their normal values.

On the 1st, 3rd, 4th, 9th, 11th, 12th, 13th, 16th, 22nd, 23rd, 26th, 27th and 31st, the sky was clear but no aurora was observed; on all other nights clouds or haze would have hidden any aurora which might have existed. Auroras were general observed throughout the Dominion on the 4th, 5th, 13th, 14th and 15th, the display on the 13th, 14th and 15th, at a number of stations being brilliant (class I).

CHARLES CARPMAEL,

Director.

METEOROLOGICAL OFFICE,
TORONTO, July 8th, 1891.

METEOROLOGICAL SERVICE, DOMINION OF CANADA.

Monthly Wenther Review.

JUNE, 1891.

INTRODUCTION.

In compiling the present Review the principal data made use of are the telegraphic reports of observations received at this office for the purpose of weather predictions, and the reports of storms received by mail. For the material used in tracing the courses of areas of high and low pressure in the United States, we are indebted to the Chief Signal Officer, Washington, D.C.

ATMOSPHERIC PRESSURE.

The average pressure, as determined from the observations taken at telegraph reporting stations, was above the normal of seventeen years in Ontario and Quebec, and below in the Maritime Provinces. In Manitoba and the Northwest it was about normal.

On the 1st a small depression moved slowly eastward across Canada from the Lake Region to the Gulf, and a deeper depression developed in the Western States, while feeble anti-cyclonic movements were apparent north of the Lake Region and in the Northwest Territories; a few local thunderstorms occurred during the day in Ontario and Quebec, where the weather was generally fair and warm, while in the Maritime Provinces it was mostly cloudy with light rains. For the next two days the western depression moved very slowly eastward with diminishing energy, and increasing anti-cyclonic movements prevailed over Canada, with cool, showery weather in Ontario and the Maritime Provinces, and fair weather in the Northwest Territories and Manitoba. The charts of the 4th, 5th and 6th showed the anti-cyclone moving slowly over the Lake Region, and fair weather prevailing in Canada with temperature about normal, or a little below, from the Lakes east, and a little above in Manitoba and the Northwest Territories.

During the first four days of the week ending the 13th, the pressure was mostly high, and the weather continued very fine over Canada from Ontario east, while in the Northwest cyclonic conditions prevailed and the weather was showery. There was a break in the high pressure and fair weather in Ontario on Thursday the 11th, as a small depression moved across the country, causing local showers and thunder storms in Ontario, and next day as it passed eastward, a few little showers in the Maritime Provinces.

On the 12th and 13th the pressure was highest over the Lake Region, while it continued low in the Northwest, and there was a moderate cyclonic movement over the Gulf and off the Nova Scotian coast; showery weather prevailed in Manitoba and the Northwest Territories, decidedly warm in Manitoba and cooler westward; from the Lake Region eastward it was very fine and warm, the temperature in Nova Scotia on the 12th, at many points, exceeding 80° for the first time this season.

The week ending the 21st began with an area of high pressure, central over the Middle Atlantic States, which extended its influence for fine, very warm weather over Ontario and Quebec during Sunday and Monday. In the Maritime Provinces the pressure was lower and the weather cool and showery.

On the 15th cyclonic movements which for some time had prevailed in Manitoba and the Northwest, attended by heavy local rains, gave way before an anti-cyclonic development which spread southward over Manitoba and Assiniboia, there bringing fair but cool weather, while nearer the Rockies there was a change from cool to decidedly warm weather. The cyclonic movements were meanwhile transferred eastward and southward; one small depression moving across the Lower St. Lawrence Valley and Gulf-gave local rains in Quebec and the Maritime Provinces on the 16th, and at night thunder storms and sharp squalls in Cape Breton.

In parts of Ontario, on the 16th, with a moderate southwesterly gradient, the temperature reached or exceeded 90°, then for the balance of the week, very generally in the Lake Region, the pressure was low and weather cloudy and showery, while in Quebec and the Maritime Provinces the pressure differed little from normal, and the weather was fine and moderately warm

The week ending the 28th began with the pressure in Canada for the most part below the average, the weather showery in Ontario, but elsewhere fine and warm, particularly in parts of Quebec and New Brunswick, where the temperature exceeded 90°. On the 22nd the pressure steadily increased in the Maritime Provinces with cool easterly winds, while the centre of low pressure, which for many days had hovered in the neighborhood of the Lake Region, began an easterly movement; on the 23rd it was moving slowly across the St. Lawrence Valley to New Brunswick, causing a rainy day with strong winds over the greater part of Quebec and the Maritime Provinces. At the same time there was a recovery of pressure over the Lakes with warm, bright weather, while in the North-West Territories there was a re-development of cyclonic conditions with strong winds and heavy local rains,

There were two well marked features during the last part of the week, the first was the development of the Maritime Province low area and its subsequent hovering to the southward of Nova Scotia, causing a moderate to fresh northeasterly gale and very cool, rainy weather throughout the Maritime Provinces until the end of the month; the other was the appearance of an important anti-cyclone to the northward of Manitoba on the 25th, and its movement eastward and southward, bringing fine weather in Ontario and Quebec until the end of the week. As the anti-cyclone passed out of the North-West on the 26th, cyclonic conditions became general between the Lake Region and Mississippi and the Mountains, accompanied by cool rainy weather. This wet weather lasted until, on the 28th, the centre of disturbance moved to the Lake Region where, however, there was no precipitation although a considerable decrease in pressure occurred.

TEMPERATURE.

The average temperature as determined from the observations taken at telegraph reporting stations, was slightly above the normal of seventeen years in Ontario, and below the normal in the Maritime Provinces and in Manitoba.

The highest and lowest temperatures in each Province during June were:—

British Columbia, 95°0 on 27th, at Quamichan; 31°0 on 9th, at Barkerville.

N. W. Territories, 88° o on 17th, at Medicine Hat; 23° o on 3rd, at Oonikup.

Manitoba, 90° o on 22nd, at Oak Bank; 24° 5 on 4th at Minnedosa.

Ontario, 96° o on 15th, at Stoney Creek; 96° o on 14th, at Renfrew; 21° 5 on 5th at Mattawa. Quebec, 92° o on 23rd at Chicoutimi; 31° 5 on 3rd, at Quebec.

New Brunswick, 94°·5 on 21st, at Chatham; 30°·0 on 9th, at Bathurst; 30°·0 on 5th, at Parker's Ridge.

Nova Scotia, 84°.2 on 12th, at Halfax; 29°0 on 5th, at Truro.

P. E. Island, 84° o on 12th, at Georgetown; 33° 5 on 5th, at Kilmahumaig.

PRESSURE, TEMPERATURE, WIND AND PRECIPITATION AT STATIONS IN THE DOMINION OF CANADA, JUNE, 1891.

orms.	Xo. of Thunderst No. of Thunderst Xo. of Fogs.	0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		000000000000000000000000000000000000000	
	No. of fair days.	1 19	: :833	imm grants:	<u> </u>	4 888 88888888
T10N.	.oga .syab to .ož	in. 1.50 II 0-10 II	12 3 3	112 11883 1	- 84 (848) (848) - 1911 - 1911 (848)	: 844:8284:8284: : 844:8284:8448
IPITA	Diff. from aver-		27.7			हिन्द निर्देश निर्देश हैं
PRECIPITATION.	ушоши.	in. 4.34 2.60	1.28	ន្តែក្នុង ក្នុង ក្នង ក្នុង ក្	######################################	
f WIND.	Date and direction.	7 W X X W	7 X X Z Z X X X X X X X X X X X X X X X	MX1 A Si Si	24 W 25 W	\$ 2 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
VELOCITY OF WIND.	Highest days	95.1	15151 15151	13.3 7	21.9 333.0 15.9 vi 18 18.5 18.5 18.5 18.5 18.5 18.5 18.5 1	F E F E F F F F F F F F F F F F F F F F
VELO	Mean, miles per hour,			=		=-= = = x
	Total number of hours.	. 99	988	38888	89 828 E E E E E E E E E E E E E E E E E E	8 8 8888 88
×	(1)		1-717 7	9 = 2 5 7	1-0 000 1:00-	S S x G P X M P M TH
FRO	.71.72	~~~ ∞	-# t- 10	28003	41- C C X : [-1-1-4-	
WIND	11.	2 21	10 m 5	0-279	1-5 2 0 5	1 0 140 4 0 1 A A A A A A A A A A A A A A A A A A
40	M 8	- e-	14 B S	: an u :: n	000 100 000 000 000 000 000 000 000 000	
DIRECTION OF WIND FROM	8' E'	-11 1-	12 ×			
) IREC	Е.	77 71	: O 71 %	0.1545		
	Z E.	2171	0.00	77277	# # PAH # # # # # # # # # # # # # # # # # # #	
	· X		1224	011040	79 9n- 11 1- x a a	
Matel	Zo. of days comp clouded.	9::	in w	00 W 4	0- N2 0-40	- nnn mn
.huof	Mean amount of e	1-0	99	22 1- 2	r-5 wo www.	D # 7 # 7 7
-1110	Mean relative II dity.				2	
	dempoint.				1	
3,, 0	ranger	1, 11	1 17 7	09 1111 5 5 6		
	. squer Tirb Isstrato	9 60	1150		- 200 : 500	
	Mean daily	- 5 1		់ដែល (ក៏អ៊ីអ៊ីអ៊ីអី) សែលកាយសេលស	_ស៊ីស៊ីស (ឧភិសិស (ម៉ឺសស្ស)) - ជាជាជាជាជាជាជាជាជាជាជា	ក ខាត់ () ។ ។ ។ ។ ។ ។ ។ ។ ។ ។ ។ ។ ។ ។ ។ ។ ។ ។
AIR.	.phte.	+ =	.02	,0000-000		្រុំ ១០១៩១៩១៩១៩១៩១៩១៩១៩១៩១៩១៩១៩១៩១៩
TEMPERATURE OF	Lowest.	9 1 1		ត្តអំពុតត្រូវ	######################################	a and anasaanaan aa
RATI	Date.	[-]-		5554555	111111111111111111111111111111111111111	
EMPE	Highest.	81.5 81.5	2.1. 0.0.0. 14.00	12 to 2	### ##################################	1 450 - 444,02572485 170,6 5 883 123734288887327 5 883 1366588048887327
-	Teurs observe.	0 1- 0 1-	100 10 X	11.3	10 0 - 400 0 200 40 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
	-тэүв шолі ЛііЦ , чұв	, ::-				
	Меян.	9.6	20 E	64464468 64488		
<i>V</i> s	.७५७८४	62	 			
INCILE	Lowest.	E 44	15.5		\$7 17 17 18 18 18 18 18 1	
Pressure in inches	Highest.	in. 830-63 830-13				
RESS	Иоан тедисед				44 4	
	Mean actual.	### ### ##############################				
		Assimilation Hat	Pleasant Fotks Maple Creek Swift Current	Gleedon Gestal Custal Custal Fine A e.t. Fared Column Column		
•	•	-			3	

_
Č.
-
~
. :
~
~
. 3
Č5.
$\tilde{}$
- }
. •
~
پيت
•
نرا
<u>_</u>
_
<u> </u>
P .
PRECIPITATION
_
- 4
$\overline{}$
_
2
=
=
$\overline{}$
(\pm)
Ξ
\simeq
^
ONV
_
Z.
4
*4
$\overline{}$
\bar{z}
\bar{z}
Z
ININ
UNINI MINIO
NIN
EE. WINI
TEMPERATURE.
TEMPERATURE.
TEMPERATURE.
SELIE, TEMPERATURE.
SELIE, TEMPERATURE.
TEMPERATURE.
SELIE, TEMPERATURE.
SELIE, TEMPERATURE.

The color of the	Demission Hole	March Marc	Partia media	Destroy mode
			The control of the	10
			Control Cont	The control of the
		1	Column C	Colored Colo
			Control Cont	
1	Column C	Colored Colo	Column C	Colored Colo
1	1	Control Cont	Control Cont	Colored Colo
Colored Colo	Colored Colo	10 10 10 10 10 10 10 10	Colored Colo	Color Colo
1	Color Colo	Control Cont	Continue	Colored Colo
Color	Column C	Colored Colo	1	No. 1, 1975 1985
Control Cont	1	Colored Colo	Control Cont	Control Cont
Control Cont	Color Colo	Control Cont	Control Cont	
Color Colo	10 10 10 10 10 10 10 10	Control Cont	Color Colo	Color Colo
1	1	1	10 10 10 10 10 10 10 10	1
Control Cont	1	Color Colo	10 1 1 1 1 1 1 1 1 1	Control Cont
Control Cont	Control Cont	Second Color	Color Colo	Section Sect
10 10 10 10 10 10 10 10	Control Cont	10 10 10 10 10 10 10 10	10	Color Colo
Control Cont	Control Cont	Control Cont	Second	10
10 10 10 10 10 10 10 10	Column C	Section 1985 Sect	29:15:00:29:95:07:1 (55:6) + 14 - 511:09:15 13.10 5 - 25:7 + 14 - 511:09 15 - 25:00 14 -	29 13 30 22 23 24 25 25 25 25 25 25 25
Section Sect	Control Cont	10 10 10 10 10 10 10 10	29.915.30.22.20.58 of 1 of 5 did 1 of 1 o	22-25-26-26-26
The control of the	The control of the	11	29 91 30 23 29 54 0 45 64 1 65 1 8 24 1 6 1 5 1 25 0 1 1 2 1 1 2 1 1 2 1 1 1 1 1 1 1 1 1 1	29 13 20 20 51 0 0 0 0 10 0 10 0 10 0 10 0 10
Colored Colo	Color Colo	Section Sect	29.97 30 29 20 64 4 65 64 6 6 66 64 9 70 10 95 0 6 16 77 8 4 7 7 7 7 10 10 10 10 10 10 10 10 10 10 10 10 10	20.97 30 29 29 64 0 65 0 64 0 70 10 55 0 70 0 6 20 7 30 8 6 20 7 30 8 7 30 8 7 30 8
Column C	1	1.00 1.00	Color Colo	Colored Heat
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Color Colo	10	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Control Cont
Colored Colo	64-1 0.01885 33-0 511-14-17 1.55 2.40110 0 0 1.55 2.40110 0 0 0.51 0.51 0.51 0.52 0.52 0.53 0.54 0.55 0.54 0.55 <	6411 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Colored Colo	1.00 1.00	Colored Colo	Control Cont	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
1.00	1.00	Control Cont	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
Care	1.35 1.25	85.64 2.14 H 97.0 15 3.1 4.0 1.3 4.0 <t< td=""><td>$\begin{array}{c ccccccccccccccccccccccccccccccccccc$</td><td>66-1 1-4</td></t<>	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	66-1 1-4
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Colored Colo	661 + 14 (1945) 16 (170) 3 (1870) 6 (1971)
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Colored Colo
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	29.9730.5320.66	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	29 82 30 78 20 78 20 78 4 66 4 66 2 4 2 8 2 9 0 1 16 30 9 6 6 2 7 3 4 1 5 5 7 6 8 9 8 1 1 1 8 3 7 12 6 9 0 11 V 2 4 48 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	6.5 cm 1.5	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$\frac{61.8-0.5}{689.5} = \frac{61.8-0.5}{11} = \frac{61.8-0.5}{21} = \frac{61.8-0.5}{11} = \frac{61.8-0.5}{11} = \frac{61.8-0.5}{11} = \frac{61.8}{11} = \frac$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
0.00 V.00		63-1-0-2 390.0 25	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
			$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$63.2 \pm 0.2 \pm 3.0 \pm 0.2$

0.99	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	### ### ##############################		0 0 0 91	0 0 0 0 0 0 0 0 0	
1.41	18885 18885		នគម្មាធិនិត្តត			2 2 2 2 2 2 2 2
1	88893 1999				7 T L	<u> </u>
0.00 0.00		- ភូមី (ភូមភ្នំភូគីគីគីគីគ	2000 00 00 00 00 00 00 00 00 00 00 00 00	2	당보면 종교원	
0.99 0.59 0.59 0.59 1.01 1.02 1.03 1.03 1.03 1.03 1.03 1.03 1.03 1.03				7	10.0	
	665388	ត្ ថ ដូច្ចស្តី១១៩	7 9 8 8 8 9 4 3 6 7 6 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7	7 P	# 17 15 - 31 31	33335576
26 NW 15 SW 18 NE 22 NE 23 NE 24 N		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	スガスガガ		当と	
			55555	- 		57 1 1 1 - 1 1 1 1
1 559 F		0.111 0.111 1.1.2 1.1.3 1.0.3	7 × × 10 × 2	<u> </u>	9.93	7.12 2.13 5.4 6.5
1 12.0		δ 1- × -	. = = =		i-	z
	38888	8828828 8	8 3 8 8 8 4 8	3 5	51	<u> </u>
	::2°=	8 E 8 E E 8		÷ 1 =	101	¥ = = =
<u> </u>	•		рдинско	71 (7	3	A =
25 1 1 1 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2		10000000000000000000000000000000000000		6 1a 1 e	102	
2			- 유럽스로로 유럽 - 프립스로 제외하	5 B	208 25	# # # # # # # # # # # # # # # # # # #
်က ထိုက်တော် ထိုက်သည်က		<u> </u>	$\overline{z_1} \times z \times \overline{z} \times z \times \overline{z}$	۲	1 4	
и 1 1 1 2 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2		\$ 10 T T T T T T T T T T T T T T T T T T	5 75 to 5 51 x =	<u></u>		- m
5 2 2 2 2 2 3 3 3 5 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		2 2 2 4 4 7 3 1 3 1 3 1 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	**************************************	9 6	<u>al 155</u>	
	-		7×55+	1		
10 041104100 4F	-	5 HH2046264	α φ 1+ κ +	10	1*	
3		<u>।</u> हिंद्र	्र इ. । ।	: :	: : : : :	ž – ž
		7. (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d				
T-01:01: 000+000		88488 8 848 10554 9 1656	17	9 /	\$ 5 9	
64 : v : c c c c u - u u : :		######################################	###### : : ############################	8 2 5	995 922	- 444 :5846 : - 286 :4862 :
· · · · · · · · · · · · · · · · · · ·	r 00 17-40	ស្ថិតិសិក្សិកិតិសិកិសិកិ សស្ថិស្សិក្សិក្សិកិសិកិ	កស្តសភ្ជុគ្គ សភពសភ្ជុគ្គ	9 1	ana ega	#500 : #200 # : ##2##50 & #
10 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	340.0	28883 3883 3860 500 500 500 500 500 500 500 500 500 5	58 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	÷	io o ∞	1 1
				- 25 G		
10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	50-4 1 7 77 0 20 50-4 1 7 77 0 20 50-4 4-3 7 69-0 19 51-6 24 × 65-0 19	######################################	######################################	3 F		94575457
65.6 + 0.1 + 90.6 65.	1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	777 777 777 777 777 777 777 777 777 77		7 0 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	
4 Ca Ca Ca Ca Ca Ca Ca C	- - - - - - - - - - - - - - - - - - -		2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
28 88 88 88 88 8 8 8 8 8 8 8 8 8 8 8 8	l : विक्रम्य	1		70 9	111	
29 18 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	88846	នៃសំខ្មុំក្រហូវ៤០១ និងឃុំនិងនិងនិងនិង		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	888	
8 2 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	7 7 2 7 0 2 2 2 0 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1	1 1 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
7 8 1 6 8 1		84488 83	f == 2 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 71 1 17		
53 1 1 2 1 2		84846 84				
20 92 30 25 30 42 0 53 25 42 25 25 25 25 25 25 25 25 25 25 25 25 25		200 200 200 200 200 200 200 200 200 200				
29-12 20-23 29-12 12-12 20-23 29-12 20-23 29-12 20-23 29-12 20-23 29-13 20-23 29-13 20-23 29-13 20-23 29-13 20-23 29-13 20-23		2010 2012 2012 2012 2012 2012 2012 2012				
				:		÷
NYTARIO—Conclute I. Novat: Peterborough. Wanstead. Ninden Shannorrille Shannorrille Nontreal Hurtingdon St. Hyacinthe Richnond Chicontimi. Quebec. Grindstone. Anticosti, S.W.P. Anticosti, S.W.P. Anticosti, S.W.P. Anticosti, S.W.P.	Point des Monts	New Pitt Sewick: Production Charlent Entitions: Nr. Andrews Or and Marian St. John Leptrout St. John Leptrout St. John Leptrout Do				
ille	Mont ferring dalen	F. F				
orou tead. nouv nouv nouv nouv nouv nouv nouv nouv	r des That	reprint series series in Marie in Marie i	F .			
ONTARIO—Conclubelle Novat	Point des Monts. Cape Chatte Bicquet. Cape Magdalene.	New Press (Charleton Charleton Charl		;	: <u>;</u> ;	e dusanz
O G GAMWWT ACART Number Deamwwr Acart		5 5	ZE / ZHE	e () aa (and the same of th	

PROVINCE.	STATION.	MEAN	Highest Temperature.		Low Temper	EST RATURE.	Рвестри	ATION.	Auroras.	Thunder
		Темр.	Temp.	Date.	Temp.	Date.	Amount.	Days.		STORMS.
		٥	0		o		in.			
B. Columbia	Fort Simpson	48 23	69-0	23	29.6	7	2.98	9		
N. W. Territories	Pheasant Forks	58 17	86 0	16	28:0	3		9		
	Oonikup	42 67	79.5	7	7.0	3	0.86	11		
ntario	Alton	49.95	77.0	31	24 4	5	0.20	10		21.

PRECIPITATION.

The rainfall throughout the Dominion, except in Nova Scotia, Manitoba and portions of the Territories, has been below the average, the defect being greatest in the western and northern parts of Ontario, and in the Province of Quebec. In Manitoba the amount was very large and although general it was especially heavy in the eastern and south-western parts of the Provinces

The distribution is as follows:-

In British Columbia, it was 2.75 in., or 1.31 less than 1890.

In the Territories it was 4'84 in, or 2'06 above the average.

In Manitoba it was 5'77 in., or 2'21 in. above the average.

In ONTARIO West and South-West district it was 178 in., or 1701 in. below the average. North and North-West district it was 1711 in., or 1749 below the average. Central district it was 2749 in., or 0705 in. above the average. East and North-East district it was 176 in.; or 0752 in. below the average.

In Ouebec it was 193 in., or 113 in. below the average.

In New Brunswick it was 2.88 in., or 0.58 in. above the average.

In Nova Scotta it was 3.71 in., or 0.56 in. below the average.

In Prince Edward Island it was 2.46 in., or 0.36 in. below the average.

Rainfall 5 in. and upwards during month: -

British Columbia.— Maple Grove, 601 in.

N. W. Territories. Swift Current 6:80 in.; Qu'Appelle, 7:19 in.; Cotham, 7:25 in; Glen Adelaide, 7:03 in.; Oonikup, 5:08 in.; Wallace. 10:12 in.

Manitoba. Minnedosa, 5'43 in.; Stony Mountain, 10'30 in.; Portage la Prarie, 8'16 in.; Fort Ellis, 5'12 in.; Brandon, 6'13 in.; Posen, 8'28 in.; Sunnyside, 6'23 in.; St. Alban, 6'28 in.; Burnside, 5'87 in.; Brandon 5'86 in.; Napinka, 7'61 in.; Dominion City, 5'28 in.; Kola, 5'15 in.; Hanlan, 7'74 in.; Beaver Creek, 7'60 in.; Selkirk, 5'86 in.; Shoal Lake, 5'62 in.; Gretna, 6'32 in.; Treherne, 6'49 in.; Manitou, 5'18 in.; Greenwood, 7'82 in.; Norquay, 5'07 in.; Oak River, 5'77 in.; Foxton 7'58 in.; Elkhorn, 5'15 in.; Clandeboye, 7'51 in.; Hartney, 7'91 in.; Craigilea, 5'30 in.; Rapid City, 6'24

in.; Rothwell, 5.67 in.; Gladstone, 6.06 in.

ONTARIO. Little Forks, 6'70 in.; Lindsay, 5'24 in.

Nova Scotta. Sydney, 5:65 in.; Port Hastings, 7:06 in.

NEWFOUNDLAND. St. Johns 7:83 in.; Bermuda, 5:73 in.

Rainfall 1 in, and upwards in 24 hours.

1st, White River, 1.08 in.

2nd, Little Forks, 2000 in.

7th, Oak River, 102 in.; Wallace, 1.13 in.

9th, Sunnyside, 215 in.; Gretna, 175 in.; Pembina Crossing, 230 in., Treherne, 198 in.; Pembina Crossing, 244 in.; Napinka, 130 in.; Dominion City, 151 in.; Morris, 100 in.; Beaver Creek, 146 in.; Selkirk, 122 in.; Foxton, 222 in.; Pilot Mound, 152 in.; Morden, 198 in.; Craigilea, Rosebery, 109 in.; Rothwell, 241 in.; Portage la Prairie, 147 in.; Stony Mountain, 140 in.; Winnipeg, 143 in.; Bermuda, 126 in.

- 10th, Carman, 117 in.; Hanlan, 2124 in.; Greenwood, 2162 in.; Norquay, 1111 in.; Stony Mountain, 1120 in.; Conestogo, 1103 in.; Lindsay, 2178 in.
- 11th, Wilton Grove, 1.50 in.; Georgina, 2.38 in.; Orillia, 1.09 in.; Scarboro', 1.28 in.; Coldstream, 1.01 in.; Ridgetown, 1.53 in.; St. Mary's, 1.08 in.; Lindsay, 1.03 in.; Napinka, 2.70 in.; Beaver Creek, 1.44 in.; Cartwright, 1.04 in.; Clandeboye, 1.32 in.; Aurora, 1.59 in.
- 12th, Orangeville, 1'02 in.; Stony Mountain, 1'00 in.
- 13th, Dominion City, 144 in.; Hanlan, 106 in.; Selkirk, 103 in.; Sunnyside, 162 in.; Gretna, 105 in.; Posen, 312 in. (parts of three days); Treherne, 113 in.; Foxton, 188 in.; Clandeboye, 128 in.; Hartney, 125 in.; Fort Ellice, 120 in.; Killarney, 103 in.; Portage la Prairie, 181 in.; Stony Mountain, 210 in.; Qu'Appelle, 231 in.; Fort Ellice, 120 in.; Posen, 312 in.; Sunnyside, 162 in.; Bermuda, 179 in.
- 14th, St. Albans, 1¹12 in.; Barclay, 1²20 in.; Wallace, 1⁹3 in.; Swift Current, 2¹20 in.; St. Johns, Nfld., 1³6 in.
- 16th, Toronto, 128 in.; Clontarf, 103 in.; Rose Hill, 131 in.; Point des Monts, 100 in.
- 17th, Wilton Grove, 1250 in.; Lyons, 1269 in.; Cottam, 1208 in.; Wiarton, 1210 in.; Presqu'Isle, 1200 in.; Niagara Falls S., 1284 in.; St. Thomas, 2208 in.; Port Hope, 1201 in.; Durham, 1200 in.
- 18th, Wyoming, 1'35 in.; Watford, 1'00 in.; Sarnia, 1.02 in.
- 20th, Little Forks, 100 in.
- 21st, Clontarf, 110 in.; Barclay, 110 in.; Little Forks, 100 in.; Ottawa, 172 in.
- 22nd, Selkirk, 1'00 in.; Oak River, 2'25 in.; Sunshine, 1'38 in.; London, 1'10.
- 23rd, Napinka, 150 in.; Kola, 120 in.; Hanlan, 262 in.; Hillview, 115 in.; Shoal Lake, 3.30 in.; Foxton, 176 in.; Elkhorn, 126 in.; Clandeboye, 190 in.; Fort Ellice, 100 in.; Gladstone, 231 in.; Cotham, 157 in.; Glen Adelaide, 239 in.; Brome, 102 in.; Gladstone, 337 in.; Parker's Ridge, 150 in.; Port Hastings, 115 in.; Digby, 130 in.; Stony Mountain, 160 in.; Minnedosa, 156 in.; Qu'Appelle, 124 in.; Glen Adelaide, 239 in.; Fort Ellice, 100 in.; Hillview, 115 in.; Cotham, 157 in.; Gladstone, 337 in.; Pictou, 130 in.; Swift Current, 160 in.; Halifax, 117 in.; Grand Manan, 168 in.; St. Andrews, 168 in.
- 24th, Wallace, 4:12 in.; Georgetown, P. E. I., 1:15 in.; Oonikup, 1:26 in.; Russell, 1:25 in.; Fredericton, 1:12 in.
- 26th, Brandon Exp. Farm, 148 in.; Wallace, 166 in.; Brandon, 277 in.; Portage la Prairie, 185 in.; Burnside, 431 in.; St. Albans, 248 in.; Russell, 172 in.; Cotham, 246 in.; Glen Adelaide, 262 in.; Roseberry, 133 in.; Rothwell, 242 in.; Fort Ellice, 186 in.; Turtle Mountain, 148 in.; Gladstone, 151 in.; Napinka, 194 in.; Carman, 125 in.; Kola, 247 in.; Hanlan, 133 in.; Morris, 135 in.; Beaver Creek, 302 in.; Selkirk, 120 in.; Hillview, 128 in.; Sunnyside, 189 in.; Treherne, 208 in.; Cartwright, 154 in.; Greenwood, 166 in.; De Clare, 220 in.; Norquay, 193 in.; Oak River, 152 in.; Cartwright, 150 in.; Foxton, 162 in.; Pilot Mound, 225 in.; Elkhorn, 245 in.; Clandeboye, 166 in.; Elm Valley, 146 in.; Craigilea, 180 in.; Rapid City, 300 in.; Qu'Appelle, 139 in.; Glen Adelaide, 262 in.; Portage la Prairie, 185 in.; Edmonton, 138 in.; Fort Ellice, 186 in.; Brandon, 148 in.; Hillview, 128 in.; Sunnyside, 189 in.; Cotham, 246 in.
- 27th, Oak Lake, 147 in.; Gretna, 200 in.; Posen, 232 in.; Glastonbury, 108 in.; Brandon, 201 in.; Buda, 102 in.; Killarney, 122 in.; Cow Bay, 147 in.; Portage la Prairie, 167 in.; Port Hastings, 320 in.; Stony Mountain, 281 in.; Minnedosa, 153 in.; Portage la Prairie, 107 in.; Edmonton, 178 in.; Brandon, 201 in.; Posen, 232 in.; Cotham, 135 in.; Battleford, 140 in.; Sydney, 169 in.; St. Albans, 248 in.
- 28th, Napinka, 1°04 in.; Hartney, 2°50 in.; Ignace, 1°80 in.; Sayanne, 1°10 in.; Georgetown, 1°53 St. Johns, Nfld., 1°32 in.; Little Forks, 1°00 in.; Sydney, 1°54 in.
- 29th, Ignace, 1°32 in.; Savanne, 1°08 in.; Cow Bay, 1°74 in.; Pictou, 1°20 in.; Little Forks, 1°00 in. 30th, St. Johns, Nfld., 2°94 in.

Thunder recorded on-

1st, Chicoutimi, Bancroft, Kingsville, Barkerville, Ridgetown, Bathurst.

- 2nd, Toronto, Lucknow, Kingsville, Birnam, Barkerville, Zurich, Sunshine, Georgetown, Conestogo, Durham, Alton, Egremont.
- 3rd, Galt, Kingsville, Blenheim, Sombra, Picton.
- 4th, Cotham, Pelec Island.
- 5th, Bauff.
- 6th, Cotham.
- 7th, St. Albans, Hillview, Pembina Crossing, Rapid City, Alton.
- 8th, St. Albans, Pembina Crossing, Norquay.
- 9th, Hanlan, Selkirk, Sunnyside, Clandeboye, Roseberry, Rothwell, Turtle Mountain, Killarney, Channel Island, Posen, Cotham, Winnipeg.
- 10th, Ottawa, Conestogo, Lindsay, Durham, Georgina, Lakefield, Alton, Beatrice, Egremont, Pembina Crossing, Roseberry, Toronto, Bognor, Cottam, Bancroft, Gravenhurst, St. Mary's Kingsville, Birnam, Zurich, Whiteside, Eau Claire, Lion's Head, Stony Creek, Sombra, Owen Sound.
- 11th, St. Albans, Pembina Crossing, Rapid City, Roseberry, Toronto, Portage la Prairie, Kilmahumaig, Point Escuminac, Cartier, Bognor, Chicoutimi, Channel Island, Fort Ellice, Cottam, Galt, St. Mary's, Lucknow, Kingsville, Birnam, Wilton Grove, Cotham, Paris, Drayton, Durham, Sharon, Stony Creek, Sombra, Clontarf, Georgina, Haliburton, Blenheim, Ottawa, London, Conestogo, Lindsay, Huntingdon, Lakefield, Alton, Beatrice, Egremont, Minden, Novar.
- 12th, St. Albans, Morris, Hanlan, Hillview, Treherne, Pembina Crossing, Cartwright, Elkhorn, Clandeboye, Rapid City, Roseberry, Rothwell, Turtle Mountain, Quamichan, Portage la Prairie, Kilmahumaig, Gladstone, Buda, Chicoutimi, Posen, Agassiz, Fort Ellice, Cotham, Sunnyside, Cotham, Pelce Island, Winnipeg, Kilmahumaig, Truro, Bathurst, Fredericton.
- 13th, Norquay, Pilot Mound, Clandeboye, Craigilea, Rapid City, Rothwell, Fort Ellice, Turtle Mountain, St. Albans, Dominion City, Kola, Hanlan, Sunnyside, Treherne, Pembina Crossing, Quamichan, Portage la Prairie, Gladstone, Posen, Brandon, Winnipeg.
- 14th, Dominion City, Norquay, Portage la Prairie, Savanne, Sunnyside, Winnipeg, Swift Current,
- 15th, Norquay, Bognor, Cottam, Bancroft, Kingsville, Pelee Island, Ridgetown, London, Sombra, Conestogo, Lindsay, Sharon, Georgina, Haliburton, Norwood, Alton, Beatrice, Egremont, Minden.
- 16th, Toronto, Georgetown, P.E.I., Cartier, St. Hyacinthe, Digby, Richmond, Point Lepreaux, Cottam, Bancroft, Galt, St. Mary's, Dorchester, N.B., Kingsville, Brantford, Birnam, Paris, Pelec Island, Ridgetown, Eau Claire, Georgetown, Truro, Ottawa, Deseronto, Conestogo, Lindsay, Huntingdon, Fredericton, Sharon, Sombra, Clontarf, Paris, Georgina, Haliburton, Renfrew, Lakefield, Egremont, Joly, Novar, Shannonville.
- 17th, Cottam, Galt, St. Mary's, Kingsville, Ridgetown, Blenheim, Digby, Truro, Lakefield, Egremont, 18th, Agassiz, Cottam.
- 16th, Bognor, Swift Current, Durham, Egremont.
- 20th, Roseberry, Portage la Prairie, Gladstone, Bognor, Lucknow, Little Forks, Durham, Lakefield, Egremont.
- 21st, St. Albans, Rapid City, Roseberry, Bognor, Posen, Brandon, Cottam, Cotham Little Forks, Ottawa, Clontarf.
- 22nd, Toronto, Quamichan, Portage la Prairie, Gladstone, Cartier, Bognor, Channel Island, Russell, St. Albans, Hanlan, Hillview, Sunnyside, Treherne, Clandeboye, Rapid City, Posen, Fort Ellice, Bancroft, Gravenhurst, Brantford, Pelee Island, Eau Claire, Ottawa, Lindsay, Sharon, Sombra, Clontarf, Norwood, Alton, Egremont, Joly, Minden.
- 23rd, Kola, Hillview, Treherne, Clandeboye, Craigilea, Roseberry, Fort Ellice, Portage la Prairie, Gladstone, Posen, Winnipeg, Digby.
- 24th, Winnipeg, Portage la Prairie, Pictou, Georgetown, Dorchester, N. B., Treherne, Rothwell, Turtle Mountain, Parker's Ridge, Kilmahumaig, Georgetown, Killarney, Point Escuminac, Digby, Agassiz, Fort Ellice.

- 25th, Bancroft, Huntingdon, Russell, St. Albans, Kola, Hanlan, Oak Lake, Hillview, Treherne, Pembina Crossing, Norquay.
- 26th, Rapid City, Roseberry, Rothwell, Turtle Mountain, Portage la Prairie, Gladston, Killarney, Channel Island, Posen, Fort Ellice, Sunnyside, Winnipeg, Russell.
- 27th, St. Albans, Kola, Oak Lake, Portage la Prairie, Gladstone, Buda.
- 28th, Savanne, Posen, Little Forks
- 29th, Buda, Sombra.
- 30th, Russell, Kola, Rapid City, Roseberry, Cottam, Gravenhurst, Russell. Snow or Frost noted on—
- 1st, Richmond, heavy hailstorm.
- 2nd, Oak Lake, snow.
- 3rd, Eau Claire, snow; Savanne, snow; Hanlan, frost; Norquay, frost; Elkhorn, ice; Mellendean, frost; Fort Ellice, frost; Turtle Mountain, frost.
- 4th, Brandon, frost; Killarney, Man., frost, garden stuff and barley frozen; Hanlan, frost; Portage la Prairie, frost, damage to garden stuff; Hillview, ice 1/2 in.; Oak Bank, frost; Mellendean, frost; Fort Ellice, destructive frost.
- 5th, Sprucedale, hard frost; Clontarf, frost; Birnam, frost; Barkerville, snoze; Brome, frost; Parker's Ridge, ice; Minden, tender vegetables cut; Egremont, frost; Uplands, frost; Bancroft, killing frost; Mid-Lothian, ice; St. Thomas, frost; Kola, ice ½ in. thick; Hanlan, frost.
- 6th, Sprucedale, frost; Clontarf, frost; Barkerville, snow; Minden, frost; Uplands, frost; Galt, frost; Mid-Lothian, frost.
- 7th, Minden, frost; Egremont, frost.
- 26th, Sprucedale, rost.
- 27th, Sprucedale, frest; Egremont, frest; Mid-Lothian, frest.
- 28th, Sprucedale, frost; Peterborough, frost; Mid-Lothian, frost.
- 29th Peterborough, potatocs frozen.
- Dr. Watt reports from Barkerville, B.C., higher up the Mountain, snow fell to a depth of 5 or 6 inches on 6th and 7th.
 - Mr. Criddle at St. Albans, Man., reports on 6th, a superb meteor in S. at 11.55 solar time.

 Aurora recorded on—
- The class of aurora if noted by observer is given (1) being brightest, (IV) the feeblest in brilliancy.
 - 2nd, Winnipeg, IV; Chicoutimi, IV; Pembina Crossing, IV.
 - 3rd, Father Point, IV; Novar, Bathurst, Winnipeg, IV; Chicoutimi, IV; St. Albans, IV; Pembina Crossing, IV.
 - 4th, Father Point, III; Novar, Truro, IV; Sydney, III; Winnipeg, III; Egremont, IV; Chicoutimi, IV; Peterborough, IV; Eau Clair, Pembina Crossing, IV.
- 5th, Quebec, II; Truro, IV; Alexandria, III; Sydney, III; Winnipeg, IV; Haliburton, Bognor, IV; Egremont, IV; Pembina Crossing, II.
- 6th, Winnipeg, IV; Chicoutimi, IV.
- 7th, Little Forks, III; Chicoutimi, IV.
- 12th, Chicoutimi, IV.
- 14th, Little Forks, III.
- 15th, Little Forks, III.
- 16th, Chicoutimi, IV.
- 17th, Little Forks, IV.
- 18th, Chicoutimi, IV.
- 25th, Little Forks, HI; Pembina Crossing, HI.
- 27th, Pembina Crossing, 111,
- 29th, Pembina Crossing, IV.

	HOURS ENDING															
	5 A. M.	6 A.M.	7 A.M.	8 A.M.	9 A.M.	10	11 A.M.	NOON.	1 P.M.	2 P.M.	3 P.M.	4 P.M.	5 Р.М.	6 P.M.	7 P.M.	8 P.M.
Esquimalt		0 10	0 15	0 19	0.34	0 53	0:54	0 64	0.20	0.65	0 62	0:65	0.62	0.25	0 27	0.00
Winnipeg	0.17	.33	46	.40	.48	.45	50	•50	*52	·62	-62	-55	.58	-51	.36	.09
Kingsville		15	-53	.63	:65	69	-76	.70	.73	. 66	.57	:59	·6I	:51	•37	
Woodstock		25	.42	.48	•53	162	-69	-72	•65	.69	70	. 66	. 68	.65	148	.01
Тогонто		-28	46	.48	.57	. 59	65	.72	-72	-67	·61	-6,	66	•57	-25	.01
LINDSAY	15	43	.51	. 59	.63	.60	-69	.68	65	.63	-71	-67	164	61	-59	.05
Barrie																
KINGSTON	.03	- 22	27	.34	.39	.57	-75	.72	.74	-73	-74	.71	162	55	-36	s.
				,												
Cornwall																
Montreal	.05	-30	45	-57	-66	.67	-72	.75	76	. 69	.68	65	-62	31	.05	.00
FREDERICTON	. 01	.18	27	-37	-44	. 46	-45	-52	-53	-53	-51	47	-39	31	-55	.09
Sydney	11	25	- 33	*45	- 46	.43	-48	-51	*50	.48	152	.54	.46	-40	•42	23
							ĺ					1				
														1	ż	
			Евримает.	WINNIPEG.		KINGSVILLE.	Woodstock,	Toronto.	Lindsay.	Barrie.	KINGSTON.			MONTREAL.	FREDERICTON.	SYDNEY.
MEAN Proportion for Month (Constant sanshine being 1.)		• • • • • •	0 38	0:45		0.53	0 53	0 52	0 58		0:50			0 58	0 37	0.42
MAXIMUM DAILY AMOUNT	• • • • • • •		0.78	0.93		0.87	0.50	0 91	0.99		0.30			0 92	0.92	0.96
Date			9:25	19		13	23	14	10		29	.:		13	20	14:18
No. of Days Completely Clouded			4	1		3	2	3	3		4			1	8	6

PROBABILITIES.

The probabilities issued by this office at 11 p.m. each night are posted up at every telegraph station in Canada, and are for the 24 hours beginning at 8 a.m.

The number of predictions issued during the month was 529. These were divided as follows:—

	No.	VERIFIED.									
DISTRICT.	Issued.	No. Fully.	No. Partly.	No. Not.	Percentage Fully.						
LOWER LAKE REGION	116	94	15	7	87 5						
UPPER ST. LAWRENCE	108	89	7	12	85-6						
LOWER St. LAWRENCE	98	72	11	12	80-6						
Gulf	100	76	12	12	82 0						
Maritime Provinces	107	80	20	7	84 1						
Total	523	-111	68	50	84 1						

The percentage of verification is obtained by taking the sum of those fully verified and half the sum of those partly verified and dividing by the whole number.

In ascertaining the percentage of verification of the predictions the reports from the agents at the "Probability Stations," as well as the telegraphic reports, are used.

The daily probabilities and the storm warnings were issued by Probability Officer B. C. Webber. STORM WARNINGS.

There were no storm warnings issued during the month, but in the Gulf of St. Lawrence during the 27th, 28th and 29th, a moderate to fresh N. E. gale was reported.

TION OF CANADA.

TORONTO OBSERVATORY-MAGNETIC REVIEW FOR 1

The magnets remained very steady until the night of the 2nd, when a small disc. up, but passed off shortly afterwards. The following evening slight disturbing action again and was visible up to 6 a.m. of the 4th. A quiet period then ensued until 9 p.m. of the 5th; sho after this hour a small disturbance set in, but only lasted for a short time. A marked easterly extreme was recorded at 10.10 p.m., after which a gradual recovery took place. At 2 a.m. of the 6th the magnet was quiet. On the nights of the 7th and 8th small disturbances were recorded. From the 9th to the 13th the magnets were remarkably steady, and was followed at 3.27 a.m. of the 14th by a disturbance which started rather suddenly, the declination magnet taking a sharp casterly deflection, followed immediately by a westerly swing. Attending the initial swing of the declination needle was an increase of both components of the force, the change being more marked on the bifilar. There were, however, no large departures from the normals, a rapid trembling of the three magnets being the chief character of the disturbance. At 5 p.m. the magnets came to rest and continued quiet for the following twenty-four hours. Early on the 16th slight disturbing action was felt and was visible often on up to the 27th; sharp little tremors were shown on the morning of the 24th, and on the 25th, 26th and 27th the curves were rather undulatory. From the 27th to the end of the month the magnets varied little from their normal values, there being a marked absence of disturbance. The diurnal declination curve on the last two days of the month was well marked.

On the 1st, 4th, 7th, 8th, 9th, 10th, 11th, 12th, 13th, 14th, 15th, 16th, 22nd, 24th, 25th, 26th, 27th, 28th and 29th, the sky was clear but no aurora was observed. On all other nights clouds or haze would have hidden any aurora which might have existed.

CHARLES CARPMAEL,

Director.

METFOROLOGICAL OFFICE,
TORONTO, July 5th, 1891.

PROPORTION OF BRIGHT ST

1010101

METEOROLOGICAL SERVICE. DOMINION OF CANADA.

Monthly Merither Review. JULY. 1891.

INTRODUCTION

In compiling the present Review the principal data made of the telegraphic reports of observations received at this office for the purplies for the predictions and the reports of storms received by mail. For the material lead in tracing the converse of areas of high and low pressure in the United States, we are indubted to the Clief of the Weather Bureau Washington.

ATMOSPHERIC PRESSURE

The average pressure as determined from the observations taken at telegraph reporting stations, was everywher habilite the ring of sucenteen pears. The excess was greatest in Manitoba and if Nova Soctia in each of thick Provinces it amongs it about one tenth of an inch of Ontario it was less than half this amount

A general tendency to lower pressur, characterised the early part of the month there were a few showers in Ontario on the 1st. Sot otherwise the contain was fair everywhere.

During the ard a cyclical devel conent of some limp stance to be place over the Lakes rain fell over the whole of Ontare to an excessive amount in some places but inches failing at hapgeen The wind increased to a motien to infrashing or from the Wilabii N.W. with a Lake district.

By the 4th rain had extensibiliting given astern Canada the symbole luming the night having moved eastward and being central over the Ottawa valley. Fair weather followed over the Lakes, with strong N.W. winds. The cyclone case in call-directly over the case of Canada until the auth as it passed across the country and au or the Gulf of St. Labrance

A small depression from the South less case the cover fish less to a littern Critical in the 7th, and throughout eastern Canalia news day. It passes over the Gold of St. Lawrence on the 3th

In the North-West the pressure thanges from the first for Tays of the countingers immportant and the isobars were generally which had believe for a subserver fell in Manituba in the 1st and in Assimbola and Alberta on the spiles i grid the coach of themses not send fair and pleasantly warm. On the 6th however accomplement outline in the impanish by fair of fer weather, spread on a time that it will Wish a the constant to the best and public.

A slight depression in the control of the control of the state of the state of integral by the roth also control eastern for all of Theorem (or a control of the control of of eastern Canada, light temperature being recorded to the first order of entance and western Quebec.

In the North-West during the tile often the passage of the left of the content of

took place there the leasther first and spars of such associated the last of t

On the 18th as a few construction of a special control of the 20th As a second depression had taken to Nobel of the control of Maritane Production

A slight and response to the second state of t and fine weather with a consequence of the second second second second

In the Northwest the fine anti-cyclonic period was terminated by an extended but shallow cyclone on the 15th, which brought a few local showers in Manitoba on the 15th and 16th, and in all the territories on the 15th. A short period of higher pressure followed, and on the 18th it became very warm in Alberta and part of Assiniboia with maxima of 86° and 88°. A decrease in pressure soon followed, and showery weather became general in Assiniboia and Alberta.

During the 20th a shallow but extended cyclone spread over the whole Northwest and continued there till the 22nd, the weather becoming generally showery and somewhat cooler. The winds then became westerly and northwesterly as an anti-cyclone appeared over the Rocky Mountain slope, and soon spread castward, bringing cooler weather in Alberta and Assiniboia.

On the 23rd a slight depression from the Northwest passed over the Lakes, it caused a few local showers and fresh S, veering to N. W. winds. It was over the Gulf of St. Lawrence on the 25th, and had caused showery weather throughout Eastern Canada. Fair pleasant weather followed everywhere with the exception of a few local showers in the Upper St. Lawrence on the 26th and 28th and in the Maritime Provinces on the 26th and 27th. The general tendency was for moderate S, to S.W. winds, warmer weather and pressure varying slightly above and below normal, the lower pressure being more general to the north of the St. Lawrence river and Lower Lakes.

During the 29th the cyclonic area became more concentrated over the Lake district, showery weather and thunderstorms prevailed over Ontario during the night of the 29th and next day.

From the Lakes the cyclone moved eastward during the 31st, and was accompanied by fresh westerly winds and showery warm weather throughout eastern Canada, fairer weather having spread over Ontario during the 30th.

In the Northwest from the 22nd until the 27th generally anti-cyclonic conditions continued with fine moderately warm weather and light winds, except that the extreme temperature of 88° was experienced in Alberta on the 25th.

During the 27th the type became more cyclonic over the North-West, the weather for the most part being fair and warm, especially so in Alberta, a few local showers fell in Assiniboia on the 28th and 31st, and in Alberta on the 29th, 30th and 31st. There were also a few local showers in Manitoba on the 27th and 31st.

TEMPERATURE.

The average temperature, as determined from the observations taken at telegraph reporting stations, was below the average at nearly all stations. The defect was greatest in Ontario.

The highest and lowest temperatures in each Province during July were:

British Columbia, 96° on 23rd at Quamichan; 33° o on 7th, at Barkerville.

N. W. Territories, 90°6 on 4th, at Medicine Hat; 29°0 on 8th, at Glen Adelaide.

Manitoba, 88° o on 30th, at St. Albans; 32° o on 4th, at Fort Ellice.

Ontario, 95°0 on 13th, at Guelph; 26°9 on 17th, at Sault St. Marie.

Quebec, 90° o on 14th, at St. Hyacinthe; 40° o on 31st, at St. Hyacinthe, 40° o on 22nd at Brome.

New Brunswick, 91° 5 on 12th, at Bathurst: 41° 0 on 23rd, at Dorchester.

Nova Scotia, 84° o on 11th, at Pictou 41° on 23rd, at Truro.

P. E. Island, 85°0 on 11th, at Georgetown; 41°6 on 2nd, at Kilmahumaig.

PRESSURE, TEMPERATURE, WIND AND PRECIPITATION AT STATIONS IN THE DOMINION OF CANADA, JULY, 1891.

[]	No. of Fogs.	00	:000H0000H0	0000000 0000000000 000 000	= :===================================
surio	Xo. of Thunderst	_ •• :		-00 = mm	o icocuar-xu-cag
	.saroan A to .ok	00			e : • : • : • : • • • • • • • • • • • •
	synbairdays.	12.8	: :122523533328 :::122523533338		9 19959293334
Precipitation.	syab to .oV		2003: \$2: 2426: :	TARICARIA ITERARKA TRI IIXI Berishan Markati, berishar	
ΛŢΙ	9де,	in. 0-53 3-69	41.49 41.49 6.01 6.01 6.01 6.01 6.01 6.01 6.01 6.01	8882 1875 1888 18	1 6254691 1255
PIT	Piff, from aver-	1+		ĭ î : - 	7 7 7 7 7 7 7 4 1 7 7 7 7
ECL		in.	2322333332	######################################	9 90000000000
Рв	Amount.	E that		ಗಿಲ್ಲಿಸಿದಲ್ಲಿ 1400 ಕ್ಷಡಿದರ್ಜ. ಇಳನ್ನು 1844 ಮನ್ನನಾಗದ 1400 ಕ್ಷನ್ ಮಾತ್ರ 1840 ಕ	
	1		eren er er er		
VELOCITY OF WIND.	-parib base and direct	× × W. Z. Z. W. Z. Z. W. Z.	22.NW 25.SE 55	13 NB 9 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	n 550 355
*	porib bas oted	X 21	1 13 o a 1 1 1 2 4 1		
1 0	velocity.	12:0 12:0	18:0 19:6 19:0 7		E 2 1 1 2 2 1 E 2 2 E 2 E 2 E 2 E 2 E 2
1 2	ayab tandgill	20 21	12228111111	25 B B B B B B B B B B B B B B B B B B B	= 9 m =
007	hour.	1 1		Tallight His His Hill H	
A A	Mean, milles per				
	11 800 10	010	: :3755522 :3 : :	n A : man : : manan : : p = nac - nan	
	Tedmin IstoT	88		24	# # # # # # #
	.9	25.5	115 115 117 117 118 118 118	<u> </u>	2:0-0::079:::
OF WIND FROM			: ::::::::::::::::::::::::::::::::::::		
<u> </u>	.W. W.			48 [9-2 man 9 220 58-	7 : 2 2 : 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
INI.	H.	oc	R9-852 4		2 1-22 11-25
F 6.	.W. S	10.71	ူတ္တာကက ကို ကြ	98 1-00 1-00 m	기 [리일이 [임종유]]]
ō	.8	φ-	ြောက္ကားကေတာ့ ကြ ႏု	rg rye Hone in That her	i i i i i i i i i i i i i i i i i i i
l gi		± ©			
ECT	S. E.		[[a_a_a_a_a_a_a_a_a_a_a_a_a_a_a_a_a_a_a		
В иветиом	E.	5.			
_	Z. E.	23.70			wither Hersiti
1	- · X	- 1- c	្រែសេខស្នេក (ខ) 📑	តា ត្ត	
			<u>.</u>		
3,515	Xo. of days comp clouded.	:5 →	210042001 4		
	ույթ է արձագության ա	വര	: :-::: nacc+:::-::	on line ileane in dilli	o in an ilene i il
- [vico)					
-111111	- Mean relative II dity.				
	qez.bomr			17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
			95		
	range. Mean temperatur dewpoint.	9.6	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	X 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
	Greatest daily Mean temperatur dewpoint,	0.34.6	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	X 9 9 0 9 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
	range. Mean temperatur dewpoint.	26.234.6			24.4.4.5.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.
	Mean daily range. Greatest daily inge. dewpoint.	0 0 F	1 4 4 8 2 E 1 2 8 3 Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	RTR 1997 14 1977 7 11 11 11 1	
Jo a	range. Greatest daily range. Mean temperatur dewpoint.	1 212	4 2 2 2 2 2 2 2 2 2 3 2 2 3 3 3 3 3 3 3	579 1897 X 97977 568 688 16 88555 54485548845484	
	Date. Mean daily Greatest daily grange. Alam temperatur dewpoint.	0 0 F	1 4 4 8 2 E 1 2 8 3 Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	##9 ###	
OF AIR.	Mean daily range. Greatest daily inge. dewpoint.	0 0 F	1 4 4 8 2 E 1 2 8 3 Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	579 1897 X 97977 568 688 16 88555 54485548845484	
OF AIR.	Lowest. Date. Mean daily Greatest daily range. range. Mean temperatur	0 0 F	410 6 13 24 11 26 6 38 25 11 26 6 38 26 11 26 6 38 26 11 26 6 31 2 26 11 26 6 31 2 26 11 26 6 31 2 26 11 2 26		13 25555 55 55 5 255555 55 55 5 2555555 55
OF AIR.	Date. Mean daily Greatest daily grange. Alam temperatur dewpoint.	2 0.45	18 42.6 13 24.1 30.0 50.0 55.7 11 25.6 50.0 55.7 11 25.6 50.0 55.7 11 25.6 50.0 55.7 55.0 55.0 55.0 55.0 55.0 55.0	8 2 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	20
OF AIR.	Lowest. Date. Mean daily Greatest daily range. range. Mean temperatur	2 0.45	18 42.6 13 24.1 30.0 50.0 55.7 11 25.6 50.0 55.7 11 25.6 50.0 55.7 11 25.6 50.0 55.7 55.0 55.0 55.0 55.0 55.0 55.0	8 2 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	20
Jo a	Highest. Lowest. Date. Mean daily range. Greatest daily range. Alean temperatur dewpoint.	a a a b a a a a a a a a a a a a a a a a	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	8 2 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
OF AIR.	Years observe. Highest. Date. Mean daily range. Greatest daily range. Alean temperatur	2 0 1 2 1 2 1 2 1 2 1 2 1 2 1 3 1 3 1 3 1 3	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1	4 77 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
OF AIR.	nge. Vears observe. Highest. Date. Mean daily range. Greatest daily range. Alean daily ange. Alean daily range.	a a a b a a a a a a a a a a a a a a a a	5 8 6 6 18 42 6 13 24 1 1 26 6 1 1 1 26 6 1 1 2 24 1 1 2 24 1 1 2 24 1 1 2 24 1 1 2 24 1 1 2 24 1 1 2 24 1 1 2 24 1 1 2 24 1 1 2 24 1 1 2 24 1 1 2 24 1 1 2 24 1 1 2 24 1 1 2 24 1 1 2 24 1 1 2 24 1 2 2 24 1 2 2 24 1 2 2 2 2	2	54 Pro
OF AIR.	Diff. from average. Years observe. Highest. Date. Nean daily Nean daily Alean daily Alean daily Alean daily Alean daily Alean daily Alean femperatur	20.45	1.0 2.9 2.8 2.1 2.9 2.8 2.1 2.9 2.8 2.1 2.9 2.8 2.1 2.9	2	10.5 4.7 cm 15 15 15 15 15 15 15 1
OF AIR.	nge. Vears observe. Highest. Date. Mean daily range. Greatest daily range. Alean daily ange. Alean daily range.	20.45	1.0 2.9 2.8 2.1 2.9 2.8 2.1 2.9 2.8 2.1 2.9 2.8 2.1 2.9	2	10.5 4.7 cm 15 15 15 15 15 15 15 1
OF AIR.	Mean. Diff. from average. Years observe. Highest. Date. Mean daily range. Alean daily range. Alean daily range.	6885 - 010 7 0016 - 4 4210 12 2612 7 6117 - 21 885-0 18 3010 24 24108	62.6. — 2.9 5.83.6. 18 42.6. 13 24.1 60.0. — 2.8 8.81.7 30 41.0 24 25.0 61.0 — 0.2 5.82.7 30 55.7 11 25.0 61.5 — 2.0 5.82.7 30 55.7 11 25.0 61.5 — 2.0 7.87.9 18 25.2 43 26.7 61.0 25.2 11 25.0 61.0 — 2.0 7.87.9 18 25.2 43 26.7 61.0 18 25.2 43 26.7 61.0 18 25.2 43 26.7 61.0 25.2 21.3 25.2 42.0 10.0 25.2 23.3 25.2 4.8 11.7 10 10 25.0 82.1 3	10 10 10 10 10 10 10 10	2111 — 615 4 Pro 61 5 97-9 15 62 6 179
OF AIR.	Diff. from average. Years observe. Highest. Date. Nean daily Nean daily Alean daily Alean daily Alean daily Alean daily Alean daily Alean femperatur	6885 - 010 7 0016 - 4 4210 12 2612 7 6117 - 21 885-0 18 3010 24 24108	62.6 + 2.9 5.83.6 18 42.6 13 24.1 60.0 0 - 2.8 8.81.7 30 41.0 24 25.0 61.0 + 0.2 5.82.7 30 85.7 11 25.6 61.5 + 0.2 5.82.7 30 85.7 11 25.6 61.5 + 0.2 5.82.7 30 85.7 11 25.6 61.0 11 11 11 11 11 11 11 11 11 11 11 11 11	10 10 10 10 10 10 10 10	2111 — 615 4 Pro 61 5 97-9 15 62 6 179
TEMPERATURE OF AIR.	Range. Mean. Diff. from aver- age. Fighest. Date. Nean daily range. Alean daily range. Alean daily range.	in. c e e e e e e e e e	0.77 62.6 — 2.9 5.85.6 18 42.6 13 24.1 6.75 60.0 — 2.8 8.81.7 30 41.0 24 25.0 6.7 6.10 — 0.2 5.82.7 30 85.7 11 25.6 6.2 6.2 6.2 6.2 6.2 6.2 6.2 6.2 6.2 6	0.65 513 + 12.8 702	0.51 3711 — 0.5 4 72.0 16 55.0 19 65.0
TEMPERATURE OF AIR.	Mean. Diff. from average. Years observe. Highest. Date. Mean daily range. Alean daily range. Alean daily range.	in. c e e e e e e e e e	0.77 62.6 — 2.9 5.85.6 18 42.6 13 24.1 6.75 60.0 — 2.8 8.81.7 30 41.0 24 25.0 6.7 6.10 — 0.2 5.82.7 30 85.7 11 25.6 6.2 6.2 6.2 6.2 6.2 6.2 6.2 6.2 6.2 6	0.65 513 + 12.8 702	Section Sect
TEMPERATURE OF AIR.	Lowest. Menn. Menn. Diff. from aver- nge. Highest. Date. Nean daily range. Alean daily range. Alean daily range. Alean daily range.	in. c e e e e e e e e e	29-65 0-77 62-6 - 2.9 5-86-6 18 42-6 13 24-1 29-65-4 0-77 62-6 - 2.9 5-86-6 18 42-6 13 24-1 29-65-4 0-75 60-0 - 2-8 8-81,7 30 41-0 24-25-0 29-51 0-54 0-75 60-0 - 2-8 8-7 7 11 25-6 29-7 11	10 cm 10 c	10 10 10 10 10 10 10 10
TEMPERATURE OF AIR.	Range. Mean. Diff. from aver- age. Fighest. Date. Nean daily range. Alean daily range. Alean daily range.	in. c e e e e e e e e e	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10 10 10 10 10 10 10 10	2012 2015 0.03 381 - 0.3 4 70 0 16 25 9 3 3 3 4 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
TEMPERATURE OF AIR.	Highest Lowest Menn. Menn. Lift from aver- nge. Highest Date. Date. Mean daily range. Alean daily range. Alean daily range. Alean daily range.	in. c e e e e e e e e e	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10 10 10 10 10 10 10 10	2012 2015 0.03 381 - 0.3 4 70 0 16 25 9 3 3 3 4 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
TEMPERATURE OF AIR.	Lowest. Menn. Menn. Diff. from aver- nge. Highest. Date. Nean daily range. Alean daily range. Alean daily range. Alean daily range.	in, in, in, in, s e e e e e e e e e	29-96.20-13.29-66 0°77 02-64—2.9 5.80-6 18 42-6 13 24°1 29-96.30-30.29-54 0°76 61°0 — 0.2 5.82°7 30 45°7 11 26°0 29-56.30-21.29-51 0°76 61°0 — 0.2 5.82°7 30 35°7 11 26°0 29-56.30-21.29-51 0°76 61°0 — 0.2 5.82°7 30 35°7 03 35°7 03 35°7 03 35°7 03 35°7 03 35°7 03 35°7 03 35°7 03 35°7 03 35°7 03 35°7 03 35°7 03 35°7 03°7 03°7 03°7 03°7 03°7 03°7 03°7 03	10	100 to 20 20 20 20 20 20 20 20
OF AIR.	Mean reduced. Highest Lowest. Mean. Diff. from aver- age. Years observe. Highest. Date. Date. Sowest. Tange. Mean daily range. Alean daily range. Mean daily ange.	in, in, in, in, s e e e e e e e e e	29-96.20-13.29-66 0°77 02-64—2.9 5.80-6 18 42-6 13 24°1 29-96.30-30.29-54 0°76 61°0 — 0.2 5.82°7 30 45°7 11 26°0 29-56.30-21.29-51 0°76 61°0 — 0.2 5.82°7 30 35°7 11 26°0 29-56.30-21.29-51 0°76 61°0 — 0.2 5.82°7 30 35°7 03 35°7 03 35°7 03 35°7 03 35°7 03 35°7 03 35°7 03 35°7 03 35°7 03 35°7 03 35°7 03 35°7 03 35°7 03°7 03°7 03°7 03°7 03°7 03°7 03°7 03	19-94-30-12 19-94-30 19-94-30-12 19-	100 to 20 20 20 20 20 20 20 20
TEMPERATURE OF AIR.	Highest Lowest Menn. Menn. Lift from aver- nge. Highest Date. Date. Mean daily range. Alean daily range. Alean daily range. Alean daily range.	in. c e e e e e e e e e	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	10 10 10 10 10 10 10 10	2012 2015 013 311 - 015 4 70 0 16 25 9 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
TEMPERATURE OF AIR.	Mean reduced. Highest Lowest. Mean. Diff. from aver- age. Years observe. Highest. Date. Date. Sowest. Tange. Mean daily range. Alean daily range. Mean daily ange.	m. in. in. in. in. s s s s s s s s s s s s s s s s s s s	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	10	100 to 20 20 20 20 20 20 20 20
TEMPERATURE OF AIR.	Mean reduced. Highest Lowest. Mean. Diff. from aver- age. Years observe. Highest. Date. Date. Sowest. Tange. Mean daily range. Alean daily range. Mean daily ange.	m. in. in. in. in. s s s s s s s s s s s s s s s s s s s	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	19-94-30-12 19-94-30 19-94-30-12 19-	100 to 20 20 20 20 20 20 20 20
TEMPERATURE OF AIR.	Mean reduced. Highest Lowest. Mean. Diff. from aver- age. Years observe. Highest. Date. Date. Sowest. Tange. Mean daily range. Alean daily range. Mean daily ange.	m. in. in. in. in. s s s s s s s s s s s s s s s s s s s	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	10	100 to 20 20 20 20 20 20 20 20
TEMPERATURE OF AIR.	Mean reduced. Highest Lowest. Mean. Diff. from aver- age. Years observe. Highest. Date. Date. Sowest. Tange. Mean daily range. Alean daily range. Mean daily ange.	m. in. in. in. in. s s s s s s s s s s s s s s s s s s s	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	10	Compared to the control of the con
TEMPERATURE OF AIR.	Mean reduced. Highest Lowest. Mean. Diff. from aver- age. Years observe. Highest. Date. Date. Sowest. Tange. Mean daily range. Alean daily range. Mean daily ange.	. Hat 29+87 30+32 29+55 0+67 68+5 = 0+9 7 90+6 4 42+6 12 26+27 00 00 00 00 00 00 00 00 00 00 00 00 00	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Section Sect	Compared to the control of the con
TEMPERATURE OF AIR.	Mean reduced. Highest Lowest. Mean. Diff. from aver- age. Years observe. Highest. Date. Date. Sowest. Tange. Mean daily range. Alean daily range. Mean daily ange.	. Hat 29+87 30+32 29+55 0+67 68+5 = 0+9 7 90+6 4 42+6 12 26+27 00 00 00 00 00 00 00 00 00 00 00 00 00	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Section Sect	
TEMPERATURE OF AIR.	Mean reduced. Highest Lowest. Mean. Diff. from aver- age. Years observe. Highest. Date. Date. Sowest. Tange. Mean daily range. Alean daily range. Mean daily ange.	in, in, in, in, s e e e e e e e e e	29-16.30 - 13 29-66 0 0 1 1 0 2 6 - 2 9 5 8 6 6 18 42 6 13 24 1 29 10 20 20 20 20 20 20 20 20 20 20 20 20 20	10	Compared to the control of the con

PRESSURE, TEMPERATURE, WIND AND PRECIPITATION, &c.—Continued.

-	No. of Fogs.		0	0 C	о э т э	ф: С.	000) 	00	- 21	\$ 0 15 1	0 0	1 0	0	0 .	0	00	0 0	0 0	00	0	000	0 0	00	0 1	0 0	9 0	0 0 0	70		0 0 0 m	0 0 0 =	00	9
8(((10)	No. of Auroras. No. of Thunderst		c	21 21	00	0		. 0	90	- 0	=	- C	0	0	: 0	0	0	C		0	- c	\$	- C	c c	0	-	0 0	5	0	00	00	0	00	0
	No. of fair days.		# C1	<u> </u>	4 17 2 19	6 15	5 26	181 5 (5)	22	61.59 61.59	71 0 1 1 0 1 - 1	6.25	11 1 11 1	0.21	:: :::	717	92.0	2 19	7 7 7 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	2 6 6 7 6	550	80.03	100	2000 1000 1000	77.0	17	5 16	5 16	20 a	11 00	5 15 7 17	ಣ್ಣ ೧೯	3 18	6 15
PRECIPITATION	nge.		13	- 4	1 1 1 1 1 1	188	368	# 67 80	92.1	2 2 3	69	5 E	,	8	. Z	Ę.	1 <u>2</u>	1.61	88	2	1 22	21 12	37	22 22	85	ê ç	56.1	99.1	120	203	37.1	<u>6</u> 9	93.1	25
ITA1	Piff, from aver-	'n	-0	4	7			ij	212	7.0	Ť	9	ï	.	7	0		0			0 7	-	- i	Ţ.	7	10	++	1	110	10.	; }	; ++	+-	+
ECIP	121110010137		18	12 % 13 ~1	50.00	66	29:	E [5]	+0	 	121	0 10		6	64	20	÷ ×	Î.	ੁ ਕੂ ਵ	12	5 5	85	93	917	500	38	÷ 4	38	4 5	86	7 22	37	0.00	28
PR	Amount	. =	Ċ.1		-+ - - -	-		T 10	.0	7 m	-	· ·	ė)	<u>.</u>	4	ca (,0 1	÷		: ń:	29 63	÷1 -	· -	no H	100	00	63.6	င်က	က်ဖ	ာ်ထ	 	က င်း —	· ÷	# in
.e	tion.			MN		HNS	XII				1		:			=		-				1	:=	18	1	= =	E	=	AN	1.=	ω	=	Z	
WIND.	-parib bing ested	_	_ :	10	i0	¢	7		÷	: :	:		:	i	റ	:::	: :	÷				1	с. С.	ಣ		410	7 -	7	ਜ ਹੈ	ှိမှ	: 23	6	10	
Y 0 F	velocity.				2	0.0	17.				i				1	0.7							2	Ξ		2 2	4	2	0.0	22.0	1:	=======================================	<u> </u>	
DOLL	Ringhest days		_					: :	:	: :	:		:	:	:	:1	1 1	:	1 1		: :		:		: ! ^	_		-	 53 +	: -	- !	-		: :
VELOCITY OF	Mean, miles per hour.			-	Ξ		=								=								Ξ	111		E	= :	=	6. 80	8.5	: 11	=	II	
	ernod to		:	: : ಐ	200	: : ::!	: : ഇ	: :	: 9	:: ::	: ဗ	: :	:	:	: :∞	: ::	: ::	: :	: : ::	: : Egg	: 56	:	215	33	66	<u>پ</u> و	93	. :	23	: 100	93	: 32	83	
	Total number		_ :			_				:	6		:	:		ä		:		ری د		- :	:						100	- 60		:_		
W	ω'.			3	14	40			č	ñ	_		:		-		-							13	77	'n	20			300			16	
WIND FROM	.W.N			. m	∞ ∞	12	12	: :	-	= =	10		-	-	55	1-	12	:	: ×	0	: 2		-1	φ	123	3 5	13	3	2	o ic	20	17	26	
ÛXI.	.77			-	88	0	÷	: :	-	11	9	: :	:	i	61	53	:2	:	3	1 25	113	1		-1	∞	3 8	1- 3		3	19	71	7	23	
OF W	.W.S		_ :	= =	7.5		11-		: 5	9	$\frac{2}{\infty}$			Ė	36		00	-	. E	512	80		101	13		9 ::	21 -	#	7 5	3 51	5.7	. 4	7	
0.80	S				9 2		23		_ ['		61 61				7	· m	-		15	; 0	10		1	÷1	. m	:1 °C	61		0	T 53	6	: "	 	
Direction	S. E.			Ξ	9 0	21	<u></u>		- 1	~	о. -			1	-		10	1			107	1		~	20 4	D 71	213		91	10.4				
Dir	Е.			0		(0)	°			_	10	_		i			. ~	i	: `). -	3	21 -	71.						1 21	
	X. E.				- 20		17					: :		1			. 7	_			1	_	. +		i or .	~	00 3			c -				
	. N	-	i		= .				:	_				.:		_			!-	-	-		:						-		:			
Jetely	No. of days comp			1-	502	9			:							1 -			<u> </u>	'							1-1		212 6	0.00	ic.		5	
	Меап атоппт об	-		: 0	9	=		: :	i		i			i	. ₹			7	ψx	:			.0	#Ye	i i '	೧ ಬ	φ.	7	00 k	ဂ ယ	9	cr	*	
									i		:			÷	- -			-	1			-	i	:		2	-			: 22		α	:	
-imi	dewpoint. Mean relative Hu		:	: :	: :		: :		:				:	:	: 00	:	: :	:	: :	: :	: :	:	: :	:	: : :	9 :	:	: :	:	: ∞ : ∞	: ~		_	
_lu_a.	Мени чепретачит		-	: :				: :	1		:			:	ġ										= ;	7				3	3			<u>.</u>
	Greatest daily range.	0		0.9	96-0	0.9	9 : 9 :1	р. 22.	38-1	2.5		0 C	38	C 7	0 12	22	7	12	T. 95		9.0	30		0.82		2.5	30-30	7 . 2 7		7 12	35.2	0.27		2 68 2 68
	ганде.	0			01 	00	9-17	200	0.8	1 x	:	ကားတ ကြော	9.7	6.6	. 60	x :	, i	70 60	= : 9 o	,	 -	1 = 3	5.2	+ :	1	n x xo m	1-4 c	-1 C	(T)	0 C	χ φ α ο	5.7	1-1	2.0
	- Расе — Деан дайу — —		:	===	- x	: :10	n 1:		-1		0		21	71 E	: 2	1 TH (- y	17	21 - G 2	 - !- !	r- oc	E :	7 71	7) F	1 = 1	→ 51 22 23	1-1	- 1-	: F:	- 71 - 1-		212	15-1	4.14
AIR.	······································			ີຄາຕະ -	- C1		00 F1:							_	: "				 			~·		- a	757	- 5	1		10	 	00	···		
OF A	Lowest.	0		38.1	40.0	88		2.88	38.	7 7	67		30.0	 	33	7	7 G	27	55 4	200	5 6	01	36.5	114	124	9 5	37	x 00	1	77	44.	35.6	34.0	9. IE
IRE			- :	끍음	. 20 g	1 65	n i- :	21 21	27.9	9.23	27	21 23 21 -	23	22	: 2]	03.1	21 21	70	20 21	- 21 - 21	20 Z.	21 3	± %	2 2	1 23 3	70 20	21.7	<u> </u>	20 :	3 65	# 22	<u> </u>	200	3 22
Temperatore	Date.	1					冒		215	21 21													_							1 —				
MPEI	Highest.	0	0.68	88 2 84 0	20.30-0	91.0	0 58.51 10 58.51	0.00	5.2	9 F	≎ 1- ∞		91.5	89.0	. C. Z.	7	0 0 3 6 3 6	×	13 10 95 · 0	6 91-0	85.0	Ç1	7 % 7 %	7.91.0	3.86.0	5. 1- 5. 00 6. 1-	· x 3		8.686	15 87 0	C 7 X	0.169	5 5 5 6 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	88.5
TE	Years observt.	,	-,	5	£ 22		22:	1 71	io e	~ X	0 i	-	9	17.	: «	_	201-	1	9,5	9	21.5	1 -4 .	70	1-0		<u> </u>	1 = :	. H 9.8	: O !	15.	ಹಣ	9 0	2 42 0	303
	я 5,6 г	٥		1- €	. च्या ११ १३ ११) (1) (1)	2 21 3 5 4 5	- i-	5.7	4 5	2.0	တ္ က တြင်္	0.0	20 1-	- 1.0	· :	0 10 0 11	¥.	io io	900	7.0	21	1.5	21 m	99	C 1-	4-211		7 : 21 :) T	4.5 3.5		1 00 0	n 0 n 9
	Diff. from aver-		:	1 1 10 00		1 2 1		 - 6	0	J 7	10.	 ⊊	[-	1 -	: : x		9 37	1	1	- 5	 غادي	1	о ф. 1-1	1- 5	 	 - x	1	0 F	: : :::::::::::::::::::::::::::::::::	 a a	70 4 	70.10	1	. O
	Лени.	0		61.5	92.3	3 G	88 8 1 1. 1. 1.	 2 2	62.0	7 7 8 8	67	7 G	1.50	65.2	35	2.7	900	64.4	83	65.6	08.0		<u>.</u>	67.7	13	17 X	71	3 6	13	3 T		64.5	60.5	62.0
-	. ogaeA	in.			:	0.88	: :	: :	:	:	:			:	21-0	0.62	:		1		:		: :	:		0 85	6.83			18.0	82.0	0.61	5 ;	
. 83						0													:												10 1			
NCHE	Lonest	.≓				29.52								:	0.9 - 6.	30 33 24 71			:							20.62	29.52			18.08 18.08 18.08	29.44	9.6.61		
13 E	Highest	in.				30.47			:						1	133										-	30-35			30-37	- 61 - 61	. 6.6 -08		
JRE	7=:(-111					30.						1			9	1.30	•		•		: :					8 20	99			8 8 2 to	30	300		
Pressure in inches	Mean reduced.	in.				76.67				:		:			09.66 65.05 26.66	10 90			-					:		8 8	29.36			29.97.30.37	29.84 30.22	18-66 66-98 80-66		
2	Мени ястині.	in.										:			:		:		:				: :	:		:								
1	,	iI										•	: :					: :			: :		; ;					: :	: :		: :		: :	
		,	.7.									÷			:		-											:						
			inne											:	:		:			<i>Y.</i>	arie			1								:		
		,	Juo	Τ	urst		lirk.	go .		:] [66]		v.n	G K:	Y-11	: 3	. :		Fall	- T		0	Tree.			: i.	- 1	9.0		d			по
			Lak	wat.	rent a	THE STATE OF	£.	lary *	nou:	107.	1111	17.	Pit I	Petov.	dsto kon	7.	ttor	Dov	į,	# E	Z 2	bra.	awa sstog	5/5	100	nato	Say	Norwood Peterboron <i>e</i> h	ron	ysto. wa.	Lakefield Alexandr	Renfrew	Sancroft.	Unitarfor
			Oxtano—Continued.	Coldwater	Graveninist.	Rockliffe	Zurieh	Mary's	neknow	- Richard	*('ottam	Point Pelee	Chatham	Ridgetown	Woodstock	Port Stanley	Erauttord	Port Dover	Guelph	Niagara Falls, S	Sault Ste Marie	Nombra	Mattawa ('onestogo	Stoney Creek	Sharon	Toronto	Lindsay	Norwood	Deseronto	h ingston Ottawa	LukefieldAlexandria	Rent	Banc	taitourton Clontarf
ļ		,	Č		. * :	4 3000	. ~	,, -	;	•	•	114								7		7	_		* '					-	. ,			

0000 		0001:0000100100100100110011001100110011	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0	0 1 0 0 0 0 0 0 0	
12128	2222 - 11 - 12 - 12 - 12 - 12 - 12 - 12	24xx044 1 1111xx	2525355	<u> </u>	× 2 2	3 <u>7</u> 88888
0.63 3 0.726 6	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.000000000000000000000000000000000000	-0-21 12 2:00 14 0:76 16 -0-29 14 -1 60 4 3:09 10	26 15 13	74 13 5 59 17	1.35 0 0 1.1 1.50 1.1 1.1 1.50 1.1 1.1 1.50 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.
:+:+				į	1.74	: 1 🦈 1 1 1
	4 6 6 6 2 2 4 6 4 6 4 6 4 6 4 6 4 6 4 6		69448455 69488459	3.70	2-33 3-30 3-01	0.00 0.00 3.70 1.04 1.05
	13 SW 19 SE 29 NE 12 SW 24 NW 24 S	7 XW 112 XW 112 XW 8 XW	31 VW 15 SW 16 S 3 SW 5 SW	9 S.W	MS 71	WS 95 WS 6 WS 6
	20 · 0 23 · 0 7111 16 5 71 VI	11.0 7.6 v nu 25.0 m 13.0 19.0 rv 13.0	$\frac{x}{2} = \frac{x}{2} = \frac{x}{2} = \frac{x}{2}$	17.0	8. 91	19.0
	13.0	10 H H 0 0 H	5 T =			4 5
83.	4 12 82 : 83 C 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	82 62 62 62 62 62 62 62 62 62 62 62 62 62	44402352 44502352	5 B	17	186
3.7		8 2 2 2 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	$\omega \mapsto \omega \propto \omega \in \Xi$	e m	$\overset{\rightarrow}{\infty}$	(g) (n)
31	E 6 14 0 12 0 15 0 15 0 15 0 15 0 15 0 15 0 15	4884894	to 12 12 to to 22 21	5 0	_	2 7
(D) (F) (E) (D) (E) (E) (E) (E) (E) (E) (E) (E) (E) (E	6 0 13 1 10 2 3 4 4 4 4 4 4 4 4 4		10 12 13 25 14 15 15 15 15 15 15 15 15 15 15 15 15 15	51 4 60 51	1 15	3 1
0 0 C	158 320 34 1 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	11.00 11.00	53 110 201 217 21 15 23 20 3 46 0 6	11 12 10 24	131 285	E
or .	88 88 15 15 15 15 15 15 15 15 15 15 15 15 15		212 222 222 223 233	16 ⁺ 1	49 13	69 1 1 9
0	F 0 0F -464-0	9 <u>6 4 4 6 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 </u>	13 c - 2 17 c - 2 17 c	్ బ	30	
9	8 12 20 8 12 2 2		-5200544	1 14	100	60
	<u> </u>	4004100	10 x x 10 x x 21 x x		i i ŝ	67
- ! !	9 H W D H H H W	nucan4x n n	4452510	10	10	m
7	မ ေလတ္မွာ မွာမွာမ	გიო4გგგ ი 4 ი	_ 099Hain	i= φ	10	# H
	_ E	5 2 2 2 2	₹			88 89
	55.9	- 88 - 15 - 15 - 15 - 15 - 15 - 15 - 15	55-6			55.3
23.0 23.0	8 : 41.0 0.00 0.00 0.00 0.00 0.00 0.00	0.00 + 0.	0.000 / 1: 0.000 / 1: 0.000 0.00	35.0	36.0 30.0 31.6	25 to
123.5	17.0 21.0 21.0 20.7 20.7 16.4	198210 4582121 188214 81-65121	0.8216.4	17.9	1 1 2 m 1 2 m 1 2 m	955 85
8224	£ 2523 E5285-443		១ ខេ	21 12	21 (2) 27	াল ক্রান্তিক ক
37.0 47.0 47.0	23.00 23.00 25.00		8.45.0 14.0 14.0 14.0 19.0 19.0 19.0	39.0	4 4 4 5 5 6	\$ 7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
13.4.	81 44 81 44 82 82 82 82 82 82 82 82 82 82 82 82 82			E1 55	277	00 00 00 01 00 00
			2 x 0 4 0 5 0	12 - 1 2 - 1		9999999 8888 3 55
61.2 81.1 64.3 - 5.0 3 90.5 61.7 87.0 65.1 - 4.4 2 87.0	66.3 66.3 66.3 66.4	33-01-14-17-18-33-0-18	2.0	5.3 1 3 3 5 5	0.4 IS 83:0 1.8 6 85:0 0.4 IS 78:1	1/0 63 14 51
5°0	+ +				7.0	0 1 7 5 5
: : : :	9 14 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		60.20 60.20 60.20 60.10 60.10 60.10 60.10	10 5	62.55 65.52 65.53	11141 822822
5 5 5 5 5			10.00			
	29 94 30 36 29 57 0 79 29 98 30 31 29 58 0 13	# 5 % 2 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 - 0 - 25 - 22 - 6 - 56 - 6 - 56 - 6 - 6 - 6 - 6 - 6 -	orogrammy 29°73° 0°65 do 18°0431 29°92° 0°39	22-05 20-05 0-00	0 +53
	29.55 29.55 29.55 29.55	\$9856 80 H 88888 88 H	200 8 8		9.67	\$ \forall \foral
	29 94 30 36 29 57 0 78 29 38 0 13 30 31 29 38 0 13 30 31 29 38 0 13 30 31 39 38 30 30 30 30 30 30 30 30 30 30 30 30 30	29-96 Sin-42 Sin-45 Sin-32 Sin-45 Sin-32 Sin-45 Sin-32 Sin-45 Sin-54 Sin-45 Sin-54 Sin-54 Sin-40 Sin-54 Sin-60 Sin-41 Sin-51 Sin-60 Sin-44 Sin-44	20-01 Sector 29-52 - 0-8 20-01 Sector 29-53 - 1-0 0-02 Sector 37 Sector 07-1 2-0-6, 30-54 Sector 07-1	originals 29.73 acts at 31.29.92		30 00 23 29 80 0 4 25 29 80 0 4
	29 94 30 30 30 30 30 30 30 30 30 30 30 30 30	A	ARAR 11.	事 1 要 ム	115	A 1 1 1 A 1
	99 68 81 68 68 81 68 68					g 2
Cook's Mills						
]e	Montreal Montreal Multingolon Anticosti S W. P Richmond C'hicontini Quebec Leunoxille St. Ayacinthe B frame Father Point Tapler Point Tapler Point Gape Chatte Cape Chatte	Ew Buryswer; Fr derivon Charlemen Bathurst. St Andrews Co est Mannt The est Lepteaux St J in City Hoeb ster. Passes Rister. Complete Ster. Complete Ster.			. 4 2	
Mulls #d wood mvill	in in it. S. in	Menon Manager			T E E	nitt hara ville
ok's meter llingranne	Montreal Hunting Municos Michinot Richmot Chicont Chemoxy Ser, Hyac Sernicos Finther Point d Cape C	New Directors. Clackment. Endowner. St. Androws. St. Androws. St. Control Manner. Their Loperon. St. Ch. In. St. C	Make X Strate Hadden X Strate Hadden X Strate Hadden X Strate Hadden Make Hadden Hadde	Newborn, St. Johns Berntha	Kitta costa a.z. Geneza e wa Charles te towa	Espa malt., Charachan, Charachan, Charachan, Agreerville, Agreerville, Marple Grove
	Actebra: Monty Hunti Antico Richo Chico Chico Yully Bround Fruine Fruine Fruine Fruine Fruine Fruine Fruine		11/11:17	37 3	4235	- 통교통#122년

STATIONS RECEIVED TOO LATE FOR JUNE REVIEW.

PROVINCE.	STATION.	MEAN	H _{1G1} TEMPER		Low Temper	EST ATURE.	Ркесірії	ATION.	Auroras,	THUNDER
		Темр.	Temp.	Date.		Date.	Amount.	Days.		STORMS.
		e	o		o		in.			
Manitoba	Dauphin	59-1	86-0	21	25 0	3	5:75	7		
Intario	Wanstead	66-4	93.2	15	36.2	5	1.73	4		
	St. George	66 - 4	94-0	15	43 0	4	1 13	10		
	De Cewsville	64.8	90-0	25	34-0	9	0-65	6		
Nova Scotia	Sable Island	4912	61 0	25	42.0	4.16	4 14	10		16.

PRECIPITATION.

The rainfall in part of Nova Scotia and Ontario has considerably exceeded the average. In the other Provinces it was below, the greatest defect occurring in P. E. Island.

The distribution is as follows:—

In British Columbia, in was 1.05 in., or 0.26 in., below the average.

In the Territories it was 2'44 in., or 0'54 in., above July, 1890.

In Maxitoba it was 281 in., or 011 in, below the average.

In Ontario South and South-West district it was 3'17 in., or 0'29 in. above the average. In the North and North-West district it was 3'87 in., or 1'13 in above the average. In the Central district it was 2'84 in., or 0'12 in. above the average, and in the East and North-East district it was 4'12 in., or 1'22 in. above the average.

In Quebec it was 3'82 in., or 0'40 in. below the average.

In New Brunswick it was 3.80 in., or 0.11 in, below the average.

In Nova Scotta it was 4'48 in., or 0'92 in above the average.

In P. E. ISLAND it was 2.88 in., or 1.06 in. below the average.

Rainfall 5 in. and upwards during month:

Manitoba and N.W.T. Edmonton, 6:63 in.; Rathwell, 5:43 in. Омтавіо.—Orillia, 6:76 in.; Ignace, 9:90 in.; Little Forks, 10:00 in.; Uplands, 5:45 in.; Sprucedale, 5:80 in; Lucknow, 5:04 in.; Denbigh, 5:31 in.; Deseronto, 5:47 in; Kingston, 5:21 in. Quebec.—Quebec, 5:56 in.; St. Hyacinthe, 6:62 in.. N. Brunswick.—Fredericton, 5:15 in.; Chatham, 5:70 in.; Parker's Ridge, 6:22 in.; Bathurst, 7:41 in. Nova Scotia.—Sydney, 6:92 in.; White Head, 7:09 in.

Rainfall 1 in and upwards in 24 hours.

1st, Ignace, 1'20 in.; Ennismore, 1'07 in.; Port Hope 1'32 in.

2nd, Zurich, 2'35 m.

3rd, Point Clark, 276 in.; Nottawasaga Island, 105 in.; Bognor, 105 in.; Coldstream, 166 in.; Orillia, 131 in.; Lions Head, 225 in.; Sunshine, 114 in.; Aurora, 121 in.; Watford, 100 in.; Thedford 151 in.; Owen Sound, 108 in.; Haliburton, 105 in.; Birnam 133 in.; Goderich, 190 in.; Presqu'Isle, 120 in.; Sarnia, 138 in.; St. Mary's 123 in.; Gravenhurst, 108 in.; Saugeen, 248 in.; London, 113 in.; Edmonton, 221 in.; Little Current, 102 in.; Ottawa, 147 in.; Coldwater, 101 in.

4th, Lucknow, 1148 in.; Richmond, 1120 in.; Brome, 1115 in.; St. Hyacinthe, 1100 in.; Uplands, 1113 in.; N. Bruce, 1175 in.; Rockliffe, 1113 in.

5th, Denbigh 113 in.; Point Pelee, 127 in.; Fort Simpson, 362 in.; Port Moody, 165 in.

6th, Lyons 131 in.; Fort Simpson, 244 in.

7th, Chatham, 1°07 in.; Wanstead, 1°10 in.; Wyoming, 1°20 in.; Princeton, 1°28 in.; Coldstream, 1°26 in.; Watford, 1°25 in.; St. Thomas, 1°22 in.; Thedford, 1°15 in.; Nelson 1°17 in.; Wilton Grove, 1°40 in.; Birnam, 1°22 in.; Raleigh, 1°03 in.; Brantford, 1°13 in.; St. Mary's, 1°10 in.; Kingsville, 1°08 in.; Port Stanley, 1°02 in.; Bermuda, 1°20 in.; Fort Simpson, 1°75 in.; London, 1°40 in.

8th, Digby, 100 in.; Point Lepreaux, 123 in.; St. George, 100 in.; Niagara Falls, S. 101 in.; Cow Bay, 142 in.; Port Hastings, 150 in.; Varmouth, 108 in.; Charlottetown, 133 in.; Grand Manan, 117 in.; Bathurst, 240 in.; Sydney, 142 in.; Halifax, 143 in.

9th, Sable Island, 130 in.

10th, Georgetown, 1°65 in.; Port Hastings, 1°80 in.; Stony Mountain, 1°30 in.; Little Fork, 1°00 in. 11th, Maple Creek, 1°28 in.

- 12th, Gladstone, 160 in.; Turtle Mountain, 245 in.; Rathwell, 346 in.; Oak Lake, 241 in.; Morden, 231 in.; Cartwright, 220 in.; Hartney, 185 in.; Elm Valley, 193 in.; Hillview, 127 in.; Foxton, 105 in.; Greenwood, 137 in.; Elkhorn, 143 in.; Beaver Creek, 176 in.; Kola, 173 in.; DeClare, 103 in.; Fort Ellice, 140 in.; Hillview, 127 in.; Ignace, 125 in.; Maple Creek, 105 in.; Port Arthur, 128 in.; Swift Current, 120 in.; Qu'Appelle, 147 in.; Little Forks, 300 in.; Savanne, 200 in.; Virden, 120 in.
- 13th, Fort Ellice, 1°10 in.; Roseberry, 2°20 in.; Craigilea, 2°46 in.; Carman, 1°62 in.; Treherne, 1°49 in.; Napinka, 3°36 in.; Hanlan, 1°22 in.; Gretna, 1°40 in.; Morris, 1°06 in.; Nottawasaga, Island, 1°10 in.; Ignace, 1°95 in.; Brandon, 1°00 in.; Killarney, 1°46; Gladstone, 1°18 in.; Burnside, 1°95 in.; Portage la Prairie, 2°02 in.; Glen Adelaide, 2°64 in.; Savanne 1°05 in.; Buda, 2°03 in.; White River, 2°94 in.; Gladstone, 1°18 in.; Virden, 1°00 in.
- 14th, Norwood, 1¹15 in.; Egremont, 1¹02 in.; Dalhousie N. B., 1¹10 in.; Bognor, 1¹52 in.; Orillia, 1¹03 in.; Thompson, 1¹18 in.; Lyons, 1¹04 in.; Sombra, 1¹01 in.; Goderich, 1¹22 in.; Collingwood, 1.61 in.; N. Bruce, 1¹49 in.; Bathurst, 1¹70 in.; Ottawa, 2¹12 in.; Coldwater, 1¹67 in.; Fredericton 1¹32 in.
- 15th, Beatrice, 1°02 in.; Brome, 1°82 in.; St. George, 1°25 in.; Point des Monts, 1°20 in.; Paris, 1°15 in.; Brantford, 1°15 in.; Whiteside, 1°28 in.; Bathurst, 1°00 in.
- 16th, Killarney, 118 in.; Little Forks, 100 in.
- 17th, Glastonbury, 109 in.
- 18th, Ignace, 210 in.; Kingston, 126 in.; Ottawa, 100 in.; Fort Simpson, 102 in.
- 19th, Ignace, 1:40 in.; Point des Monts, 1:10 in.; Anticosti, W. P. 1:13 in.; Bicquette 1:00 in.; Bathurst, 1:10 in.
- 20th, Banff, 1'20 in.
- 22nd, Manitou, 101 in.; Sault St. Marie, 180 in.; Ignace, 115 in.; White Head, N. S., 162 in.; Little Forks, 140 in.
- 23rd, Egremont, 100 in.; Willow Grove, 100 in.
- 24th, Scarboro Junction, 100 in.; Quebec, 169 in.; Ottawa, 108 in.; Conestogo, 114 in.
- 25th, Chatham, N. B., 1.04 in.; Fredericton, 125 in.
- 27th, Sydney 1:26 in.
- 28th, Stoney Creek, 103 m.
- 29th, Orillia, 146 in.; Gravenhurst, 165 in.
- 30th, Shannonvile, 148 in.; Montreal 1410 in.
- 31st, Ignace, 1140 in.; Dauphin, 1100 in.; Port Hastings, 1150 in.; Little Forks, 1120 in.
 - Thunder Storms recorded at -
- ist. Oak Bank, Posen, Egremont, Midland, Eau Claire, Gladstone, Alton, Whiteside, Conestogo, Coldwater.
- 2nd. Oak Bank, Sharon, Bognor, Georgetown, Renfrew, Gladstone, Georgina, Kingsville, Gravenhurst, Bancroft, Alton, Pelee Island, Peterborough, Rathwell, Durham, Lindsay, Coldwater.
- 3rd. Richmond, Brome, Sharon, Bognor, Burk's Falls, Lion's Head, Huntsville, Thedford, Clontarf, Cottam, Zurich, Lucknow, Kingsville, Gravenhurst, Uplands, Bancroft, Peterborough, Shannonville, Joly, Whiteside, Durham, Ottawa.
- 4th. Barkerville, Cottam, Lindsay, Virden.
- 5th. Sable Island, Parker's Ridge, Roseberry, Truro, Fredericton
- 6th. Sable Island, Roseberry, Conestogo.
- 7th. Bancroft, Pelee Island.
- oth, Barkerville, Posen, Fort Ellice, Cotham, Hillview, Gladstone, Russell, Kola, Virden.
- 10. Posen, Fort Ellice, Cotham, Gladstone, Portage la Prairie, Treherne, Selkerk, Winnipeg. 11th. Buda.
- 12. Savanne, Thompson, Eau Claire, Georgina, Point Escuminac, Kılımalıumaig Parker's Ridge, Roseberry, Selkirk, Fredericton.
- 13. Sprucedale, Axe Lake, Egremont, Sharon, Cook's Mills, Bognor, Savanne, Wiarton, Burk's Falls, Lion's Head, Eau Claire, Owen Sound, Georgina, Stoney Creek, Sombra, Haliburton, Kingsville, Gravenhurst, Uplands, Alton, Joly, Whiteside, Pembina Crossing, Durham, Coldwater.
- 14th. Sprucedale, Axe Lake, Richmond, Brome, Egremont, Sharon, Point Clark, Bognor, Wyoming, Wiarton, Princeton, Midland, Lion's Head, Georgetown, Cowal, St. Thomas, St. Mary's,

Kingsville, Gravenhurst, Uplands, Bancroft, Alton, Pelee Island, Lindsay, Deseronto, Ottawa, London, Fredericton, Peterborough, Parker's Ridge, Dorchester, N.B., Collingwood, Joly, Whiteside, Durham, Thedford, Eau Claire, Nelson, Wilton Grove, Cartier, Clontarf, Owen Sound, Renfrew, Mattawa, Ridgetown, Zurich, Sombra, Haliburton, Birnam, Lucknow, Point Escuminac.

15th. Beatrice, Oak Bank, Brome, Fort Ellice, Cotham, Georgetown, Sunshine, Clontarf, Cottam, Gladstone, Portage la Prairie, Mattawa, Haliburton, St. Mary's, Russell, Savanne, Pembina Crossing, Rapid City, Deseronto.

16th. Oak Bank, Posen, Fort Ellice, Cotham, Sable Island, Russell, Roseberry, Treherne, Virden, Pembina Crossing.

17th. Egremont, Alton.

18th. Sprucedale, Egremont, Sharon, Burk's Falls, Georgetown, Eau Claire, Mattawa, Kingsville, Uplands, Joly, Rathwell.

19th. Barkerville, Agassiz, Hillview, Alexandria.

20th. Posen, Fort Ellice, Cotham, Gladstone, Kingsville, Russell, Pelee Island, Turtle Mountain Pembina Crossing, Rapid City, Port Moody, Virden.

21st. Posen, Hillview, Gladstone, Portage la Prairie, Russell, Rathwell, Treherne, Kola, Little Forks, Winnipeg.

22nd. Cotham, Bognor, Burk's Falls, St. Thomas, Eau Claire, Owen Sound, Mattawa, Lucknow, Presqu'Isle, Gravenhurst, Uplands, Peterborough, Joly, Roseberry, Rathwell, Treherne.

23rd. Beatrice, Richmond, Egremont, Sharon, Wyoming, Princeton, Lion's Head, Cowal, St. Thomas, Thedford, Eau Claire, Clontarf, Cottam, Renfrew, Quamichan, Mattawa, Stoney Creek, Ridgetown, Zurich, Hailburton, Birnam, Presqu'Isle, St. Mary's, Kingsville, Gravenhurst, Deseronto, Ottawa, Alexandria, Little Forks, Bancroft, Pelee Island, Peterborough, Shannon-ville, Joly, Whiteside, Roseberry, Durham.

24th. Richmond, Oak Bank, Posen, Egremont, Elora, Agassiz, Clontarf, Cottam, Renfrew, Portage la Prairie, Quamichan, Mattawa, Ridgetown, Birnam, Kingsville, Bancroft, Parker's Ridge, Collingwood, Joly Lindsay, Ottawa, Alexandria, Little Forks, Conestogo, Port Moody.

25th. Point Escuminac.

26th. Pelee Island.

27th. Cottam, Portage la Prairie, Kingsville, Treherne, Morden, Virden.

28th. Richmond, Posen, Bognor, Burk's Falls, Lion's Head, Georgetown, Nelson, Peterborough, Buda, Rathwell, Treherne, Pembina Crossing, Norquay, Virden.

29th. Beatrice, Richmond, Chatham, Elora, Sharon, Point Clark, Bognor, Wiarton, Nelson, Burk's Falls, Georgetown, Scarborough, Aurora, Acton, St. Thomas, Thedford, Eau Claire, St. Mary's, Kingsville, Gravenhurst, Bancroft, Alton, Pelee Island, Whiteside, Durham, Lindsay, Coldwater, Clontarf, Portage la Prairie, Zurich, Haliburton, Birnam, Paris, Lucknow, Uplands.

30th. Sprucedale, Beatrice, Posen, Egremont, Cotham, Scarboro, Cowal, Sable Island, Dauphin, Portage la Prairie, Ridgetown, Zurich, Kingsville, Russell, Gravenhurst, Virden, Bancroft, Battleford, Durham, Lindsay, Deseronto.

31st. Fort Ellice, Russell.

Aurora recorded at—

1st, Parker's Ridge, H; Quebec, H.

2nd, Little Current, IV.

3rd, Truro, IV.

4th, Dorchester, N.B.; Esquimalt, I.

5th, Esquimalt, III.

6th, Pembina Crossing, IV.

7th, Pembina Crossing, IV.

8th, Little Current, IV.

10th, Virden.

16th, Pembina Crossing, III.

25th, Pembina Crossing, H; Coldwater, IV.

26th, Pembina Crossing, H1; Alton, H; Yarmouth, IV; Little Forks, H1; Coldwater, H; Fredericton, IV.

Frost recorded at-

- 5th, Fort Ellice (potatoes frozen).
- 6th, Peterborough, Barkerville, B.C., snow in morning.
- 7th, Banff, (potatoes, &c., cut); Hillview, Savanne, (28°); Little Forks.
- 8th, Hillview, Savanne, (30°).
- 15th, Chicoutimi.
- 17th, Norquay.
- 18th, Hanlan, Clandeboye, Savanne, (29°).
- 19th, Roseberry, Oak Bank, (potatoes nipped); Clandeboye, Morden, Greenwood, Norquay, (etc. potatoes and beans); Savanne, (28°).
- 20th, Sprucedale; Pilot Mound.
- 21st, Uplands; Burk's Falls.
- 23rd, Fort Ellice, (potatocs and corn frozen).
- 24th, Clandeboye, Savanne, (30°).
- 25th, Savanne, (28°).
- 27th, Peterborough, (sharp); Clontarf, (31°).
- 28th, Denbigh.
- 29th, Savanne, (28°).
- 30th, Savanne, (29°).
- 31st, Sprucedale, Savanne, (28°); Peterborough, (sharp); Birnam, Sombra, Princeton, Wanstead, Egremont, Lucknow.

PROPORTION OF BRIGHT SUNSHINE REGISTERED IN EACH HOUR OF THE DAY DURING WHICH THE SUN WAS ABOVE THE HORIZON IN THE MONTH OF JULY, 1891.

								NOON .	1 P.M.	2 I. W.					7 P.M.	S P. M
Esquimalt		0 22	0.39	0 45	0.80	0.71	0.75	0.80	0.83	0.55	0.91	0.91	0.89	0.85	0.39	S
Winnipeg	0.20	.46	162	-64	72	.72	70	178	-77	7.3	70	:70	. 7.5	63	43	107
										ı						
Kingsville		-39	73	1 78	81	85		-86	. 189	189	-82	77	75	70	-25	
Woodstock		.33	157	65	175	-70	70	:70							29	s.
Toronto.		- 20	155	-57			65								- 41	
Lindsay		1													10	ان
Barrie															21	1.7
Kingston									-						35	s.
		13.4	91	02	116)	1911	61	0.5	111	tit)	0.1	113	,,	112	, 10 7	
Montreal	()]	56	45	49	52	59	63	fili	66	61	62	54	£3	26	(1)	
Frederictor	8.	15	31	37	155	:67	ii.	62	38	(°O	152	61	52	ķii	, , ,)	()}
Sydney	06	32	38	138	15	46	50	53	áá	56	32	57	51	15	35	(1)
						1										
			4. T.	3		LL.E.	OCK.	2			ż			.41.	TeV.	,
			Esquimalt.	WINNIPEG		KINGSVILLE	WoolesTock	Tokovto	ANSAN	ARREST .	71.17			MONTHE AL.	ELDE EN TO	NENET
			ä	=		2	=	Ě			2			N	-	7.
MEAN PROPORTION FOR MONTH			0.62	0-63		0 fis	() 50	0.53	0.51	0-19				0.3	0.47	0.41
MAXIMUM DAILY AMOUNT			0.81	0.91		0.83	0.50	0.50	0.97	0.87	0.91			1 110	0.50	1.97
Date			2	20		21	16	21	21	16	(3)			91	-14	1.0
No. of Days Completely Chouded			0	1		0	0	0	.1	9	3			3	1	5

PROBABILITIES.

The probabilities issued by this office at 11 p. m. each evening are posted up at every telegraph station in Canada, and are for the 24 hours beginning at 8 a. m.

	No.		VERI	FIED.	
DISTRICT.	ISSUED.	No. Fully.	No. Partly.	No. Not.	Percentage.
LOWER LAKE REGION	111	94	10	7	89.2
Upper St. Lawrence	101	78	18	5	86 · I
LOWER St. LAWRENCE.	96	79	11	6	88:0
GULF	91	72	12	7	85.7
Maritime Provinces	100	74	16	10	82 0
TOTAL	499	397	67	35	86.3

The percentage of verification is obtained by taking the sum of those fully verified and half the sum of those partly verified and dividing by the whole number.

In ascertaining the percentage of verification of the predictions the reports from the agents at the "Probability Stations," as well as the telegraphic reports, are used.

The daily probabilities were issued by Probability Officer H. V. Payne.

STORM WARNINGS.

No storm warnings were issued during the month of July.

TORONTO OBSERVATORY—MAGNETIC REVIEW FOR JULY, 1891.

A slight disturbance prevailed on the 1st, the following day was much quieter. The diurnal curve on both days was well marked; also on the morning of the 3rd. During the afternoon of this day the magnets became unsteady, and a moderate disturbance was registered between 6.20 and 9 p.m. At 7.10 the declination magnet moved gradually east, pausing several times. After reaching its extreme it vibrated for about ten minutes, when a quick westerly rise took place, the extreme taking place during the cut off of the light, viz., between 8 and 8.02 p.m. At the turn on of the light the magnet was on an easterly swing of 35'; the extreme easterly was reached at 8.12 p.m., the magnet then slowly regained its normal reading, and by 10 p.m. was quiet. During this disturbance the vertical force changed considerably. From 1 to 7.25 p.m. a steady increase of this component was shown, its maximum value was reached about the time that the declination magnet commenced to feel the disturbance, and its minimum a little after 7.58 p.m. The horizontal force curve was very wavy all afternoon and evening; its maximum occurred at 8.03 p.m. A quiet period followed, lasting nearly two days. A little before 10 p.m. of the 5th, a slight disturbance sprang up and continued to the afternoon of the 7th; it was more active during the afternoon and night of the 6th.

From the 6th to the 16th the magnets were generally quiet; on the afternoon of the 16th a slight disturbance appeared and continued up to the 17th; it was more active on the morning of the 17th. The movements of the declination needle were undulatory. A noticeable increase of the v.f. component was shown between 6 a.m. and noon, and of the horizontal between 10 a.m. and noon. This disturbance was followed by a quiet period, lasting to the 23rd. On the 24th slight disturbing action set in after 4 a.m., and continued up to 2 a.m. of the 25th. From the 25th to the end of the month the magnets were free from disturbance, with the exception of a slight irregularity between 8 and 11 p.m. of the 27th.

There were no auroras observed during the month. On the 5th, 6th, 7th, 8th, 9th, 10th, 11th, 12th, 13th, 14th, 16th, 17th, 18th, 20th, 21st, 22nd, 24th, 25th, 26th, 27th, 28th, 29th, 30th and 31st the sky was clear but no aurora was observed. On all other nights clouds or haze would have hidden any aurora which might have existed.

CHARLES CARPMAEL,

Director.

METEOROLOGICAL OFFICE,

Toronto, 9th September, 1891.

METEOROLOGICAL SERVICE, DOMINION OF CANADA.

Monthly Wenther Review.

AUGUST, 1891.

INTRODUCTION.

In compiling the present Review the principal data made use of are the telegraphic reports of observations received at this office for the purpose of weather predictions, and the reports of storms received by mail. For the material used in tracing the courses of areas of high and low pressure in the United States, we are indebted to the Chief of the Weather Bureau, Washington, D.C.

ATMOSPHERIC PRESSURE.

The average pressure, as determined from the observations taken at telegraph reporting stations, was slightly below the normal of seventeen years in Ontario and the western portion of Quebec; elsewhere it was above the normal,

On the 1st the pressure was about average and the weather fine in the North-West Territories and lower pressure with local showers and thunder storms prevailed from the Lake Region eastward. During the 2nd and 3rd the pressure was decreasing slowly in the North-West and steadily but slowly increasing in other parts of Canada with very fine weather everywhere. For the next three days anti-cyclonic conditions and a continuance of fine pleasant weather prevailed from the Lake Region eastward, while cyclonic conditions and very warm weather, with local showers and thunder storms, prevailed in the North-West Territories, the temperature at many points being upwards of 92°.

On the 7th the pressure was about normal in the Lake Region, with intensely warm weather, while a cyclonic movement was taking place southward across the Gulf of St. Lawrence, giving rain during the early part of the day in the Lower St. Lawrence and at night and early part of the next day in the Maritime Provinces. At the same time the cyclonic conditions over the North-West Territories were gradually working eastward and on Sunday, the 9th, while the centre was moving north of the Lakes, very heavy local thunder storms, with severe squalls, were prevalent over the greater part of Ontario; further east it gave some local showers on the 10th. A some what less marked cyclonic movement followed this last, giving showers generally in the North-West Territories on the 9th, local showers in Ontario and Quebec on the 11th and showers and heavy thunder storms in the Maritime Provinces on the 12th. After this showery weather, about average pressure, and fine weather prevailed for a few days in all parts of the country.

A few small and comparatively unimportant barometric depressions caused local showers in different parts of Canada between the 13th and 10th but the weather was generally fair. The charts of the 18th and 10th showed cyclonic conditions becoming pronounced over our North West Territories but the weather continued fine and warm. During the night of the 10th these conditions were transferred eastward from Manitoba and indications of an approaching anti-cyclone appeared in Alberta. From Lake Superior the depression moved quickly to the Gulf of St. Lawrence with increasing energy, causing showers and thunder storms during the night of the 20th and the morning of the 21st in the Lake Region and a fresh south westerly blow, with showery weather in the Gulf. A subsidiary depression which formed over the Upper Lakes, caused a few more local showers on the 21st in the Lake Region and then at night coalesced with the former depression yet hovering over the Gulf, after which the combined system dispersed; heavy local rains occurred in the Maritime Provinces on the 22nd. The high pressure behind these depressions proved decidedly important, and as it spread over the North West brought cooler weather, and slight frosts occurred at points in Manitoba during the early morning of the 22nd.

A small depression developed over the Ohio Valley during the 22nd and for two days hovered to the south of Lakes Eric and Ontario and gave rain in Southern Ontario on the 23rd. On the 24th the centre moved northward to the Georgian Bay and thence eastward, giving a pretty general rain all day in the Province of Ontario, and afterwards some showers along the St. Lawrence.

For the next two days anti-cyclonic conditions were mostly prevalent and the weather generally fair with temperature above average in the Maritime Provinces, about average in Ontario and below in Manitoba and the North-West Territories. Frosts occurred in Manitoba during the early morning of the 27th.

On the 27th there was a rapid cyclonic development over the Lower Lake Region and at night, as the centre moved northeastward to the Ottawa Valley, there was a considerable rainfall over the Province of Ontario which, on the 28th, was followed by a moderate westerly gale. As the disturbance moved eastward the weather was showery during the day along the St. Lawrence and that night and early next day in the Maritime Provinces.

A depression which appeared in the North-West on the 27th, with fine, warm weather, was moving southeastward from Manitoba during the night of the 28th. From Lake Superior it moved with diminishing energy to Southern Michigan and Indiana, while anti-cyclonic conditions became more pronounced over and to the east and north of the lakes. By the 31st the depression had almost disappeared and gave only a few local showers in southern Ontario, and the month closed with fair and comparatively cool weather general from Lake Superior to Nova Scotia, and low pressure with fine decidedly warm weather in the North-West Territories.

TEMPERATURE.

The average temperature, as determined from the observations taken at telegraph reporting stations, was below the normal of seventeen years at nearly all stations except those in Nova Scotia and Prince Edward Island. The greatest excess was at Yarmouth, N. S., 1°7, and the greatest defect at Rockliffe, Ont., 2°1.

The highest and lowest temperatures in each Province during August were:

British Columbia, 92°0 on 25th and 29th at Agassiz; 33°0 on 19th, at Donald.

N. W. Territories, 92°8 on 29th, at Medicine Hat; 29°9 on 19th, at Banff.

Manitoba, 96°·5 on 5th, at Oak Bank; 96°·5 on 6th, at St. Albans; 13°·0 on 27th, at Fort Ellice.

Ontario, 99° o on 5th, at Buda; 99° o on 9th, at Cottam; 25° o on 28th, at Savanne.

Quebec, 90°2 on 11th, at Montreal; 32°0 on 20th, at Brome.

New Brunswick, 90° o on 3rd, at Bathurst; 39° o on 13th, at Dalhousie; 39° o on 20th, at Parker's Ridge.

Nova Scotia, 90° o on 24th, at Truro; 40° o on 20th, at Truro.

P. E. Island, 88° 5 on 25th, at Georgetown; 42° 7 on 20th, at Kilmahumaig.

=	
-	
5	-
7	כ
)
_	1
2	
1	7 7 7
Ē	5
7.0	A VI CININIA IV
>	,
1	1
=	4
-	,
=	=
- د	
-	-
	Ĵ
71.1.	_
5	_
2	77.7.
SI TOTAL VILVAD GO NGYIMON SHOT NI ENOBRY WE BE SOME SERVICE SOME	4
	\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
5	=
	3
-	Ξ
;	Ĩ
(2
:	-
	-
:	
	=
	_
	<u>.</u>
	Ě
	_
	1.
	<u> </u>
	_

	Amount. Diff. from average. Zo. of days. Zo. of fair days. Zo of Thurdas. Zo of Thurdas.	in. in. 02 0-04 625 1 0 0 03 20 35 16 15 2 0 1 12 0-04 625 1 0 0 13 20 35 16 15 2 0 0 14 20 175 10 21 2 0 15 20 175 10 21 2 0 15 20 175 10 21 2 0 15 20 175 10 21 2 0 15 20 175 10 21 2 0 15 20 175 10 21 2 0 15 20 175 10 21 2 0 15 20 175 10 21 2 0 16 20 175 10 20 0 17 20 175 10 20 0 18 20 175 11 2	10 10 10 10 10 10 10 10	20 20 20 20 20 20 20 20
	.noit	20 NW	MX 12	8 2 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
VELOCITY OF WIND.	velocity. Date and direcs		remailing the contract	
LOCITY	monr. Highest days			
VE	Mean, miles per			
	rədmun latoT J'sdo lo	23 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		######################################
ROM	G* Z* <i>I</i> I.*			
IND F			14.0 14.0 1 12.0 12.0 12.0 12.0 12.0 12.0 12.0	
DIRECTION OF WIND FROM	'.M S	H-550000 000045	ာသာ ညမ္သာ ်နက္ကေကာဗ	x = [3 = 8 m = = = = = = = = = = = = = = = = =
EON C	. 3	wewenda wenn	Tana ax	
RCTI	8' E'			20 [20 autoral 191-1 1 2 2 2 2 2 2 2 2
Q	E1 Z1 E1	Signature : 11401-4 :	nr nng :np :	
	Σ.	Theur Hoekeny		
	- 61օուժթժ.		50 00000	
1	Mean amount of c Amos symbiles to a		00 PT TTT	
	-Zrib			
	Mean temperature dewpoint. Mean telative H			
	Mean daily range. Orentest daily range.	2	250 1000 1000 1000 1000 1000 1000 1000 1	10 10 10 10 10 10 10 10 10 10 10 10 10 1
	Date.	527358323255	1=1=1=10 011=1=1=10 01 (= 1=1=0) 0 01010101011=10101010101010101010	445 958455898888 89
OF AIR.	Lowest.			999 99989894848 98 889 889894848 98
TTRE	: - = :	ลูกสาดสาดที่ลูกลูกสุด	चक्कचळच्छल्य क्ष्या	១០៩ ១០គ្នាមាននិងពីគ្នា ១និង
TEMPERATURE OF	ाहणाह्या		x 0 0 0 0 0 0 0 0 0	
T	Track observe.			The second of th
	-тэvв шон Жісі а <u>ч</u> е.			
	Λ_{ent} .	**************************************	. X 5 8 5 6 8 5 6 6 8 5 6 8 8 6 8 6 8 6 8 6	AAR ARBAARS SEET TO
	. जनवास्या	2 7 7		
PRESSURE IN INCHES	.13040.1	4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	(6) 10 15 11 11 11 11 11 11 11 11 11 11 11 11	
KE IN	Jentui II	n	90.00	
1 4 4 7	bombor more			
	Mean nethal.			
		Assiminated Bat. Medicine Bat. Medicine Bat. Edmonton Bat. Pheasan Pers. Maple Creek. Swift Current. Qu'Appelle Brince Vileat. Coenhup. Cacan.	MANAGO ANTE M. P. SERVER FOR THE FACTOR OF THE PARTIES OF THE PA	Data plant

PRESSURE, TEMPERATURE, WIND AND PRECIPITATION, &c. -- Continued.

	is yab to to Novel Agres. Xo. of thir days: Is anount to oX Is anount to oX Syod to oX	:	12 19 3 3 5 6 13 18 0 3 3 0 11 20 2 3 0	9 22 0 0 0 H li 0 0 0	12 19 0 5 1 124 1 5 0 724 0 3 0	11126 0 2 0	13 18 1 6 0 13 18 1 6 0	328 1 1 0	0 C C C C C C C C C C C C C C C C C C C	12.19 1 4. 0	14 17 0 0 0 15 16 0 2 0	16 15 0 0 0	11 20 0 0 0	0 0 0 0 51 51	6 25 1 1 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0008161	3 18 1 9 0 15 16 0 4 0	0 11 2 11 8	10 21 1 4 0 10 22 1 1 0	12 19' 2' 3' 0 13 18' 4' 6' 3	14 17 0 3 1		14 17 0 3 0	13 18 1 0 0 19 12 0 3 3	10 21 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	13 13 7 11 11 11 11 11 11 11 11 11 11 11 11 1	13 18 1 3 6 12 19 0 2 0
2TAT10	Diff. from aver-	in.	\$ 5.8 10.0	2.2.3.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.	133	17.57	15.5	10.19	£ :	70.4	9.F.	+1.51	13.0+	C. 0	2.07	7 X O	: £	3.08	71	1 4 65	\$7.7 - 1 - 1.5 - 1	91.0		15.	#1.1 ++	91.0	2 5 2 0 ++		#-0 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
Рвеситт	энношу	in	日見	8 8 8 4 8 8		9.7	4.69	2.01	16-5	8 F 1	12 7	*** ! ** : : :	4 01	-1 · · ·	01.00 01.00 00.00	179.5 179.5 179.5	2 Z	69-69	513 + 13	#£. 3.3° 2.0°	82 is	100.00	,	5.95	6 6. 6 6. 7 7 8	3.	* 0. 2. * 0. 2. * 1. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	20.5	4.13
WIND.	Sorib bing stud	:		M 85							15 2 S	37.77			:			:		20 S	23 N	N 87		128	28.28 28.28	117 50	2 2		
SITY OF	Highest days velocity.			11.0							17.8	l5 5								٧.	11.0	111		16.5	15.5		<u>-</u>		
VELOCITY	Mean, miles per hour.										9 -									Ξ	5.5	-	. !!	9.8	5.3	;	≓		
	Total number of hours.		: # 8 : # 8	6.8	17 93		E 55	6 63		: :	도 6 도 6	3 62	0 93		0 93	8 % = =	0			13 93	22 93 35 186	: 23		_	36 88	:	8		
WIND FROM	Z M:		:	တေဘာ	100		5.	-			7 2 2 21 21	10	13		10.5	9 =	13	:		_	23	2	' 	20 m	n w		: :		
	S. W.		<u>6</u>	38 18 a	e1 e2		E 21	I4 6			82 88 188 188 188 188 188	× = =	33 5		133	5.9	12 15			r- :	25 E	13 16		13 28	24 6 11 10		19 54		
Direction of	S' S' E'		. 61 8 51	100 122	0.7		1 0	71	-		6. 0 7.1 4	77 [-	3	:	 2. r	- 0	91			9	855 855	:		$\frac{1}{17} + \frac{15}{10}$	0 1 1 1 1 1		0 !		
Direc	E		45	(8)⊕ (4) 4			0	9			11 to	4 11	15 14	:	6] <u>-</u>	o x−	0			2	51 6 10		ī	ມ 0 - ເວ	- ი ი_		ກ ດ_:		
	- X	١ .	= 4	o 10 ↔	11		9	7			3.0	:::	: "		12	+	1 22			-	7 8 7 8		# :	2 3	<u>-</u> -		- !		
	o to tanoan ansok quiss synb to sov Tesbuels			r in	7						io d	-		-	7.	~ i				2	10			er no	eo eo eo eo	' ! '	- -		<u> </u>
	Mean relative Hn										 7. 50	:		į		:		_	: :		22			20	£	- :	è		
jo a	range. Mear temperatur dewpoint.		7 X C	: : :	÷ :		: :1	: : :	-10	: : : : :	11.50 E			∝.	: = :	= :	1-	1- :	: : :: :: ::	0	5.5		: : : • : :	8 II 2 77	1.19		1 61 3	= :) m
	Mean daily range. Greatest daily	o 	3 5 5 40 1 5 33	7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	9.5				5 00 5 77	1. 0. 1. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	4 4 36	. S		#7 Q · X	6 6 8		-9 <u>8</u> 6-8	24	7 7 7 8 7 8	80 to 88.	2. C.	25 - 12	<u> </u>	15 -8 -21 12 -6 :31	15 G		. 15 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	08 8 8	
ж.	Date		888	188	888	3 51 5 51 51 5	:. ` 685		18	21 T	51.5	8	51	29	67	88	 	3	R R	8 8 8 8	8.8	200	e e	91 53 11 53	5 8 8 8	65	 		300
0F A	Lowest.	0	88 0 24 5 5 4 5	88.0 0.88	0.70	0.00	9.7		2 T	9 13 17 17 20 20	2 68	S. 01	. =	7.2	0 17	0.00 0.00 0.00	31.7	24	o. 88 88 88	9 X	2. 2. 4 5. 2. 5.	0.00	0.00	37.6	12.57		-04 -04 -04 -04 -04 -04 -04 -04 -04 -04	34.0	34 0
Темреватове	Date.		90				999				က္ က !		[~		:) I=			- x	-	01 I-	1		= =	===	127		= :	11-30
Tempe	Years observt. Highest.	0	4 89 2 15 43 0	3 77 (E 5 1	P.P. 3	2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	1000	<u>†</u> —	9.93.0 9.93.0	0.6851	0 617892	7.90.5	17.8719	0.9x	1.613899	9.99 9.99 9.77	5.01 10.01 10.01	383	0.88%	5.86*1	99	2.02.1	8.168 11.88 11.88	0 28 c 7	5.786	0.6 695.0	0.50	0.882 2.89.0
	Piff. from aver-	٥	927	1011 	:: X :	### •+			L	: :		-	0.0	7.5	:	± 1	x が 十十		- 0 0 1- 1	+- 1	0 -		L.	- 1-					$+\frac{1\cdot 1}{+0\cdot 5}$
	Нент.	9	7 E		77.71 8.81	7 F E 2 G E	61.5	- 0 2 2 3 1	2.52	1- 1) 1- 1- 1- 1-	15 9		•		53		77 F 13 S 1	9 (2) 10 (2) 10 (2)	33	5.5	. 63 f3			0 X	55.5		9. F9		25 1-1-
ES.	. одивЯ			6 - 18							2.0						:				0.0			99.0 9					
N INCH	Lowest.			94-65 45							23.29.51	12 23 15				: :	:							12 29.56	16 29 51		15 29 38		
Pressure in inches	Menn reduced. Highest.			91-65 15-96 26-67							22.08.30.22			:								200,000,000	21.00 90.12	21 8 31 6	29194 30116	10 00 00 00	29.84.30.15		
Рив	Менн петин1.			66								181					:	: :					S :	ā :			8		
	1	MTARIO Continued.				1 1	: :		: :			: :				•Niagara Falls. S						: :	. ;						: :

0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 : 44600 x 2 m 4 m a n	o neene nee	1-070000	= =	200	
767 12 19 11 20 12 4 27	- 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0-72 8-22 0	0.06 16 15 0 1-15 5 26 3 1-82 13 18 0	50 50 50 50 50 50 50 50 50 50 50 50 50 5
3.57 + 0 3.07 1.56 —0	1	5.5 % % % % % % % % % % % % % % % % % %	1771711		3	#888888 #88888
21.5 W	9 55 8W		21 2 3 3 3 4 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	29 SW 27 SW	$\frac{1}{2}$	
н ж	10.8 19.9 30.09 17 X1 11.0 11.0 27.0	5:94 B6:5 8:99 B7:0 1 NV TV	12 6 51	15:0	5.05	9.61 6.6
£ : : : :	7 10 185 188088888	5 5 5 5 5 5 6 5 5 6 5 6 5 6 5 6 5 6 5 6	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3 B		<u> </u>
35 35	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	H	5 7 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ъ х э ъ		5 P
19 5	E IN COLUMN TO TO	x 2 - 2 1 - 5 5 5		1x 10		S1 11 11
S	56 10 256 11 10 10 10 10 10 10 10 10 10 10 10 10	20.01	24452450 2442200	5 TO TO TO TO		310 0
0	6 0 00 1-11400-1		the x x is n	# \$ \$ 6		5 S C C C C C C C C C C C C C C C C C C
*	g i- s- xn-mssn	4000047 0	4 5 2 2 2 2 2 3 4 5 4 5 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5	~ ~		10 E
9	т год сод м тод сод	00045056 4 x040x42 4	#5 X C # #	e a		=
	57.0 73	12 8 8 7 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	20.00			56-1-91
7 - 1 - 2 - 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2	0.15 × 1.25 × 1.	23.55 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	X 21 1- X 3	0.75.0	X 0 X	9 9 9 19 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
31 31·8 29 18·6 29 17·4 30	28	88888888888888888888888888888888888888	20 11.2 20 11.2 20 11.2 21 12.3 21 11.3 21 11.3	11 11 11 11 11 11 11 11 11 11 11 11 11	2 2 2 2 2 2 2 2 2 2 2 3 2 2	
30.8 34.0 44.0 48.0	8.5.0 6.0.0 6.	0.444400400000000000000000000000000000	*	0.55	: :::::::::::::::::::::::::::::::::	# 15 00 15 X 17 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19
113	1 - 121119 7 12 - 71	2 2 2 4 E E E E E E E E E E E E E E E E	*8*****	- 5 - 1	555	
62.9 83.8 63.7 82.0 66.3 0.8 2.87.0	66 6 6 6 7 1 1 8 64 5 6 6 6 6 6 6 6 7 8 7 8 6 7 8 6 7 8 7 8 7	200 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		2 19 23 to 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	4 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 -	0.5 17×0 30 46×0 17×1 20 20 40×0 17×1 20 20 40×0 17×1 20 20 40×0 17×1 20 20 40×0 17×1 20 20 40×0 17×1 20 20 40×0 17×1 20 20 40×0 17×1 20 20 40×0 17×1 20 20 40×0 17×1 20 20 40×0 17×1 20 20 20 20 20 20 20 20 20 20 20 20 20
6.7.9 63.7. 68.3	6 1289 2812 28 28 28 28 28 28 28 28 28 28 28 28 28	62828832629	71-1-2-1-2-1-2-1-2-1-2-1-2-1-2-1-2-1-2-1	7 6		9 9 9 6 7 8 7 8 9 8 6 9 7 7 8 9 8 6 9 7 7
	50 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		8.55.55 8.55.5		8.4	7
	29 88 30 25 29 47 0 81 29 20 20 82 30 20 20 20 20 20 20 20 20 20 20 20 20 20	99555 66 83888 88	2000 Deck Deck on 10.5 miles and 10.0 miles and 10.	77.00 20.002 damps or 1	2017 2019 2019 0120	75 75 00 75 00 00 00 00 00 00 00 00 00 00 00 00 00
Novar. Cook s Mills. Wanstead Collingwood	Montval. Montval. Introduction. Richmond. Chicontini. Queber. St. Hyacinthe. Yanteest. W. P. Father Point. Point 4s Monts. Cape Chatte. Cape Chatte. Cape Chatte. Cape Chatte. Cape Chatte. Cape Magdalene.	New Bursswick: Fredstrein Challedn Eddin st. St. Andsews. G. and Mana Tenni Lepronix. St. Lobin (Chys. Lobin st. Dordis st. Dordis st. Dordis st. Dordis st. Dordis st. Corrids one.	Mony Section If draw Section You no change in the Pro-	Name of State of Stat	Kalmatamarra George en	Esperimate on way Esperimate on the Villamorham Esperimate on the Villamorham Stravet villamorhamorhamorhamorhamorhamorhamorhamorh
	3	5	/.	Z. A	_	print.

STATIONS RECEIVED TOO LATE FOR JULY REVIEW.

PROVINCE.	STATION.	MEAN		HEST ATURE.	Lown TEMPER.		Рикстри	ATION.	Aurogas.	Thunder
		Темр.	Temp.	Date.	Temp.	Date.	Amount.	Days.		STORMS.
		0	o		0		in.			
British Columbia	Donald	62.76	95-0	21	32 0	7	0.79	11		
N. W. Territories	Regina	62.70	83.5	3	40.0	11	1/20	S		15, 2), 28,
Manitoba	Channel Island	62 27	82 0	15	40 0	4.51	0.08	2	11, 29.	1, 10, 21, 23, 20, 30.
Ontario	Woodstock	65, 66	89.0	7-9	39 0	231	1.75	11		

PRECIPITATION.

The rainfall, except in Nova Scotia, P. E. Island and Manitoba, has considerably exceeded the average in some of the northern parts of Ontario; the amount has been what may be described as excessive.

The distribution is as fellows:

In British Columbia, it was 203 in., or 005 in., above the average.

In the Territories it was 191 in., or 008 in, below 1890.

In Maxirona it was 2'53 in., or 0'08 m. below the average.

In Ontario West and South-West district it was 3.78 in., or 1.24 in. above the average. In the North and North-West district it was 4.18 in., or 2.04 in above the average. In the Central district it was 4.14 in., or 2.10 in. above the average, and in the East and North-East district it was 3.64 in., or 1.54 in. above the average.

In Quebec it was 3'52 in., or 0'34 in. above the average.

In New Brusswick it was 438 in., or 079 in, above the average.

In Nova Scotia it was 2.55 in., or 1.36 in. below the average.

In P. E. Island it was 2'39 in., or 1'10 in. below the average.

Kainfail 5 in, and upwards during month:

Maxitoba.- Morden, 500 in.

ONTARIO. Owen Sound, 7:65 in.; Uplands, 5:21 in.; North Bruce, 5:00 in.; London, 5:41 in.; Elora, 5:12 in.; Sombra, 5:60 in.; Stoney Creek, 6:11 in.; Deseronto, 5:92 in.; Eau Claire, 5:53 in.; Presque Isle, 6:90 in.; Midland, 7:38 in.; Lion's Head, 11:05 in.; Wiarton, 8:21 in.; Watford, 5:46 in.; Acton, 6:02 in.

Quebec. - Montreal, 505 in.; Brome, 632 in.

New Bruxswick. - Chatham, 576 in.; St. John, 541 in.; Parker's Ridge, 685 in.

Bernuda 12.53 in.

Rainfall 1 inch and upwards in 24 hours;

1th, St. John, N. F. L., 268 in.

5tn, Oak Bank, 1908 in.; Abbottsford, 13,10 in.; Portage la Prairie, 1,21 in.; Winnipeg, 1754 in.

6th, Brandon, 140 in.; Agassiz, 2124 in.; Portage la Prairie, 1125 in.; Savanne 1160 in.; Cotham, 1107 in.; Morden, 5162 in.; Cartwright, 2136 in. in 2 hours; Gladstone, 2115 in.; Cartwright (2), 1100 in.; Selkirk, 2130 in.; Manitou, 1105 in.; Swift Current, 1144 in.; Qu'Appelle, 1105 in.

7th, Digby, 140 in.; Oak Bank, 156 in.; Killarney, 255 in.; Brandon, 175 in.; Hillview, 100 in.; Elkhorn, 142 in.; Russell, 126 in.; Rapid City, 200 in.; St. Albans, 253 in.; Hanlan, 360 in.; Rosebury, 240 in.; Beaver Creek, 125 in.; Cartwright, 240 in.; Pembina Crossing, 355 in.; Carman, 243 in.; Dominion City, 175 in.; Craigilea, 103 in.; Gretna, 233 in.; Clandeboye, 100 in.; Burnside, 130 in.; Greenwood, 164 in.; Hartney, 150 in.; Deseronto, 138 in.; Winnipeg, 182 in.; Qu'Appelle, 102 in.

8th, Cook's Mills, 140 in.; Sault Ste. Marie, 124 in.; Point Escuminae, 114 in.; Point Clark, 140 in.; Gladstone, 150 in.; Lion's Head, 123 in.; Foxton, 102 in.; Truro, 140 in.; Durham, 170 in. 0th, Elora, 344 in.; Egremont, 2.42 in.; Stoney Creek, 155 in.; Point Clark, 147 in.; Bognor, 192 in.; N. Bruce, 171 in.; Sombra, 185 in.; Owen Sound, 382 in.; Cayuga, 142 in.; Rose Hill, 244 in.; Thompson, 121 in.; Scarboro, 191 in.; Acton, 381 in.; Thedford, 108 in.; Watford, 240 in.; Georgetown, 247 in.; Lion's Head, 237 in.; Wiarton, 391 in.; Midland, 201 in., Presque Isle, 302 in.; Wilton Grove, 148 in.; Orangeville, 240 in.; Aurora, 192 in.; Sarnia, 164 in.;

- Conestogo, 242 in.; Coldwater, 137 in.; Durham, 140 in.; Saugeen, 145 in.; Parry Sound, 124 Nelson, 147 in.
- 10th, N. Bruce, 140 in.; Sharon, 136 in.; DeCewsville, 148 in.; Niagara Falls S., 246 in.; Cape Chatte, 1431 in.; St. Mary's, 269 in.; Lucknow, 1601 in.; Birnam, 1600 in.; Paris, 1431 in.; Heron Bay, 3600 in.; St. George, 183 in.; Credit, 2429 in.; Coldstream, 2426 in.; Wyoming, 1437 in.; London, 185 in.
- 11th, Renfrew, 1'22 in. (in one hour).
- 12th, Chatham, N. B., 105 in-
- 14th, Clontarf, 175 in.; Cowal, 108 in.; Watford, 105 in.; Wilton Grove, 135 in.
- 15th, Novar, 124 in.
- 16th, Halifax, 134 in.
- 17th, Agassiz, 1127 in.; Lion's Head, 1190 in.; Wiarton, 1152 in.; Presque Isle, 1125 in.; Eau Claire, 1120 in.; Clandeboye, 1105 in.
- 18th, Brome, 148 in.: Montreal, 103 in.
- 19th, Quamichan, 1°03 in.; St. Hyacinthe, 1°15 in.
- 20th, Paris, 202 in.; Cowal, 158 in.; Glastonbury, 150 in.; Watford, 120 in.; Raleigh, 100 in.; Wyoming, 100 in.; Sarnia, 105 in.; Petrolea, 105 in.; London, 150 in.; Bermuda, 2122 in.; Parry Sound, 108 in.;
- 21st, Chicoutimi, 175 in.; Beatrice, 1707 in.; Stoney Creek, 1748 in.; St. Hyacinthe, 2787 in.; Lucknow, 1745 in.; Sombra, 1724 in.; Birnam, 1745 in.; Parker's Ridge, 2720 in.; Princeton, 1732 in.; Thedford, 1757 in.; St. Thomas, 1725 in.; Heron Bay, 2750 in.; St. George, 1770 in.; Lyons, 1744 in.; Richmond, 1720 in.; Woodstock, 1703 in.; Petrolea, 1700 in.; Deseronto, 1760 in.; Quebec, 1728 in.; Bermuda, 4754 in.; Montreal, 1720 in.; Nelson, 1760 in.
- 22nd, Point Lepreaux, 1/20 in.; Point Escuminac, 1/33 in.; St. Andrew, 1/29 in.; Chatham, N. B., 1/28 in.
- 23rd, Denbigh, 1'33 in.; Lindsay, 1'07 in.
- 24th, Stoney Creek, 1'29 in.; Uplands, 1'31 in.; Alexandria, 2'21 in.; Kingston, 1'70 in.
- 25th, Heron Bay, 200 in.
- 27th, Point Lepreaux, 175 in; Lion's Head, 148 in.; Wiarton, 148 in.; Eau Claire, 108 in.; Joly, 137 in.; Grand Manan, 117 in.; Bermuda, 3138 in.
- 28th, Mattawa, 124 in.; Kilmahumaig, 171 in.; Glastonbury, 190 in.; Uplands, 127 in.; Eau Claire, 120 in.
- 26th, Lion's Head, 2:66 in.
- 30th, Kingsville, 142 in.; Midland, 158 in.

Thunder recorded on-

- 1st, Richmond, Cotham, Portage la Prairie, St. Hyacinthe.
- 2nd, Norquay, Treherne, St. Albans, Russell, Portage la Prairie, Gladstone, Posen, Channel Island, Novar, Fort Ellice.
- 3rd, Roseberry, Hillview, St. Albans, Rapid City, Portage Ja Prairie, Gladstone, Posen, Gravenhurst, Oak Bank, Novar.
- 4th, Selkirk, Barkerville, Cotham, Savanne, Portage La Prairie, Pelce Island, Posen, Oak Bank, Channel Island, Winnipeg.
- 5th, Roseberry, Norquay, Hillview, Treherne, Dominion City, Cotham, Savanne, St. Albans, Rapid City, Russell, Manitou, Portage la Prairie, Pelee Island, Gladstone, Winnipeg, Posen, Oak Bank, Swift Current.
- 6th, Cartwright (very severe), Norquay (terrific), Treherne, Selkirk, Rathwell, Oak Lalle, Cotham, Joly, Savanne, Russell, Pembina Crossing, St. Albans, Rapid City, Portage la Prairie, Parker's Ridge, Pelce Island, Gladstone, Stony Creek, Posen, Fort Ellice, Fredericton, Switt Current, Winnipeg.
- 7th, Hanlan, Roseberry (fearful storm), Hillview, Treherne, Dominion City, Rathwell, Barkerville, Richmond, Joly, Russell, Parker's Ridge, Portage Li Prairie, Gladstone, Buda, St. Hvacinthe, Brome, Oak Bank, Channel Island, Digby, Beatrice, Chicoutimi, Stony Mountain, Ottawa, Alexandria, Descronto, Swift Current, Winnipeg.
- 8th, Joly, Whiteside, Aurora, Toronto, Presque Isle, Wianton, Lion's Head, Burk's Falls, Cayuga, Sprucedale, Portage la Prairie, Haliburton, Bognor, Point Clark, Posen, Egremont, Channel Island, Peterborough, Truro, Durham.

- 9th, Whiteside, Aurora, Toronto, Wyoming, Coldstream, Wilton Grove, Presqu'Isle, Midland, Wiarton, Lion's Head (dreadful storm), Georgetown, St. Thomas, Thedford, Burk's Falls, Lindsay, Denham, London, Acton, Scarborough, Princeton, Cowal, Drayton, Cayuga, Georgina, Sprucedale, Sombra, Lucknow, St. Mary's, Sharon, Bognor, Point Clark, Sunshine, Stony Creek, Kingsville, Owen Sound, Paris, Zurich, Portage la Prairie, Haliburton, Birnam, Posen, Egremont, Beatrice, Elora, Peterborough, Conestogo, Coldwater, Petrolea.
- toth, Wyoming, Savanne, Georgetown, Portage la Prairie, St. Mary's, Buda, Bognor, Killarney, Stony Creek, Chicoutimi, London.
- 11th, Richmond, Joly, Whiteside, Eau Claire, Toronto, Wyoming, Denbigh, Georgetown, Thedford, Princeton, Ennismore, Cowal, Kingsville, Paris, Portage la Prairie, Renfrew, Haliburton, Sombra, Ridgetown, Brome, Beatrice, Peterberough, Chicoutimi, Ottawa, Alexandria, Nelson.
- 12th, Parker's Ridge, Portage la Prairie, Dorchester, N. B., Kilmahumaig, Ignace, Brome, Point Escuminac, Point Lepreaux, Digby, Novar, Pictou, Bathurst.
- 13th, I au Claire, Mattawa, St. Hyacinthe, Gravenhurst, Novar, Ottawa.
- 14th, Joly, Whiteside, Wiarton, Thedford, Burk's Falls, Cowal, Sprucedale, Kingsville, Zurich, Haliburton, Birnam, Sombra, St. Mary's, Bognor, Beatrice, Novar, Chicoutimi, Alexandria, Swift Current.
- 15th, Lion's Head, Russell, Sunshine, Swift Current.
- 16th, Fort Ellice, Norquay, Selkirk, Richmond, Cotham, Rapid City, Portage la Prairie, Posen, Pictou, Fort Ellice, Truro, Alexandria.
- 17th, Hanlan, Treherne, Selkirk, Clandeboye, Joly, Whiteside, Eau Claire, Uplands, Presque Isle, Wiarton, Lion's Head, Burk's Falls, Rapid City, Kingsville, Portage la Prairie, Dorchester, N.B., Kilmahumaig, Posen, Oak Bank, Pictou, Coldwater, Truro, Winnipeg.
- 18th, Cotham, Sprucedale, Portage la Prairie, Bognor, Brome, Posen, Oak Bank, Chicoutimi, Lindsay, Alexandria.
- 10th, Clandeboye, Owen Sound, Pelee Island, Birnam, Sombra, Fort Ellice.
- 20th, Joly, Whiteside, Eau Claire, Wyoming, Presque Isle, Wiarton, Thedford, Burk's Falls, Cowal, Sprucedale, Kingsville, Paris, Zurich, Pelee Island, Birnam, Sombra, Ridgetown, Lucknow, Bognor, Point Clark, Egremont, Beatrice, Petrolea, Durham, Deseronto.
- 21st, Fau Claire, Toronto, Georgetown, Scarborough, Cayuga, Kingsville, Pelee Island, Sombra, Sharon, Brome, Chicoutimi, Conestogo, Durham, Nelson.
- 22nd, Cotham, Lion's Head.
- 23rd, Cotham, Russell, Novar.
- 24th, Treherne, Wyoming, Georgetown, Zurich, St. Hyacinthe, Posen, Egremont.
- 25th, Truro.
- 27th, Toronto, Sombra, Oak Bank.
- 28th, Pembina Crossing, Treherne, Selkirk, Richmond, Sharon, Brome, Alexandria, Descronto, Winnipeg.
- 20th, Pelce Island, Novar.
- 30th, Scarborough, Cowal, Kingsville, Owen Sound, Zurich, Birnam, Sombra, Ridgetown, Lucknow, Point Clark, Novar, Petrolea.
- 31st, Roseberry, Hillview, Pembina Crossing, Selkirk, Cotham, Toronto, Georgetown, St. Thomas, Ennismore, Cowal, Rapid City, Caynga, Russell, Birnam, Ridgetown, Gladstone, Lucknow, Elkhorn, St. Mary's, Point Clark, Posen, Egremont, Gravenhurst, Peterborough, Fort Ellice, Cottam, Coldwater, Durham.
 - Aurora recorded on
 - 1st, Coldwater, L.
- 2nd, Peterborough, IV; Cook's Mills, Posen, III; Russell, I; Savanne, Cotham, IV; Prince Albert, IV; Winnipeg.
- 3rd. Chicoutini, IV; Cook's Mills, Channel Island, III; Gravenhurst, II; Buda, Pembina Crossing, II; Dorchester, N.B., Pembina Crossing, II; Truro, IV; Alexandria, III; Port Arthur, III; Winnipeg.
- 4th. Posen, IV; Sydrey, III; Port Arthur, I; Winnipeg.
- 5th. Dorchester, N.B.
- 7th. Channel Island, IV; Hillview, Elkhorn, Alexandria, H1; Winnipeg.

- 8th. Pembina Crossing, IV.
- 9th. Oak Bank, IV; Posen, II; Hillview, Dorchester, N.B., Pembina Crossing, IV; Winnipeg.
- 10th. Oak Bank, IV; Hillview, Elkhorn, Russell, II; Pembina Crossing, I; Alexandria, III; Father Point, III; Winnipeg.
- 11th. Haliburton, Pembina Crossing, H.
- 12th. Channel Island, IV; Hillview, Pembina Crossing, III; Prince Albert, IV; Winnipeg.
- 13th. Gravenhurst, IV; Posen, I; Elkhorn, Russel, IV; Pembina Crossing, III; Prince Albert, III; Winnipeg.
- 14th. Channel Island, III; St. Albans, IV; Savanna, Pembina Crossing, III; Prince Albert, III; Winnipeg.
- 15th. Elkhorn, Cotham.
- 16th. Oak Bank, IV.
- 21st. Hillview, Russell, IV; Russell III; Winnipeg.
- 22nd. Fort Ellice, 11; Winnipeg.
- 26th. Novar, IV; Cape Chatte, Coldwater, I; Father Point, III.
- 27th. Russell, III; Medicine Hat, III; Edmonton, III.
- 28th. Portage Ia Prairie, Kingsville, I; Georgina, Rapid City, Russell, II; St. Albans, II; Elora, Channel Island, III; Oak Bank, IV; Egremont, IV; Posen, I; Stoney Creek, II; Point Clark, II; Cartier, I; Bognor, II; Sharon, IV; Elkhorn, Ridgetown, Sombra, II; Pelec Island.
- 29th. Peterborough, 11; Channel Island, 111; Gravenhurst, 111; Brandon, 1; Posen, 11; Hillview, Sharon, 111; Buda, Gladstone, Birnam, IV; Portage la Prairie, 1.
- 30th. Chicoutimi, IV; Fort-Ellice, II; Oak Bank, I; Gravenhurst, IV; Posen, I; Hillview, Russell, I; St. Albans, III; Cotham, IV; Pembina Crossing, II; Father Point, III; Qu'Appelle, I; Winnipeg.
- 31st. Chicoutimi, IV; Elkhorn, Savanna (very brilliant), Eau Claire, Pembina Crossing, III; Alexandria, III; Father Point, IV; Qu'Appelle, II; Port Arthur, I.
- 28th. Huntsville, Georgetown, IV; Cotham, II; Cartwright, Pembina Crossing, II; Galt, Winnipeg, Truro, III; Durham, II; Swift Current, I; Saugeen, IV; Prince Albert, III; Qu'Appelle, Kingston, III.
- 29th. Huntsville, Georgetown, 111; Eau Claire, Cotham, I; Cartwright, Pembina Crossing, I; Ou'Appelle, Winnipeg.
 - Coldwater, IV; Truro, IV; Lindsay, IV; Alexandria, II; Swift Current, 1; Edmonton, III. Frost recorded on-
- 6th. Digby.
- 19th. Banff (30°).
- 21st. Shoal Lake (29°), Craigilea, Barclay.
- 22nd. Fort Ellice (31°), Norquay, Hillview (ice), Cartwright, Pembina Crossing, Treherne, Craigilea, Banff (31°); Barclay, Russell (28°); Killarney, Stoney Mountain.
- 23rd. Norquay, Dominion City (29°), Oak Bank (29°), Barclay, Killarney.
- 25th. Roseberry, Cartwright (ice), St. Albans.
- 26th. Cartwright, Fort Ellice, Norquay, Pembina Crossing, Craigilea, Selkirk (29°), Clandeboye, Banff (31°), St. Albans, Russell (31°), Portage la Prairie, Gladstone, Buda, Killarney.
- 27th. Hanlan, Morden (ice), Fort Ellice (ice ½-in. thick), Hillview, Cartwright, Shoal Lake (25°), Treherne (25°), Dominion City (27°), Craigilea, Oak Bank (31°), Rathwell (29°), Gladstone (30°), Posen (30°), Russell (26°), Portage la Prairie (29°), Glen Adelaide, Buda, Killarney, Winnipeg (30°).
- 28th. Roseberry, Sarnia, Georgina, Buda.
- 29th. Beatrice, Gravenhurst, Uplands (ice), Burk's Falls, Scarborough, Thompson, Sprucedale, Bognor, Peterborough.
- 30th. Treherne (29°), Sprucedale, Portage la Prairie, Gladstone (31°).

							не	URS :	ENDI	NG						
	5 A. M.	6 A.M.	7 A.M.	8 A.M.	9 A.M.	10 A.M.	11 A.M.	NOON	1 P.M.	2 P.M.	3 P.M.	4 P.M.	5 P.M.	6 Р. М.	7 P.M.	9 P. M
Esquimart		0.05	0 10	0.61	0.67	0.73	0.74	0.77	0.76	0.51	0.78	0:78	0.75	0.59	0 07	
Indian Head		105	:30	150	60	.70	67	163	158	65	61	159	63	:51	-24	
Winnipeg	s.	210	501	:70	167	70	69	71	79	81	-79	-65	GH	162	-29	
Kingsville		103	41	166	78	7.1	68	-67	-77	-71	.76	73	. 57	16	-00	
Woodstock		08	:35	55	167	:65	-71	166	166	155	-63	-66	63	-31	. (16)	
Torongo,		05	-15	56	- 56	66	-67	70	.66	58	53	-51	50	52	19	
Lindsay,		12	:39	51	-63	63	165	162	61	i 159	51	-49	-30	-27	:30	s.
Barrie		11	.42	1.55	155	156	-54	:58	5I	55	155	60	-55	-50	-31	
Kingston	8.	-25	-51	.58	160	*62	-67	167	169	-65	65	159	153	33	15	
						,										
MONTREAL		13	.40	- 56	.62	:60	-65	71	70	72	-70	66	156	26		
Frederictor		11	- 3:3	41	51	:56	163	:61	-62	58	-56	-57	53	43	26	
SYDNEY		19	. 11	.46	-58	*66	-68	.65	158	161	·55	55	53	'47	20	(12
<u> </u>						· 	i 				 					
			Esquimalt.	INDIAN HEAD.	Winnipeg.	KINGSVILLE.	Woodstock.	TORONTO.	Lindsay.	BARRIE.	Kingston.			MONTREAL.	FREDKRICTON.	SYDNEY.
MEAN PROPORTION FOR MONTH(Constant smashine being 1.)			0.60	0.20	0-62	0.55	0:51	0.51	0.45	0 47	0.53			0.58	0.45	0.21
MAXIMUM DAILY AMOUNT			0.86	0.87	0.93	0.85	0.86	0.89	0.50	0.91	, 1 00			0.08	0:97	0.95
Datь			27	30	14	25	25	25	19	19	18		İ	19	19	5
No. of Days Completely Clouded			3	0	0	. 1	1	1	2	1	3			1	3	0

STORM WARNINGS.

During the month warnings on the approach of one storm were issued to our agents, and cautionary signals duly displayed at the various signal stations. The total number of warnings issued was 41, of which 14, or 341 per cent., were verified. At one station, however, the force exceeded that indicated by the signal displayed; three stations reported warnings received late, owing to delay, and two stations reported a storm for which no warning was sent.

In connection with the warnings, predictions as to probable direction of the winds were given, and of the 14 warnings verified as to force, 13, or 929 per cent., were fully verified.

No. 1. At 9.30 p. m. on the 27th, owing to the development of a depression over the Lake Region, the west cone was ordered for Port Colborne, on Lake Erie, and also for all Lake Ontario stations, and early next day a moderate gale prevailed generally from the westward at all places warned. At 10 a.m. on the 28th, cautionary signals for a moderate storm were further extended to the stations in the St. Lawrence and Ocean districts, the depression being then situated over the Ottawa Valley. Afterwards, however, it quickly dispersed, and except at Father Point, where 48 miles an hour occurred, no storm was elsewhere felt. Signals were lowered on the night of the 28th.

PROBABILITIES.

The probabilities issued by this office at 11 p. m. each evening are posted up at every telegraph station in Canada, and are for the 24 hours beginning at 8 a. m.

	No.	VERIFIED.									
DISTRICT.	Issued.	No. Fully.	No. Partly.	No. Not.	Percentage.						
Manitoba	96	78	11	7	87.0						
Lower Lake Region	105	89	10	6	8915						
UPPER St. LAWRENCE	97	. 75	17	5	861						
LOWER ST. LAWRENCE.	96	72	12	12	81.2						
GULF	93	62	18	13 .	7613						
Maritime Provinces	92	68	15	9	82/1						
Тотац	579	444	83	52	83.8						

The percentage of verification is obtained by taking the sum of those fully verified and half the sum of those partly verified and dividing by the whole number.

In ascertaining the percentage of verification of the predictions the reports from the agents at the "Probability Stations," as well as the telegraphic reports, are used.

The daily probabilities were issued by Probability Officer R. F. Stupart.

TORONTO OBSERVATORY—MAGNETIC REVIEW FOR AUGUST, 1891.

The magnets were comparatively steady until the morning of the 2nd when a slight disturbance set in which became more marked during the evening, an easterly extreme occurring at 7.10 p. m. The magnet then gradually regained its normal reading after which it remained considerably quieter until after midnight when the movements again increased. A gradual increase of westerly declination is shown between midnight and 1.40 a. m. of the 3rd when the westerly movement was considerably accelerated, culminating in a well marked westerly extreme at 2.03 a.m. Another westerly extreme was recorded at 5.25 a. m. After 6 a.m. the disturbance became less active but was visible up to the morning of the 5th. On the 8th a slight disturbance prevailed. The diurnal curve of declination was well marked on the morning of the 9th, and on this night the magnets were slightly disturbed. From the 10th to the 17th the magnets were seldom at rest, slight disturbance being shown especially during the night and morning hours. A quiet period then followed, lasting up to the afternoon of the 19th when the magnets became slightly disturbed but quieted down on the afternoon of the 20th.

A rapid increase of westerly declination is shown on the mornings of the 21st and 23rd and some sharp oscillations between 5 and 6 p. m. of the 21st. From the afternoon of the 22nd to the evening of the 28th the magnets were moving very regularly. On the 28th, at 8.35 p. m., an important disturbance began, the declination magnet at first moving slowly east, the extreme being reached at 9.25 p. m. It then trended west, attaining its westerly extreme at 11.10 p. m. A sharp vibration then commenced, after which it turned east, a second minimum being recorded at 11.45 p.m. All morning of the 29th the disturbance was active, notably between 3.30 and 4.10 a.m., another marked westerly maximum taking place at the latter hour. Both forces were generally decreased during this disturbance. The horizontal component began to diminish after 8 p.m. of the 28th and continued so until 11.33 p.m. A recovery then set in and by 3 a.m. the magnet was at its normal reading. On the evening of the 29th the movements again increased. A double easterly minimum was shown at 6.45 and 9.40 p.m. After 10.15 p.m. the disturbance became less active but the magnets continued unsteady to the end of the month.

Auroral light was observed on the 10th (Class III), on the 13th (Class IV), on the 28th auroral arch and streamers, varying from Class II to Class IV, and faint auroral light on the 20th. On the 1st, 2nd, 3rd, 4th, 5th, 6th, 7th, 11th, 12th, 15th, 16th, 17th, 18th, 19th, 21st, 24th, 25th, 20th and 31st the sky was clear but no aurora was observed. On all other nights clouds or haze would have hidden any aurora which might have existed.

CHARLES CARPMAEL,

Director.

METFOROLOGICAL OFFICE,

Toronro, October 12th, 1891.

METEOROLOGICAL SERVICE, DOMINION OF CANADA.

Monthly Werther Review.

SEPTEMBER, 1891.

INTRODUCTION.

In compiling the present Review the principal data made use of are the telegraphic reports of observations received at this office for the purpose of weather predictions, and the reports of storms received by mail. For the material used in tracing the courses of areas of high and low pressure in the United States, we are indebted to the Chief of the Weather Bureau, Washington, D.C.

ATMOSPHERIC PRESSURE.

The average pressure, as determined from the observations taken at telegraph reporting stations was slightly below the normal from Port Arthur westward, and above the normal at all other stations.

September was chiefly remarkable for the long continuance of very warm weather in Ontario and Quebec, and for the prevalence of the anticyclonic distribution of pressure in the eastern half of the continent. A noticeable feature of the month also, was the passage of the severe storm over the Maritime Provinces during the evening and night of the 7th.

The month opened with a shallow depression situated over Manitoba, and with anticyclonic conditions covering the other portions of the continent, the highest pressure being over our Rocky Mountain slope. The weather was inclined to be showery in Manitoba as well as in parts of the St. Lawrence valley, and along the Nova Scotian coast, elsewhere it was generally fair; temperature was about its average, and the winds varied between light and fresh.

The depression as it passed into the Lake Region between the 1st and 2nd, at first increased somewhat in energy, but soon again decreased, and during the 3rd and 4th, travelled the St. Lawrence Valley as a very minor disturbance. Owing to its influence showers or thunderstorms occurred in nearly all localities from the Lakes to the Atlantic, and in some parts of the Georgian Bay the wind for a time increased to a moderate gale.

The passage of a disturbance from British Columbia over the Territories and Manitoba between the 3rd and 5th, was attended by strong southerly and westerly winds, but apparently no rain fell. The disturbance dispersed after leaving Manitoba.

The movement on the 5th, of a shallow depression from the southward to the Lake Region, gave heavy rains. At night these spread to the Upper St. Lawrence Villey, and on the 6th, as the depression passed to the Gulf, it rained heavily in Quebec and the Maritime Provinces.

On the evening of the 7th, a storm of great importance, seemingly a West India hurricane, moved on to the Nova Scotian coast from the Atlantic. This storm travelled a long way off the American coast, and gave practically no warning of its approach. Its effect in the Maritime Provinces was to cause, during the evening and night of the 7th, a disastrons gale from the south-east, veering to the westward, attended by a great downpour of rain; over four inches was recorded in some places; much damage was done both on land and at sea, the fishing fleet suffered severely, and many lives were lost. The storm centre travelled very fast, and by eight a.m., on the 8th, it had reached the Straits of Belle Isle.

The anticyclonic distribution of pressure, which prior to the passage of the storm over the Maritime Provinces, had existed for several days in our North West, accompanied by fine warm weather, spread between the 7th and 8th to the Lake Region and as far as the Atlantic Coast, its accompanying fine weather being everywhere experienced. Exentually, however, it gave way to the passage of two shallow depressions from the North West.

The first of these depressions brought local showers and thunderstorms in Ontario on the night of the 12th; on the following day in Onebec, and on the 14th in the Maritime Provinces. The second depression caused showers in Ontario on the night of the 14th, and during the 15th.

On the 18th a moderately deep disturbance, which apparently originated in the first place over the West and North-West States, travelled with rapidity from Lake Superior and over the St. Lawrence Valley to the Gulf. It gave a few local thunderstorms in the Lake Region, and showers and thunderstorms generally in Quebec and the Maritime Provinces, as well as a moderate southerly to westerly gale in many portions of the Gulf.

The fine weather then again asserted itself from the Lakes to the Atlantic, and afterwards, until nearly the end of the month, a period of very fine weather was experienced, interrupted however in the St. Lawrence Valley and the Gulf, by some showers on the 21st and again on the 24th and 25th. The distribution of presssure was almost entirely anticyclonic, and the heat in Ontario was as a rule excessive, maxima of over 80° were daily recorded from the 20th to the 28th, inclusive, and the nights were very close. In Quebec it was also as a rule very warm, and in the Maritime Provinces, although the heat was not so marked as elsewhere, the temperature was for the most part above the average. The winds were strong in the St. Lawrence Valley and the Gulf on the 25th, with this exception they were, during this protracted interval, light or moderate in all districts.

A moderately deep disturbance which in the first place had passed over the North-West and Manitoba, traversed on the 29th the Lakes and St. Lawrence districts to the Gulf, and taken in connection with an important anticyclone which developed in its rear, caused strong winds and gales from the south veering to the west and north in Ontario and Quebec, together with showers and thunderstorms and a change to much cooler weather. In the Maritime Provinces, also, the winds were fresh to strong, and there were some local showers, and a change to cooler weather.

The 30th, from the Lakes to the Atlantic, was a fine pleasant day attended by pressure much above the average.

In the North-West Territories and Manitoba from the 7th and until the end of the month the distribution of pressure was almost entirely cyclonic; depressions, mostly from the Pacific, followed one another in quick succession; many of these were moderately deep when passing over the country, but they usually became dispersed after leaving Manitoba. The weather was very unsettled, showers and thunderstorms were almost of daily occurrence, and the winds often increased to strong breezes or gales. On the 8th and 9th, maxima of 94° were experienced in some localities, and between the 17th and 19th 94° was again recorded. Frost occurred in the Rocky Mountain slope on the 11th, and in all districts from the 26th, until the 30th. Snow fell in most places between the 28th and 30th.

TEMPERATURE.

The average temperature has been generally from 2° to 7° above the normal throughout the Dominion.

The highest and lowest temperatures in each Province during September were:

British Columbia, 93°0 on 5th, at Griffin Lake; 25°0 on 28th and 30th at Barkerville.

N. W. Territories, 94° o on 9th, at Medicine Hat; 24° 4 on 20th, at Calgary.

Manitoba, 94° o on 19th, at St. Albans; 12° o on 13th, at Fort Ellice.

Ontario, 04° o on 25th, at Peterborough; 24° 7 on 14th, at White River.

Ouebec, 86° to on 25th, at St. Hyacinthe; 32° to on 9th, at Brome.

New Brunswick, 85° to on 25th, at Bathurst; 26° to on 20th, at Dalhousie.

Nova Scotia, 80°0 on 12th, at Halifax; 31°0 on 24th, at Truro.

P. E. Island, 80°0 on 25th, at Georgetown; 35°4 on 22nd, at Kilmahumaig.

Erratum.— From the 1st March to end of July, 1801, through an error in measurement double the quantity of rain that actually fell, has been recorded at Stony Mountain, Manitoba.

PRESSURE, TEMPERATURE, WIND AND PRECIPITATION AT STATIONS IN THE DOMINION OF CANADA, SEPTEMBER, 1891.

PRECIPITATION.	Amount. Diff. from average. Zo, of days. No. of fair days. No. of Thunderst Xo. of Thunderst Xo. of Thunderst		1.14 : 0.43 6.24 4 0 0	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0.56 -0.30.15.15.4 0 0 1.90 +0.72 +4.56 0 0 0.77 -0.34 327 0 0 0 0.08 -1199 0 0 0 0.43 -1199 0 0	0.613.02 8.22 5 2 2 0.06 -4.28 7.23	1.09 —0.05 12 18 6 0 0 2.20 —0.02 15 15 14 16 6 0.77 —1 61 5.25 4 2 0 1 89 —0.26 6.54 0 0	0.21 —1.73 10.20 3 3 0 1.23 —0.14 10.20 6 4 0 2.26 —0.41 15 15 4 8 0 1.02 —0.28 4 26 3 2 1		118 -1 07 7 23 1 5 0 120 -2 70 921 6 7 0 120 -1 129	5-69 3-26 733 0 1 0 4-39 1-5 16 14	2.350.37 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1.22 +0.59 11 19 3 4 2 1.52 +2.01 8 52 6 1 2 1.93 +0.91 8 52 6 3 4	2-71 —0-17 921 0 3 0 1-80 —1-22 723 0 3 0 2-26 —1-73 9 4 5 3 0
VELOCITY OF WIND.	Highest days velocity. Date and direc- tion.	į.	WS 11 0.20	19-3 10 NW 20 0 12 W	25.0 11 N	45 · 0 12 W	22 7 12 W 28 3 12NW	v 11 W	1 1 NW N 205 NW			11.6 12 E 29.0 20 NE 26.0 25 W	7 28.8 25.0 29.8 Weg	
Veloc	Mean, miles per hour.					ж. 9	17.8		- = ! !				= x	
	Tedmin lateT , t'edo lo		3 &	 E E E	8 388		5 9	B R E	35	3.5	E E E E	1888	: (2, 2, 1)	
ROM		-	9 B 9 D	:515 :515	0 4-1-4 11 - 11 - 11		2 2 2		=======================================	_ : :	8-1281 8-1281	5 T 4 T	- 9	
VIND F	M. W.	=	17	w 22 t-	51 d 1- 5. 5.1-		48 24		5 - II	92 ::	24 a 2 a 2 a 2 a 2 a 2 a 2 a 2 a 2 a 2 a		2 2 2	
DIRECTION OF WIND FROM	<i>M</i> 8		2.± 3.±	12 22	9 wee		615 55 51 51 51 51 51 51 51 51 51 51 51 51 51 5	T : : T.	7 °	0 21 :	*** ** ** ** ** ** ** ** ** ** ** ** **	indi indi	55 55 55 55 56 55	
ECTIO	8. E.		- ::	7.49	1 48.8		97 99	F 1557	10 to 1		ာမှာထက		in te	
Ъпк	E'		÷ 61 - 20 - 20		8 1000		38 4 c	; •	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- in the second		?	0 21	
	. X	- 4	00		5 10 = -			- <u> </u>	===		2021-7	21 = 20 21 T	15.5	
Jetely	Zo. of days comp thebreds	-	.0		- = -	-	71- 2	o	= = ! !		i in	21-21	::=	i i i
.buole	Mean amount of	4.5		7 0	(a) (b) -#	7	6= -		40				+ n	
	Mean temperatur dewpoint Mean relative U dity						82 5.06							
	Mean daily range. Orentest daily range.	9 0 0.	0.22.5.35.0	27 × 26-2 26 4 + 25-6	20-143-6 28-746-0 30-744-7 30-243-0	26.5 41.7	200 200 200 200 200 200 200 200 200 200	23.4 50.0 24.6 50.0 24.6 50.0 29.4 50.0	8.50 8.50 8.50 8.50 8.50 8.50 8.50 8.50	0.15 T. 21 0.15 T. 21	11.14	10 40 4 10 40 5 10 5 10 5 10 5 10 5 10 5 10 5 10 5 1		9. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
IR.	Dafe.	9	5 17 22	883	35555	157	គ្រីកិត្តិតិ		aaaa	7 7	3884) 3000	inaar i	880	Ex.
E OF A	Lowest.	a 5	8.85	### ####	0.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7	22.8		94777 13881	25 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	556 568	= 8 H H	1 7 7 7 7 1 7 6 7 5	57.5	9 P 7
NATER	.ehrte.	=	t. 1-	:	X 2: 1- 2: X	===	11111			m m m m	FF85]	ารสภา เกล	555	\$ 1 7 7 1 T
TEMPERATURE OF	Tents observt. Highest,	3	0.15.0 c	1-17.7	**************************************	5 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	2		:1 :1	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7			0.50	7 7 7 2 7 7
	-тэув шоті ЛіН годн	9 "	- ÷	+ 1	: : : : : : : : : : : : : : : : : : : :	71 A	च्या चित	et is enteris	+	+	-16-67	i de di sala	533	1 - 12
	Menn.				######################################	5.7 7.7 7.7 7.7 7.7		##500 800000	12 12 13 13 13 13 13 13 13 13 13 13 13 13 13	858	ā ā ā ā i		A G A	
	Tange		10.1	12 g	0.02		7. A 1 18				1 1/2		=	
Pressure in inches	teamort	in.	1.4 1.5	\$ 45 181-43 181-43			38 15						8	
IE IN	tead gill	.8		100 S 100 S										
E SEST	БээнБэт инэК	ž ž	7 E 6 E		7 7		7. 7							
-	Mean actual.	Ē						17:11:		: :			1	
		Assimonation	Edmonton	Maple Creek, Swift Current Qu'Appelle	Ottorion Prince Abert. Regun Cal_aty Prince in Eartleto d	Cotham Gien Adriante	Maxatowas: Microst say Wishington and Paraphine and Paraph	Kost. V Arabas. Test Oster. Oster. Karl 1998.	Part 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	· Very State of the state of th	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	platers Declaration of Extra estimate	Mean sola was mana Market sola was mana Market sola was mana mana mana mana mana mana mana ma

PRESSURE, TEMPERATURE, WIND AND PRECIPITATION, &c.,—Continued.

810.10	Zo of thir days. Zo of Anrocas. Zo of Thunder st Zo of Fogs.	!	G	n ·	+ n m = c	7 © 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	E 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	9 51 51 SI	20 m		: 0 : 0 : 0 : 0 : 0 : 0 : 0	0 5 3	0 : 0 : 0 : 0 : 0 : 0 : 0 : 0 : 0 : 0 :	- 0 111 113 130 131		1	# T 77 %	۵: ۵: ۵:			: : : : : : : : : : : : : : : : : : : :	9 9 9 21:	0 0 0	E	- : - : - :	1150 1100 1100 1100	1 2 1 2	TES OTT SPE	6 6 1 6 2 7 1 2		0 0 0 2	= 1 0 7 0 7	- c - c - c	9 77 9 74 8 71	0 0 0 0	च ० - २	0 f 0 f 0 f 0 f 0 f	9 7 7	4 2 0	0 17 18 18 18 18 18 18 18 18 18 18 18 18 18
fATION.	Diff from aver-	. <u> </u>	7 87 Q	0.15	19.7 19.7 19.7	1.08.17	1 × 10 × 10 × 10 × 10 × 10 × 10 × 10 ×		1-11 73	5 5 5 T		107 107	0.00	77 XI-0	37 8.7	- To-0	7512 =	지는 하는			19 27.0		5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	- #5-7	01.00	2.03.	7.45	1 11 6 2	12			77	7. i	51.51.1		1.50	3 S	7 X Y	100	7× 9 =	0.17 10 2
Precipitation	Amount.	in.	1.24	1 3 3	19.7	185	 - 	 	2:22] []	1 3 3	11.4	 1 1 1 1	1 3 3	 	10.1	9-5	- X		113		 [일]	1 1 1 3 -	1 25 -	1 :8:1 :		1 61		1 5 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	- : 13 : 43	1.63	-: 	= = :	 	1.55	_ = :	 	: : : :	1.33	2
WIND.	Pate and direction.			MN 67	5 81	± 177					:			:	.,(, 11	17.81		:	:				:		:	:	2			5	.M 67	Z.		<u>x</u>	1 X 6 5		ヨスヨ	:	76 76 76	:	
VELOCITY OF WIND	synfi tsofigitt Tripolov			۲ ;	5	15.0		-			:		:	:	10.52	- - -											1		7,000	0.2	1	11		x :::	5.05		2		11.7		
ЛЕГО	Mean, miles per mont.			Delen.	-			=						:		= =	:						:			:				· ·	=			::	1-		=		=		
	Total number of hours.	ı	: :	3.3	R	Ξ.	::3	2	:	:		ā	:	:	9	95	60	:	5,		9.	į	3.	95	:	:	3		3 3	Ē	00	Ę	:	£ 9	3 3	:	96	:	96	i	: :
коя	(, ·			H 4	2 2 7	21.5	13	2	•		5 5	- -		:		5 O	- 61	:	0			:	0	÷ =		:	: 00		0 :	î⊊ tiz	8	÷		I 3	2 23 3 15		:1 1-		51	:	
WIND FROM	X' IL' IL'			# 2 # 2	12	1		7.	:		1		:	-	- 0	4 = 3 =	I		φ.		: : 61	-	·=	-		:	12	: :		3 I		2 2		5 ' 3 '	- 1 -		= 1	:	1 24		
F WI	S. W.			1:	ے ت	70	:	7		- : :	3	15	:	:	1 1 7	3 3	·	:	39	:		:	9	17	-	:	:	· :	÷ :	3 2	: +2	0	-	· _	3 0		£.	:		:	
Виветном ов	.8			21.3	<u> </u>	1 =	1	•	:		1	13	:	:	: 2	<u> </u>	0.1	:	21		1-	:	=	-	:	:	÷		1 7	9 5	12	l =	:	÷.	- 17		9	:	Ξ	:	
RECT	N S			0.0	e E	: -	17	4 ::	-		د د	51		-		- :	. I =	-	2		: 00 : t=	:	=	-		:	i a	:		i i		-1	- 1	2) - 2) -) e1		e:	:	-	:	
Di	E'	-	: :	÷ :	1 00	-	1	7			3	9		1	: -	- 	-7*	- 1	- -	:	-	:	x	: 2	:	:	: : x	. ::	21 2	3 5		0	- :	<u>ر</u> د	<u> </u>	:	0	:	: : -	:	
	χ.	1		11:	- 6	: =		;		. :	=	: :	:	:	10	. 1-	21	:	î 1		:=	:	0	=======================================		:	1		÷. §	÷ =	. 3	÷	-	77.	: =1	:	23	:	: : ^1	:	
Aletote	Imos synb to oX		: :		-	=	: 9	= ;		:	:		:	:		٦ -	· · ·	:	;	- :	1 🖘	:	:		:	:	: -	•	: "	٦ 5	-	7.1	:	= :	: =	:	Φ	:	-	i	
	Меан атночит об			က:	כי	7	-	9		:					-	0 0	120		1	1	: : 1								-	7 🕏	ı —	ಣ		:1-	T 10		7		**	:	<u> </u>
	Menn temperatur dewpoint. Mean relative III dity.	1		:						:				:	100	2														00 000		:	:		20 1- 21 20 10 10		92 ± 150				
	range. Timb teatearD Tange.		5.18 17	F. 72. T.	0.691	9.5	0.98 s.	999	0 11 0 11 0	F.98.0.	5.6%		© 82 €.	6 17 17 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	9 7 7 7 T	30.00	0.502.	0.098.			9.08 5.				5 30.1	9.43	n. Fg 1.	$-1.37 \cdot 0$	1.00	5.00 6.12 - 4.13	5 39.5	431.0	0.57.9.	01 - 01 - 01 - 02 -	7 (C) 2 (C) 7 (C)	15		2 2 2 2	13:4:2	0.194.	+ 4 ,
	Mean daily	3	: 5 : 2	71 7	; ;	: Si - Io	ia a a	: 71 : 2	6	9 a :	: =	=	<u>35</u> ,	7 E	in i	17	£,	97 =		1.5	137	:	: 55 = 6		95	h. e e		77	2 2		7	500	<u>x</u> :	x :	5 2) 5 45	22	57 t	i. Se	16	5) 7	58
AIR.	uls(I			= =	-		e e	: =	20	io:	e ri	: 	Φ.	17. 0	l Se e	: e:	- 77	:: = :	n :		+ 13 : =	:	ನ್ನಾನ ====	: ::	_	n : :	: J.	5. (5.	no a m=s	om Se	y.	=	.c.	a -	· ·	75. To		 			
TEMPERATURE OF	Lowest	, ,	33.			13 13		1 in	198 - 19) 	- X	177 97	135 ×	× + 2	3 5	100	· A	Ē	77. 23.1	7 6	18		4 5	19	51.	7 T	19	E :	000	155	1.5	.88. 9	4.		7.56 2.67 2.67 2.67	. 25 96	r. 88	a is	15	55 E	01 0.80 0.12 0.00 0.00 0.00 0.00 0.00 0.00 0.0
ERAT	Date.	1	:			+																	-			- ·						-			, -			· ·			. ~
ТемР	Years observe. Thy hest.	•	178	6. [S 6] 1. t		11488.0	3 10 90 n	5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		7. 完 .		33	Ξ.	1	11.11.11.11.11.11.11.11.11.11.11.11.11.) i = x	2 07 11 5.1	1221	9 : 22 : 1	- 28 c.	0.18		1	7 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	5 857	::: ::::::::::::::::::::::::::::::::::	7 5 5	6.45% 0 11 9	7.63	5 2	3-11130.6	5.0% ST 0.1	: : : : : : : : : : : : : : : : : : :	1.00 m m = 0	- 52 - 12 - 12	0.82.		ΞΞ.).(ž. T	E.	
	Diff from aver-	٥	:				:: . 	 [1		5 / 3 :				57						: 1 -	:	en te de d			,	:	- 1	-				:						-		+
	$m_{i^{*}}K$	5	1.5					3 23		77.7		19					0.00	17			6.00						*						9	3 5		1.79		3 3	× 3	9	9.63
ý.	Вапус.					: i ¹ ±				:					12.0		122 ()	:											20.0		6.0	:		10.0	: :	:	:- =				
Netle	Lowest.					- 5			:						1	16 15	18.15		:			:							10.14	}	08.45	:	:	12.15	1.5		3				
PRESSURE IN INCHES	Highest.			:		東部記憶	:			:				:	14.05	13 13	51 E	:				:							21. 0.		30.11 30.45 29.80 0.65		:	62.66.30 02.01.03	81.45.01.01.01		30.45				
18/31	Mean reduced	11.				= = = = = = = = = = = = = = = = = = = =	:		:					1	7	11/2	11 93	:	:				:		:			:	11 15		:0:11	:	:	0[.18	1 :- 0:		 		:	:	
Pa	Івитэн инэК														:	ST 55 05 15 55 11111						:	:						30 0 50 13, E5 0. [1 48.							:			:		
		ONTARIO—Continue I.	Coldwater	Beatries	Net H. Duere	Enchille.	· Point (That	St. Visitor	1	Lucktow		** offile	Paint Palee	Nangsvalle	Wandstork	Lengen	Port Stanley.	Dimittord	VI Greater		Election	Callt	Scall ve Main	The transmitter	Sombra	Cond. Will's	Money Confi	Georgina	Powerth	A 1 ton.	Lindsay	Verwood	Collaby wood	Kington	Ottawa	Lakefield	Alexandrate	Peterborongh	Panereft	Haliburton	Conestogo

1 0 0 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0	001 1-00	050xxx 0-000000		- 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2			
22222 22222 22222 22222 22222 22222 2222	3 E E E E E E E E E E E E E E E E E E E			2040404	x - 51 0		
9.65	1 + 1 · 2 · 8 · 8 · 8 · 8 · 8 · 8 · 8 · 8 · 8		1 - 1	- 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	77.0	0 ::-	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
3.97 1.55 0.50 7.11.20		2422222 252222 2622222 2622222 262222 2622 2622 26222 26222 26222 26222 26222 26222 26222 26222 26222 26222 2622 2622 26222 26222 26222 26222 26222 26222 2622 2622 26222 2622 2622 2622 26222 26222 26222 26222 26222 2622 2622 2622 2622 2622 26222	2	5255555 5255555	3 E	70.7	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
N F	25 SW 25 SW 30 SW	M S 65	30 NW 25 SW	25 NW 26 NW 27 NW 25 NW 25 NW 25 NW	8 SW 21 W		· 3
± ± ±		1- ÷	16.6 15.3 11. 21.0 19.3 13.9	12.0 13.1 13.1 17.	71 % 71 %		8.5
				1 = = 1			
0 0 0	0.72 2.73	- 0 011- 01 + 2 C	100 000 000 000 000 000 000 000 000 000	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	e 5		£1
	S = = = = = = = = = = = = = = = = = = =		21-000000 X	11 H to 81 + to 5 11 H to 81 + to 5 11 H to 11 H to 12	27 - 29		#
1	7128 21 12 12 12 12 12 12 12 12 12 12 12 12	2000 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	20142-9 : c	- <u>2852882</u>	= =		Φ : ::::::::::::::::::::::::::::::::::
7 22 17	8 1 - 2			21 21 21 22 22 23	- 12 12		36. 17
0 -	32 32 0 24 0 7		######################################	######################################	- in	111	7
	.g = n			manana manana	ल हा हर्		;;
2 1 2	च चित्रक	4 4 0 - 2 0		(2)(2)(2)(2)(2)	is is	F	9 12
¥ 3	n [] []		7 10 11 X 11 X 1 X 1 X 1 X 1 X 1 X 1 X 1	÷			3 3
35-7 59-1	88 88 88 8 9 8 9 9 8 8 8 8 8 8 8 8 8 8 8		1	25 1 1 1 1 1 1 1 1 1	9.27	34.9	25 4 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
6 75		183 H		X X 10 3 10 1 1 1 2 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3	2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	5 in	
75 A	88 222	<u>i</u>	285285558	######################################	<u> </u>		
18.8 18.8 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6	41 F F F F F F F F F F F F F F F F F F F	8888444468 6659656		8888448 8688448	F F F F F F F F F F F F F F F F F F F	700	######################################
28.0 28.2 18.0 5.2 18.0 5.3	- 55 1555 - 55 1555	128988888 1299839 1299839	9999977799 507757779	22×2270 220272	5) (- 1- 7)	552	
0.1 × 0.1 ×	62.9 — 3.6.17.83.5 64.6	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	######################################		Ξ. :	70 8 77 78 77 77 77 77 77 77 77 77 77 77 7	
	64.6 64.6 64.6 64.6 64.6 64.6 64.6 64.6	2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$2500808002 \$45050505050		/ / / / / / / / / / / / / / / / / / /	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	22.42.23.2 22.42.23.2
			88787 BB	8686568 5556 111			
75-10 08 12 22 20 90 92 52 18 19 15 15 15 15 15 15 15 15 15 15 15 15 15			88357 FR 11 88357 FR	27-2	+	\$100 0007 5700 2000	
5 75 8 8 8	Strong 30 47 29 73 20 73 20 73	01-05 State (00-05)	######				
8 8		Bases and a second					
Heron Eay Petrolia. Shannonville Little Forks.	Auntreal. St. Byancinthe. Richeval. Richmond Chicontini.	Grindstone Brome Lather Point Tour ate Monts. Cape Chatte not quet. Cape Magdalene Antresett, H. P.	New Bix Seeda in Charles of the Char				
Heron Eay Petalia. Shannonville Little Forks.		Magalan	Ew Bit Seaton. Production Contribution. Seaton Seaton. Constitutions		:	N POST OF THE PARTY OF THE PART	
Petrol Marie Ma Marie Ma Marie Marie Marie Marie Marie Marie Ma Ma Ma Ma Ma Ma Ma Ma Ma Ma Ma Ma Ma	Montre Montre Zi. Hy Robers Chicon			74	14 1 E		

RESULTS OF OBSERVATIONS at Spence's Bridge, B.C., during 4891, Lat. 50° e25 N., Long, 123° 30 W., Height above Sca 770 Feet.

10 10 10 10 10 10 10 10
10. c c c c c c c c c
1105 22.81 62.0 12.0 10.95 15.75 13.15 15.0 15.5 15.
1294 1971 410 0.0 2843 1230 1604 253 152 75 1037 1047 1048
1034 3235 7840 10 4832 2840 2242 310 2655 50 10 10 10 10 10 10 10 10 10 10 10 10 10
1076 22 55 73 0 29 0 61 11 35 00 25 51 29 0 51 9 52 10 17 10 1
0.773 63.01 97.0 36.0 79.30 47.37 32.13 18.0 42.1 47 0.000 63.91 85.0 41.0 77.95 32.14 21.81 35.0 48.0 57
0.006 03.91 85.0 41.0 77.95 33.14 21.81 85.0 48.0 57
0 St 195 0 S
99 786 0 689 72 39 96 0 ST 13 55 39 25 T4 46 0 56 8 56 0
20045 145 0071 910 300 7200 5090 2110 380 324 01 0

STATIONS RECEIVED TOO LATE FOR AUGUST REVIEW.

PROVINCE.	STATION.		H _{IG} TEMPER	HEST ATURE.	Low Temper	EST ATURE.	Ркьстріт.	ATION.	Auroras.	THUNDER
		Темр.	Темр.	Date.	Temp.	Date.	Amount.	Days.		STORMS.
		o	o		0		in.			
British Columbia	Keremeos		91-3	23			0.75	5		
N. W. Territories	Regina	60-71	86:5	4	36-0	27	1 25	7		2, 6, 7, %
Manitoba	Lake Dauphin	64-65	92.0	7	3I 0	26	1 00	7		5.
Ontario	Alton	63-59	85.7	8	38 5	20	5.60	10		8,9, 10, 11, 21, 24, 31
	Wanstead	66-65	93-0	9	40 a	20)	4195	~		
	GueIրh	65:10	93-9	9	41 1	28	3 96	10		

Lake Dauphin rainfall on 3rd, 125 in.; on 7th, 200 in.; at Alton, Ont., 3'45 in. of rain fell on 9th; at Guelph, 2'25 in. fell on 9th.

PRECIPITATION.

The rainfall in Ontario, Quebec and Manitoba has been below the average; in the other Provinces it has exceeded the average, the excess being greatest in British Columbia. The excess in the Maritime Provinces was mainly caused by a heavy downpour during the passage of a depression originating in the West Indies. During this storm at Point Escuminac 2:71 in, fell, Pictou, 2:15 in.; Point Lepreaux, 2:90 in.; St. John, 1:92 in.; Truro, 2:60 in.; Kilmahumaig, 1:90.; Dorchester, 2:29 in.; Georgetown, 2:21 in.; Fredericton, 1.55 in.; Grindstone, 4:64 in.; Chatham, 1:20 in.; Digby, 4:80 in.; Charlottetown, 3:57.

The general distribution is as fellows:—

In British Columbia the rainfall was 5'04 in., or 3'46 above the average.

In the North-West Territories the rainfall was 0.92 in., or about 0.17 in. above the average.

In Manitora the rainfall was 141 in., or 030 below the average.

In Ontario, West and South-West District it was 2.22 in.; or 0.60 in. below the average. In the North and North-West district it was 2.34 in., on 1.35 in. below the average. In the Central District it was 2.07 in. or 0.59 in. below the average; and in the East and North-East Districts it was 1.48 in., or 1.45 in. below the average.

In Quebec it was 2.53 in. or 0.71 in. below the average.

In New Brunswick it was 3:46 in., or 0:52 in. above the average.

In Nova Scotta it was 407 in., or 080 in. above the average.

In Prince Edward Island it was 4.41 in., or 150 in above the average.

Rainfail 5 in. and upwards during month :-

British Columbia, Agassiz, 7/83 in.; Port Moody, 8/59 in.; Abbottsford, 8/98 in.; Griffin's Lake, 6,52 in.

ONTARIO. - Little Forks, 1120 in.; Ignace, 569 in.

QUEBEC Grindstone, 571 in.

NEW BRUNSWICK Dorchester, 5'31 in,

Nova Scotta- Yarmouth, 5:55 in.; Digby, 7:90 in.

Prince Edward Isrand Charlottetown, 500 in.

Векмира, 8 91 ін.

Rainfall 1 inch and upwards in 21 hours:

ist, Richmond, 100 in.; Barclay, 100.

2nd, Port Hastings, 2 47 in.

3rd, Dorchester, 156 in.; Sydney, 151 in.; Little Forks, 250 in.

5th, Alton, 156 in.; Bancroft, 111 in.; Stoney Creek, 127 in.; Winona, 102 in.; Raleigh, 1120 in.; Wiarton, 100 in.; Blenheim, 1134 in.; Acton, 1108 in.; Burk's Lalls, 1100 in.; Orangeville, 1132 in.; Georgetown, 1120 in.; Ignace, 1125 in. Sombra, 1107 in.

6th Port Hope, 1/60 in.; Fergus, 1/48 in.; Lakefield, 1/25 in.; Clontarf, 1/17 in.; Peterboro', 1/10 in.; Elora, 1/09 in.; Conestogo, 1/03 in.

7th, Port Escuminae, 1/30 in.; Glastonbury, 1/90 in.; Pictou, 2/45 in.; Point Lepreaux, 2/90 in.; St. John, 1/92 in.; Truro, 1/22 in.; Grindstone, 1/58 in.

8th, Grindstone, 306 in.; Point Escuminac, 1.41 in.; Kilmahamaig, 100 in.; Dorchester, 220 in.;

Georgetown, P.E.L. 2/21 in.; Digby, 4/80 in.; Fredericton, 1/55 in.; Truro, 1/38 in.; Charlottetown, 3/57 in.; Chatham, 1/20 in.

9th, Bermuda, 129 in.

11th, Watford, 162 in.; Little Forks, 200 in.; Barclay, 100 in.

12th, Conestogo, 179 in. in 212 hours; Coldstream, 1141 in.; Owen Sound, 1135 in.; Elora, 1124 in.; Stoney Creek, 1129 in.; Little Forks, 1140 in.

13th, Lucknow, 1'45 in., 1'20 in. fell in 28 minutes; Novar, 1'38 in.

14th, Cowal, 107 in.; Digby, 2'50 in.; Little Forks, 2'00 in.

15th, Abbottsford, B.C., 1°22 in.; Griffin's Lake, 4'60 in.

16th, Abbottsford, B.C., 260 in.; St. Johns, Nfld., 204 in.

17th, Agassiz, 2'37 in.; Esquimalt, 1'16 in.; Port Moody, 2'75 in.

18th, Agassiz, 174 in.; Port Moody, 243 in.

19th, Barclay, 100 in.

20th, Savanne, 1'20 in.

21st, Bermuda, 241 in.

22nd, Bermuda, 3[,]22 in.

24th, Point des Monts, 1/40 in.; Little Forks, 1/30 in.

27th, Heron Bay, 100 in.

28th, Heron Bay, 100 in.; Savanne, 105 in.; Nepigon, 131 in.; Buda, 105 in.

20th, Point Clark, 101 in.; Nepigon, 101 in.

Thunder recorded on -

1st, Oak Bank, Ennismore, Buda, Point Lepreaux, Richmond, Posen, Savanne, St. John, St. Hyacinthe, Winnipeg.

2nd, St. John, N.B., Cartier, Stoney Creek, Digby, Novar, Alton, Sombra, Zurich, Peterborough, Joly.

3rd, Scarborough, Eau Claire, Georgetown (Ont), Uplands, Point Clark, Beatrice, Bancroft, Paris, Mattawa, Zurich, Owen Sound, Whiteside, Bognor, Durham, Descronto, Ottawa.

5th, Nelson, Fau Claire.

6th, Georgetown (Ont), Novar, Alton, Mattawa, Bognor.

7th, Kilmahumaig.

8th, Truro.

10th, St. Albans, Turtle Mountain, Russell, Posen, Fort Ellice, Cotham, Elkhorn, Winnipeg.

11th, Hillview, Oak River, Roseberry, Killarney, Cowal, Winnipeg, Little Forks.

12th, Stoney Creek, Beatrice, Novar, Elora, Gravenhurst, Egremont, Alton, Sombra, Mattawa, Birnam, Kingsville, Owen Sound, Whiteside, Joly, Bognor, Durham, Toronto, Oak River, Scarborough, Cayuga, Wiarton, Lion's Head, Blenheim, Presque Isle, Wyoming, Burk's Falls, Georgetown (Ont). St. Thomas, Thedford, Sharon, Sprucedale, Uplands.

13th, St. Albans, Roseberry, Nelson, Wyoming, Acton, Princeton, Digby, Posen, Fort Ellice, Sombra, Paris, Birnam, Pelee Island, Woodstock, Petrolea, Winnipeg.

14th, Russell, St. John, N.B., Cowal, Point Lepreaux, Birnam, Zurich, Dorchester, N.B., St. John, Winnipeg.

15th, Truro, Channel 4sland, Toronto, Winnipeg, Nelson, Point Escuminae, Wilton Grove, Wyoming, Georgetown (Ont), St. Thomas, Thedford, Stoney Creek, Posen, Elora, Cotham, Egremont, Gladstone, Birman, Deseronto.

16th, St. Albans, Roseberry, Eau Claire, Burk's Falls, Buda, Sprucedale, Uplands, Posen, Mattawa, Haliburton, Savanne, Winnipeg.

17th, Russell, Cayuga, Killarney, Point Lepreaux, Bancroft, Owen Sound, Haliburton, Savanne, Bognor, Durham, Channel Island, Winnipeg.

18th, Bancroft, Elora, Chicoutimi, Alton, Georgina, Sombra, Paris, Birnam, Brantford, Georgetown, P.E.L., Zurich, St. Mary's, Owen Sound, Agassiz, Joly, Bognor, Kilmahumaig, St. John, Woodstock, Fredericton, Petrolea, Lindsay, St. Hyacinthe, Brome, Toronto, St. John, N.B., Nelson, Cowal, Raleigh, Wiarton, Wilton Grove, Burk's Falls, Princeton, Novar, St. Thomas, Thedford, Sharon, Sprucedale, Uplands, Stoney Creek, Digby, Beatrice.

16th, Scarborough, Barclay, Georgetown (Out), Buda, Savanne, Port Moody, Truro,

20th, Scarborough, Buda, Cartier, Port Moody.

- 21st, Roseberry, Savanne, Ignace, Channel Island, Winnipeg.
- 22nd, Oak Bank, Killarney, Winnipeg.
- 23rd, Savanne,
- 25th, Chicoutimi, Barkerville.
- 27th, Budal
- 28th, Wiarton, Wilton Grove, Lion's Head, Georgetown (Ont.), Sprucedale, Uplands, Zurich, Joly, Bognor, Esquimalt.
- 29th, Zurich, St. Mary's, Whiteside, Joly, London, Durham, Coldwater, St. Albans, Presque Isle, Sunshine, Burk's Falls, Georgetown ()nt.), Aurora, Princeton, Sharon, Beatrice, Novar, Elora Egremont, Chicoutimi, Sombra, Birnam, Kingsvi Ie,
- 30th, Turtle Mountain, Little Forks.

Auroras recorded on—

- 1st, Eau Claire, Georgetown, Alton, H; Posen, I; Uplands, Prince Albert, HI.
- 2nd, Joly, IV; Chicoutimi, IV; Gravenhurst, II; Cape Chatte, Uplands, Sharon, III; Minnedosa, II; Alexandria, III; Father Point, IV; Medicine Hat, IV.
- 3rd, St. Albans, IV; Point Escuminac (very bright); Savanne, Dorchester, N.B., 1; Clontarf, IV; Sydney, H1; Fredericton, Truro, H; Charlottetown, H1; Father Point, H1; Georgetown, Posen, IV; Richmond, H; Cook's Mills (bright); Pictou, Cape Chatte, Buda, Minnedosa, IV; Grindstone, IV; Channel Island, H1; Winnipeg.
- 4th, Bognor, IV; Chicoutimi, IV; Sydney, IV; Little Forks, III; Port Arthur, I; Father Point, IV; St. Hyacinthe, Montreal, II; Winnipeg.
- 5th, Little Forks, 111.
- 6th, Posen, 11.
- 7th, Eau Claire, Oak Bank, III; Posen, III; Port Stanley, III; Grindstone, IV; Winnipeg, IV. 8th, St. Albans, III; Russell, II; Eau Claire, Georgetown, IV; Scarboro', Bognor, IV; Savanne, Hillview, Haliburton, Joly, IV; Clontarf, IV; Peterboro', II; Elkhorn, Ridgetown, Georgetown, Father Point, IV; Quebec, III; Grand Manan, IV; Port Dover, IV; Swift Current, II; Channel Island, III; Toronto, II; Winnipeg, II; Sombra, II; Chicoutimi, IV; Egremont, II; Cotham, II; Gravenhurst, IV; Elora, Novar, IV; Posen, I; Richmond, III; Point Clark, II; Stoney Creek, IV; Sharon, III; St. John, IV; Sydney, IV; Fredericton, Alexandria, III; Durham, II; Lindsay, IV; Coldwater, II; Prince Albert, IV; Port Stanley, III.
- 9th, St. Albans, I; Russell, II; Cayuga (beautiful); Nelson (brilliant); Killarney, Raleigh, Eau Claire (grand); Blenheim, Burk's Falls, Georgetown, IV; St. Thomas, IV; Scarboro', Coldwater, I; Descronto, II; Port Arthur, I; Edmonton, III; Port Stanley, III; Kingston, III; Father Point, IV; Quebec, III; Yarmouth, III; Minnedosa, III; Saugeen, III; Medicine Hat, IV; Channel Island, III; Toronto, II; Winnipeg, III; Stoney Creek, IV; Sharon, II; Cartier (very bright); Fredericton, Esquimalt, IV; Durham, III; Conestogo, I; Bognor, II; Savanne, Hillview, Haliburton, II; Pelee Island, Joly, I; Clontarf, II; Sydney, III; Peterborough, I; Elkhorn, Ridgetown, Zurich, Mattawa, Paris, Gladstone, Sombra, III; Georgina, Chicoutimi, IV; Egremont, I; Cotham, III; Fort Ellice, II; Gravenhurst, I; Elora, Bancroft, I; Novar, III; Oak Bank, II; Posen, I; Richmond, III; Cook's Mills, Beatrice, III; Point Clark, II.
- 10th, Nelson, III; Eau Claire, Georgetown, IV; Bognor, IV; Savanue, Joly, IV; Dorchester, II; Clontarf, IV; Peterboro', IV; Georgetown, P. E. L., Birnam, III; Paris, Sombra, IV; Fort Ellice, Charlottetown, IV; Father Point, III; Quebec, III; Varmouth, IV; Minnedosa, I; Winnipeg, I; Swift Current, II; Medicine Hat, II; Grindstone, II; Channel Island, IV; Toronto, III; Truro, III; Ottawa, IV; Port Arthur, I; Port Stanley, III; Kingston, II; Gravenhurst, IV; Elora, Bancroft, II; Novar, IV; Oak Bank, I; Posen, II; Kichmond, III; Cape Chatte, Uplands, Sharon, II; St. John, IV; Sydney, IV; Alexandria, II; Durham, II; Conestogo, III; Deseronto, I.
- 11th, St. Albans, I; Killarney (very fine); Eau Claire, St. Thomas, III; Thedford, III, (very beautiful; Bognor, IV; Hillview, Joly, II; Dorchester, I; Clontarf, III; I lkhorn, Ridgetown, Channel Island, III; Toronto, II; Winnipeg, II; Georgetown, P.E. I. Bunam, III. Chicoutini, IV; Cotham, II; Elora, Bancroft, II; Novar, III; Oak Bank, Posen, III; Richmond, IV; Beatrice, III; Dalhousie, N.B., (brilliant); St. John, I; Sydney, VI; Alexandria, I. Durham, II; Deseronto, II; Truro, IV; Kingston, I; Grand Manan, IV; Medicine Hat, III; Montreal, II.

12th, Pelee Island (bright); Georgetown, Chicoutimi, IV; Dalhousie, N. B., Sydney, III; Deseronto, H; Port Stanley, H; Winnipeg, IV.

13th, Posen, IV.

17th, Channel Island, IV.

20th, Little Forks, H; Channel Island, IV.

21st, Birnam, IV; Posen, III.

22nd, Fort Ellice, I; Little Forks, III.

23rd, Truro, IV.

24th, Russell, II; Winnipeg, IV.

25th, St. Albans, II; Russell, II; Savanne, Hillview, Elkhorn, Alton, III; Durham, I; Minnedosa, IV; Winnipeg, III,

26th, Haliburton, II; Clontarf, IV; Zurich, Georgetown, Chicoutimi, IV; Egremont, IV; Cotham, Π ; Gravenhurst, Π ; Bancroft, Π ; Richmond, Π ; Cape Chatte, Alexandria, Π ; Truro, Π ; Port Arthur, II; Minnedosa, IV; Winnipeg, IV.

27th, Bognor, IV; Dorchester, IV; Georgetown, Chicoutimi, IV; Egremont, IV; Gravenhurst, IV; Elora, Bancroft, IV; Alexandria, II; Durham, 1; Grand Manan, IV; Yarmouth, III; Winni-

peg, H.

28th, St. Albans, III; Russell, I; Nelson, IV; Eau Claire, Georgetown, IV; Haliburton, Clontarf, IV; Cotham, I; Gravenhurst, IV; Elora, Bancroft, III; Novar, IV; Posen, IV; Cook's Mills, Beatrice, IV; Elkhorn, Ridgetown, Georgetown, Brantford, Birnam, IV; Alton, II; Egremont, III; Point Clark, Stoney Creek, III; Sharon, III; Sydney, III; Alexandria, II; Little Forks, II; Lindsay, IV; Descronto, Ottawa, IV; Prince Albert, II; Kingston, III; Toronto, IV; Winnipeg,

29th, Cayuga, Brantford, Birnam, IV; Sharon, III; Sydney, III; Alexandria, III; Prince Albert,

III.

Frost recorded on the following days during month.

1st. Greenwood.

3rd. St. Albans, Clandeboye (27°), Killarney, Oak Bank (26°), Brandon, Gladstone (wheat damaged), Russell (29°), Hillview.

4th. Buda (27°), Savanne (27°).

5th. Eau Claire, Midland (heavy), Sprucedale.

7th. Eau Claire, Sprucedale.

8th. St. Albans, Oak Bank (26°), Clandeboye (25°), Eau Claire, Acton, Burk's Falls, Scarborough, Sprucedale, Uplands, Brandon, Novar, Egremont, Lucknow, Gladstone (fotatoes killed), Joly (30°), Russell (30°), Savanne (25°), Winnipeg.

9th. Killarney, Acton, Uplands, Alton, Georgina, Lucknow, Sombra, Birnam, Savanne.

10th. Barkerville (snow).

- 11th. Barkerville (snew), Truro. 12th. Greenwood, Dalhousie, N.B.
- 13th. St. Albans, Turtle Mountain (26°), Eden, Fort Ellice (12°], Killarney, Craigilea, Brandon, Cotham, Glen Adelaide (25°), St. Albans (28°), Russell (17°), Hillview.

14th. Thompson, Missanabic (30°), Cotham.

15th. Renfrew (20°), Alexandria.

16th. Digby (hard). 18th. North Bay (30°). 19th. Barkervi le.

- 20th. Dalhousie (26°), Dorchester, N.B., Truro, Brome.
- 21st. Keremeos, B.C., Barkerville. 23rd. Scarborough, Esquimalt.

24th. Dorchester, N.B., Truro.

26th. Napinka.

27th. Brandon, Barkerville (snow all day), Russell (21°).

28th. Eden (severe), Cotham, Barkerville (25°), heavy snow.

20th. St. Albans, Sunnyside (26"), Turtle Mountain (18 in. icc), Clandeboye, Killarney, Thompson (hard), Point Clark, Brandon, Posen, Cook's Mills, Glen Adelaide (25°), Št. Albans (24°), Cotham, Russell (20°), Hillview, Winnipeg.

30th Wiarton, Fau Claire (heary), Acton, Georgetown, Uplands, Novar, Maple Creek (snow),

Cotham, Egremont, Alton, Georgina, Sombra, Birnam, Barkerville (25°), Joly (30°).

Sept. 21st, at Esquimalt, two distinct shocks of earthquake, 1st at 3.30 a.m., 2nd at 3.50 a.m., windows rattled and houses shook, rumbling noise after shock, 1st shock from N. to S., 2nd from E. to W. Sept. 16th, at St. Albans, Man., observer records a fine meteor at 6 p.m. (solar time), travelled

from S.S.E. to S.S.W., about 40° above horizon burst, heard report several minutes after.

Sept. 10th, at Richmond, O., Mr. Webber reports at 9.15 this evening a meteor passed slowly in a westerly direction, first appearing near "Capella" and vanishing before reaching the horizon, ize and brilliancy equal to the planet Jupiter which could be seen at the same time.

	HOURS ENDING															
	5 A. M.	6 A.M.	7 A.M.	8 A.M.	9 A.M.	10 A.M.	11 A.M.	NOON	1 P. M.	2	3	4 P.M.	5 P.M.	б Р. М.	7 P. M.	ч Р. М.
		-					-									
ESQUIMALT			0.07	0.28	0.40	0.34	0.44	0.42	0:44	0.24	0.39	0.43	0.38	0.03	8.	
Agassiz, B.C				:05	24	25	32	-25	.504	32	35	31	(1)			
Brandon		s.	13	41	.51	. 60	162	67	68	68	166	60	56	24		
Indian Head			00	08	152	67	65	.50	161	162	1665	:58	25	8.		
Winnipeg			23	:51	152	:54	อีซี	51	-53	15%	152	:51	55	30		
KINGSVILLE			09	:59	-89	.93	91	91	91	86	83	89	26	03		
Woodstock		s.	09	:51	174	56	91	187	85	57	.79	-73	41	01		
Токонто			.16	64	76	.79	51	56	86	85	185	-76	.76	:3≯		
Lindsay			23	148	67	.76	82	81	' ·78	42	. 77	72	50	13	DEC	
Barrie																
Kingston		s.	14	19	61	62	62	:76	53	51	77	71	60	02		
Montreal			12	44	63	.70	66	71	78	79	. 78	72	47			
Frederictor		S.	21	17	60	65	76	179	. 77	7.5	:63	57	:53	31	8.	
Sydney			20	12	156	160	:60	68	.72	6,3	63	:61	-58	27		
			1													
								:				_				
			Esquimalt.	Acassiz.	Beandon.	INDIAN HEAD.	Winnipeg.	KINGSVILLE.	Woodstock.	Tokonto.	Lindsay.	BARRIE.	KINGSTON.	MONTREML.	Fredericton,	Sydney,
MEAN PROPORTION FOR MONTH (Constant sanshine being 1.)		,,,,,,	0.33	0.15	0:51	0 42	0.47	0 64	0 61	0 67	0163		0°57	0-63	0.53	0.25
MAXIMUM DAILY AMOUNT			0.93	0.69	0.89	0.78	-0.93	0.83	0.80	0.92	99		0.90	0.97	0.93	0.91
DATE			23	5	9	19	25	1	4	30	30		30	19	19	10
No. of Days Completely Clouded			4	П	2	3	0	1	1	1	5		2	()	3	3

PROBABILITIES.

The probabilities issued by this office at 11 p. m. each evening are posted up at every telegraph station in Canada, and are for the 24 hours beginning at 8 a. m. the following day.

The number of predictions issued during the month was 634. These were divided as follows: -

	No.	VERIFIED.								
DISTRICT.	Issued.	No. Fully.	No. Partly.	No. Not.	Percentage.					
Manifora	97	×4	1	ģ.	** 7					
LOWER LAKE REGION	113	513	1‡	1:	×2: 11					
Upper St. Lawrence	108	47	9	12	~1.7					
LOWER ST. LAWRENCE	10.3	71	12	17	11 1					
GULF	105	** (1 1 =	10	17	## (c = +3					
Maritime Provinces	108	×7	14	12	80.75					
Test vis	67.14	}**n)	- 14	×1	• • •					

In order to obtain the percentage of verification of the predictions, the number partly verified is divided by 2 and added to the number fully verified, and the result divided by the total number issued.

In ascertaining to what extent predictions have been verified, the reports from the agents at the "Probability Stations," as well as the telegraphic reports, are used.

The daily probabilities were issued by Probability Officer B. C. Webber.

STORM WARNINGS.

During the month warnings on the approach of three storms were issued to our agents, and cautionary signals duly displayed at the various signal stations. The total number of warnings issued was 86, of which 54, or 62'8 per cent., were verified. Fourteen stations reported warnings received late, owing to delay in issue, and in twenty cases the velocity exceeded that indicated by the signal.

In connection with the warnings, predictions as to the probable directions of wind were given, and of the 54 warnings verified as to force, 51, or 94'4 per cent., were verified as to direction.

No. 1. At 8 a. m. of 2nd, owing to a developing depression over Lake Superior signal No. 2, for a moderate south-west, veering to west and north-west gale, was ordered for all lake stations. The storm centre moved eastward with diminishing energy, causing strong southerly winds during night of 2nd, followed by strong north-westerly winds next day on the Georgian Bay and upper part of Lake Huron, but generally on the lakes the wind did not exceed a fresh breeze. Signals were lowered during the forenoon of 3rd.

No. 2. On the 7th a quickly falling barometer with rain on the coasts of New England and Nova Scotia, indicated a disturbance at sea, and at 4 p.m. cautionary signal No. 1 was ordered for Nova Scotia and Bay of Fundy ports. At 8 p.m. the centre of an important storm of small diameter was near Yarmouth, Nova Scotia, whence it moved quickly northeastward across Prince Edward Island to the Straits of Belle 1slc. At 9 p.m. signals were ordered for all Maritime Provinces not warned in the afternoon, but in most instances the warnings were received too late to be of any value.

On the north shore of the Bay of Fundy and in the Gulf north of the Miramichi, the storm was scarcely felt, but in Nova Scotia and Prince Edward Island it was very severe and destructive. Yarmouth reports the blow heaviest from northeast from 9 to 9.30 p.m.; Halifax, midnight, to 1 a.m. S.E. heavy gale; Charlottetown, 3 a.m., heavy gale N. W.; Port Hastings, 2 a.m., S.E. heavy gale; Sydney, C.B., midnight, strong gale S. The curve taken from a self-recording aneroid barometer on the D.S.S. "Acadia," lying in Charlottetown harbour, shows that the storm centre passed that station shortly before 2 a.m., and a similar curve from an instrument on the French flag ship lying in Port au Choise, Nfld., shows that the centre passed that place about 10 a.m., on the 8th. Signals were lowered during the forenoon of the 8th.

No. 3. On the morning of the 28th there was a developing depression over Lake Superior, and at 10.50 a.m. of the 28th Signal No. 2 was ordered for Lake Superior stations and No. 1 for Lake Huron and the Georgian Bay for a moderate gale between south and west; at 10 p.m. the warning was extended to Lake Eric Stations. A moderate to fresh southwest, veering to northwest, gale prevailed during the 28th on Superior, and set in at night on the other lakes, at most points reaching its height from the west and northwest during the foreneon of the 29th. As the storm continued its course eastward north of the St. Lawrence Valley, at 11.20 a.m. of the 29th, stations in the northern part of the Gulf and Bay Chalcur were warned to expect a moderate gale, which set in at night and continued most of the following day. Signals at lake stations were lowered about noon of the 29th and in the Gulf early next day.

TORONTO OBSERVATORY.- MAGNETIC REVIEW FOR SEPTEMBER, 1891.

A slight disturbance prevailed on the 1st, the magnet during the afternoon moved steadily east, the disturbance moderated during the afternoon of the 2nd, between 8 and 10 p.m. of the later date a little irregularity is shewn. On the evening of the 3rd slight disturbing action set in, and at 1.10 a.m. a westerly sweep of the declination magnet was registered, the maximum reading taking place at 1.47 a.m., it then gradually returned to its normal reading and remained steady, nothing of importance transpired until the 9th, when the principal storm of the month was registered, in fact it was the largest recorded at the Observatory for some time past. The storm began at 6 p.m. the declination magnet being then on an easterly swing, the movement was considerably accelerated at 6.25 p.m., the minimum being recorded at 6.30 p.m., a rapid rise of 14′ followed by a small casterly jog and then a westerly swing; the most rapid movements were recorded between 8 and 0 p.m., the largest being an easterly sweep of 55′ at 8.25 p.m., a marked minimum taking place at 8.40; a rapid westerly excursion of 51′ then ensued, a quick recovery brought the magnet to its normal reading. The westerly extreme was recorded at 11.45 p.m. the total range being 1° 14′. Some rapid oscillations were shewn between 3 and 4 a.m. of the 10th, at noon the magnet was steady.

A noticeable increase of the v. f. component is shewn from 8 a.m. of the 9th to 6 p.m., a quicker increase then set in lasting a short time; at 6.30 a sharp decrease began and during the remainder of the storm this component was below its normal value; a recovery set in at 3 a.m. of the 10th and at 8 a.m. the magnet was at its normal reading and steady. The h. f. too was below its normal value during the chief portion of the disturbance, a sharp increase at 8 p.m. and some rapid oscillations between 2 and 4 a.m. of the 10th were marked features of this curve.

On the evening and night of the 10th another important disturbance was registered, the movements were larger during the night hours. The afternoon and night hours of the 11th were decidedly disturbed, an increase of both components of the force was shewn during the afternoon hours, also from 10 to 11.20 p.m., after this hour a marked decrease was shewn, and after midnight the magnets became considerably quieter. There was nothing of importance recorded until the 26th, when a slight disturbance prevail diall day. On the night of the 27th another small disturbance appeared and the movements increased during the morning of the 28th, after 4 p.m. another increase of the movements is again shewn, a marked easterly minimum being recorded at 4.47 p.m. The disturbance was particularly active during the night hours. A little before 10 p.m. of the 20th, slight disturbing action again appeared and remained visible to the end of the month.

Auroral light and faint streamers was observed at midnight of the 8th; on the 9th, auroral arch from W. by N. to E. by S., about 5° south of zenith, partial to complete 9 to 9.30 p.m.; auroral display from 7 p.m, to midnight (class II and IIt) on the 10th; auroral arch and faint streamers at midnight; auroral arch and bright yellow streamers (class IV and III) on the 11th; faint auroral arch in N. 10.15 to 11.30 arch, short streamers and diffused auroral light reaching near zenith. On the 1st, 2nd, 6th, 7th, 12th, 13th, 16th, 17th, 18th, 19th, 20th, 22nd, 23rd, 24th, 25th, 26th, 27th, 29th and 30th, the sky was clear but no aurora was observed; on all other nights clouds or haze would have hidden any aurora which might have existed. The auroral displays were general and in many cases of great beauty throughout the Dominion from the 8th to 11th inclusive, and were observed from the Pacific to the Atlantic.

CHARLES CARPMAEL,

METEOROLOGICAL OFFICE,

TORONTO, November 8th, 1891.

Director.

	3

METEOROLOGICAL SERVICE, DOMINION OF CANADA.

Monthly Werther Review.

OCTOBER, 1891.

INTRODUCTION.

In compiling the present Review the principal data made use of are the telegraphic reports of observations received at this office for the purpose of weather predictions, and the reports of storms received by mail. For the material used in tracing the courses of areas of high and low pressure in the United States, we are indebted to the Chief of the Weather Bureau, Washington, D.C.

ATMOSPHERIC PRESSURE.

The average pressure, as determined from the observations taken at telegraph reporting stations, was not far from the normal of seventeen years in New Brunswick, Nova Scotia and Prince Edward Island. In the other provinces it was slightly above the normal.

It may be remarked at outset that the month of October in Manitoba and the North West Territories was unusually fine and was not marked by any very great or rapid pressure changes. In the Lake Region also the month was on the whole a fine one and no storm of any great magnitude occurred. On the Atlantic Seaboard and the Gulf of St. Lawrence however the weather was particularly stormy, several severe Atlantic storms having moved either into the Maritime Provinces or in close proximity to our coasts.

The month opened with an important anticyclone, central in New England and extending westward, over the Lake Region and southward over the Atlantic States accompanied by fine mild weather; in the Northwest Territories there was another anticyclone with cold northerly winds and local snows and between the two a depression extended from Manitoba southward and westward to Wyoming. For two days the pressure changes were slow, the depression moved slowly across Lake Superior bringing local rains in neighbouring districts while the western anticyclone moved southward and there was a rising temperature with fair weather from Manitoba westward. The other anticyclone also drew more to the southward and there was a continuance of fine weather and abnormally high temperature from Lake Huron to Nova Scotia. The charts of the 3rd showed the development of a small subsidiary depression and a well marked rain area over the Upper Missisippi Valley and reports subsequently received show that on that day a hurricane of moderate importance passed northward across Bermuda. The small depression moved slowly across Ontario during the 4th and by next morning had been absorbed by the Atlantic Storm then southeast of Massachusetts. During the 5th higher pressure was spreading to the Lake Region from the west with fair cooler weather while the storm centre moving south of Nova Scotia caused rain and moderate gales in the Maritime Provinces.

A small depression which on the oth was in the Gulf of Mexico, on the 7th spread quickly northward up the Atlantic Coast as a trough of low pressure accompanied by an extensive rain area embracing the Lake Region as well as all the Atlantic States. On the 8th the centre passed northeastward across the Maritime Provinces there causing very heavy rain while in Ontario the weather cleared and became quite mild as higher pressure spread over the country. By the morning of the 10th there was a rapidly developing anticyclone to the north of Lake Superior and Muntoba, it moved very quickly southeastward with increasing energy accompanied by colder weather and strong northerly winds which at some points on the Lakes reached the force of a gale. While this movement was in progress a depression appeared in the Northwest Territories and moving slowly passed to eastward of Manitoba on the 13th, with strong cold northwesterly winds and local snows prevalent to the westward. The anticyclone attained its maximum development early on the 13th and then hovered with slowly diminishing energy over the 8t Lawrence Valley and New England while an important storm moving northward between Bermuda and the American Coast, caused

severe northeast gales along the coast. During the night of the 13th the storm centre approached Nova Scotia and a fresh easterly gale with heavy rain blew in the Maritime Provinces; after this the storm quickly dispersed. The storm mentioned above as passing out of the Northwest Territories on the 13th, was on the morning of the 14th over Lake Superior, whence it moved across Northern Canada to the Gulf, giving rain in Ontario on the 14th and showers in the St. Lawrence Valley and Maritime Provinces on the 15th followed as the barometer rose by clearing mild weather.

On the evening of the 17th there was a depression of some importance over Lake Superior, by next evening it had drawn southward over Ontario where it hovered causing numerous local rains for two days.

On the 18th a hurricane passed a little to the westward of Bermuda moving north, and on 19th passed south of Nova Scotia giving rain with northeast gales along the coast. A subsidiary to this area formed on the Middle Atlantic Coast on the 19th and on the 20th moved northward to the St. Lawrence Valley and thence eastward to the Gulf, it gave a heavy fall of rain from Lake Ontario eastward accompanied in the Gulf by a moderate northeast to northwest gale.

An area of high pressure was during the 22nd moving southeastward from the Northwest Territories; next morning it was central in the Upper Mississippi Valley and there were indications of a cyclonic development on the Middle Atlantic Coast. By night an important storm was central off the New Jersey Coast whence it moved quickly northeastward giving a fresh northeast gale with rain and snow in the Gulf and Maritime Provinces on the 23rd and a cold northwesterly gale on the following day; the high pressure passing across the Lake Region gave slightly cooler weather on the 22nd, but a southwesterly gradient next day again gave higher temperature.

A depression to the northward of the Lakes on the morning of the 26th moved eastward with increasing energy giving rain in the Maritime Provinces, while a quickly developing high area moving from the Northwest Territories brought a northerly gale and colder weather from the Lake Region to the Gulf.

A depression in the Northwest Territories on the 29th gradually developed and moved east while another well marked area of high pressure with colder weather formed behind it; the storm moved pretty quickly eastward across the Lake Region where on the 31st a fall of rain was followed by a fresh westerly gale.

TEMPERATURE.

The average temperature, as determined from the observations taken at telegraph reporting stations, was slightly below the normal at nearly all stations.

The highest and lowest temperatures in each Province during October were:

British Columbia, 82°0 on 8th, at Agassiz; 14°0 on 31st, at Barkerville.

N. W. Territories, 76° 9 on 8th, at Calgary; 8° 0 on 31st, at Maple Creek.

Manitoba, 74° 3* on 29th, at Minnedosa; 10° 0 on 15th, at Sunnyside.

Ontario, 80° o on 3rd, at De Cewsville; 10° 4 on 23rd, at Mattawa.

Quebec, 83° o on 3rd, at St. Hyacinthe; 13° 4 on 29th, at Chicoutimi.

New Brunswick, 83°6 on 4th, at Chatham; 17°3 on 29th, at Fredericton.

Nova Scotia, 76° o on 4th, at Sydney; 18° 8 on 30th, at Truro.

P. E. Island, 77° t on 5th, at Kilmahumaig; 23° 5 on 30th, at Kilmahumaig.

Note. *This is the highest temperature in Manitoba of which we have any knowledge of the thermometer or exposure, but at Roseberry in S. Manitoba Mr. Stack records 98° as having occurred on the 19th.

PRESSURE, TEMPERATURE, WIND AND PRECIPITATION AT STATIONS IN THE DOMINION OF GANADA, OCTOBER, 1891.

Amount. Diff from average. So. of fair days. No. of fair days. No. of Auronas. No. of Auronas. No. of Thunder storms. No. of Thunder storms.	in. in. in. in. in. in. in. in. in. in.	~
Mean, miles per EI on in	1	
Of obs. L. Total number S. W. S. W. S. W. S. W. S. W. X. E. X. E. X. E. X. E.	10	
dewpoint. Mean relative Humi- dity. Xe. of days completely clouded.		-
Mean temperature of Mean temperature of Mean daily Coresest daily Greatest daily Fange. Greatest daily Fange. Greatest daily Greatest daily Fange.	\$\$\text{\$\	
Mean actual. Mean reduced. Mean reduced. Highest. Nonest. Lowest. Runge.	ASSENTIONA The color of the	

PRESSTRE, TEMPERATURE, WIND AND PRECIPITATION, &c. - Continued.

PRECIFITATION.	nge. Lyo, of days. Zo, of thir days. Zo, of thir days. Zo, of thir days. Zo, of thirders. Zo of Pogs.	iii	1.48 11.50 0 0 0	-1.93 9.22 0 0 0 -0.6611.30 3 0 3	0 - 1 - 38 [2] 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 7 27 2 70.0	-1.12 655 6 1 6	-1.851120 0 0 1 -0.45 0 15 1 0 0	0.01151021 1 0 0	220 0 0 0	0.311120 0 0 0	+ 0 - 30 9 53 0 3 0 1 0 0 0 1 0 0 0 0 1 0 1 0 0 0 0	0.0001120 0 1	0 0 0 71 11 90 0	-1 00 625 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	-1.83 6.45 6.00	1-67 E3 IS 0 0 0 0 -0-16 8 E3 0 0 0	-0.60 823 0 1 0	= ::	-0.21 625 0 0 0 -1.36 625 0 0 0	-1.12 7.24 0 1 0	10 s	0 0 0 0 0 0 0 0 0	0.87 5 26 0 2 0	-0.30 8 23 0 0 0	- 2·18 9/22 0 0 0 - 0 - 27 8/23 0 0 0 0	-0.91 625 0 0 0 -0.74 13 18 0 0 0	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
Рвест	AmounA	.5	0.86	E (9)	7.99	3 66 3 1 4 1 1	5. 5.	69.35 24.25	88	1.1	26 E	E 6	等; (c)	7	1.70	3.2 	17 71 71	1-7-	2.45	13.18	1.01	2-1 1-3-1	1.06	7 7 5	9	E 5.	8 8 1 1	1.00	1.84	1.53
WIND.	Date and direc-			NN12 27 N	77 V T	27 NW					31 5 W	17. E.	M Is:	37.18			:					11 NE	> F7	30.81		≥ × × × × × × × × × × × × × × × × × × ×	11 (1)	31.81	27 NW	
VELOCITY OF WIND.	Righest days Alfoday				13.0						Ξ	8. 97	Ξ	53.5								VIII	1	=======================================		17.9	9.11			
VELOG	Mean, miles per hour.			= =		11						5	=									III	9	c =		· · · · · ·	0.1	II	111	
	Total number same of hours.		: :		88	93		:3	76	:	56	ž	옆:	3	93		200	6	5		: :		83	-	:	889	:	88 ::	55	
Kotk	(,			유 M : 뭐 또.	0 fg E fi	1 2		- X	- 13		191	19	8	ନ ଆ	0		с с.	; = ; =1	· ·			x c	9 k	7.5	- -	あ m :	x n	;; ;;	13	
DIRECTION OF WIND FROM	11.			21 52	- C	1-		0	11	-	-	3	Ξ.	=	-		50	-1	11			7	: T :	32	: 1 : 1	26 26	= :	8	12	_
0 F 3	'M'S		: :	= 5 = 5		17		97 0	12			21	x	x =	či v		a. a	- 7		1 :		77	27 8 27 8	12	T :	0 4	2 0	4 15	0	
CTION	.я. в		: .	 		9		-	•	· :	9	X	+	o	21		÷Ί	=	1	٠- أ		1-	20 a	, m	oc	<u>⊡</u> 80∶	:	φ		-
Dire	[3]			20.15	70 00 10 m	133			1.	-		12	Ξ.	ை '	5 12	: :	<u>x</u>	21				00	:	9	· :	80°E	:	10	9	
	X' E' = -			- 8						:	12	15 15	10	00	ĥ		50		=======================================			::1		91 51 12 51 13 51	- 1	80 gg (6	7	-
Cranari	Xo of days comp			÷ ~	-1	: -					-:-	: -	9	rt.	:	 n [- -1	: ! :	:			÷1		1 🖘	- : - :		a į	2		
	Nean amount of or			5 5	9						-7	40	· +	-	c	n i	T.		:					2 40 1	a i	21.0	9	— ю	0	-
-imi	Mean relative Hu										文	ž	62		į		:					:	į				9	Ê		
Jo a.	Mean temperatur dewpoint.					i i					15.4	100	£3.8			i i	:		:		: :	<u>:</u>	=				9.09	0 (7		
	Greatest daily range.	_ 0	9 11 3 5 5 5 5	31.0	5.17	F 18	= ::::::::::::::::::::::::::::::::::::	7		; ÷	2 S 2 S	0 SE 1	: B	9 p 5 5		7 G	o. [∷		1.8_	1.5	0.2	31.0			0.00 0.00 0.00	27.3	88 88 88	91 50 93 77	37.7 39.4	0 x x 0 x 0 x 0 x 0 x 0 x 0 x 0 x 0 x 0
	Thib down	0 1	19.6	<u>x</u> 3	15.5			<u>x</u>	10	<u>x</u>	1210 21.5	51 F 51 F1	1 - 1		: :	3.7	x.		$\frac{x}{x}$	9	3 3	<u>x</u> :		5 7 3	9.15	1.81	0 23 2 3 3	23.5	22 22 23	88 54
	altd	į	21 27	88	543	- 21 S	'n fi	Z1 27	52 53 54	5 71	H H	X X		X 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	71 7	X X	á-85	23-25	1 3	i Si	8	00 - 01 :	553	15	X1-01	±1 ±1	ж X 11 71	20 E	0.0	X 21
OF AII	Lowest.	2 1	= ± = ±		9.5		F F 동 함		17 S	12.	фю ЯН	9 5 Fi	- Fi	F 0	318	9 45	÷	25.0	55	18	= :	5 5 5 5 6 5 6	123	17.7	24.0	19.7	3 5 3 5	6.61	17.0	17.0
ATURE	. othi					7 == :	פת וה	21 21	77 F					71 71				3-7	20.20	1.01		212	1710	0.00	· ·	ಣ್ಞ	ಬ್ ಸ	er er	01 01	בת כת
Temperature	.fsəfiqill	. o :	= = [-];	15 77 0 20 82 0	9 9 8 2 9 8	で () また () 主 ()	9 P 7 7	7.5	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	9.58.2	F 19	0.78 C	÷	2.9.9	10 m	12 00 E	18.0	÷ 07.00	6.15 6.15	38 37 1 +	? ?	0.53	0 1 0 8 0 8	2000	2 in 2 in 2 in 2 in 2 in 2 in 2 in 2 in	9.88 5.11 5.88 5.11	5 O. 19	3 80 2 85 3 5	0 : 2 2 2	0.0 7.7.
Ë	Vents observe.		0 0 0 % 4 m	0 1 15			1 - 0 - 1	0.12						1.4.1.	1-1	12.00	8 7.0		217			(- // (- // (- //	1 (1) (1) 1 (1) (1) 1 (1) (1)			-			. 4	5 . 4 5 . 5 5 . 5
	-reva most stid				1 -	_					1	4				1		:	1			~~		-		-			. : [
	$M^{(i)}R$	9 5	4	115		F (2)	4 5	7 F	7 5	7 - 3	5 × 5			F 7	0 17	- :: - :: = : = : : : : : : : : : : : : : : :	-	46	47.5	: 9 : - -	71 :	10 d	- あす! 好!		0.27		÷ ÷ ÷		45°3 41°4	is ∞ — □ □ □
rć	Range	in.			29+50 1+15						8.0	1.05		0								:	-				57	1.1		
IVCHE	Jsawod	-			09.13						29.71	3	3!	5										13.63 13.63		25-61	19.45	30.43 29.62		
E IN	tealgiH	.E			12.98						93.08	- 5 B	E .	G. 9.			:					:		92.93 93.83			92.03	30.73		
Pressure in inches	Mean reduced										20.00 30.00	· 京 高 高	20 000 000 000 000 000 000 000 000 000	2010.20.20.23.67									1 -			17-00-00-00	GD . 0:	99.95		
Ä	Mean netual.	Ë																									19.62 08.65 00.05			
		NTAHO Costine 1					Part 5 5	Lucknow	Firmsh.	Point Pelce	Kingsville	Ridgetown.	Lendon	Beautieri	"Xt Grouped	Gm lph	Florit	Ningara Falls, S.	Sault Ste Marrie	Sombra	Conestago	Stone v. Cree k	*Zbarron	Lindsay	Oslawa					

40000		.00-00001108	60-0860870:	C ON4#2 0 00	5 0	c c -	*******
44000	0 :	:-0000H00000	#0000000000000000000000000000000000000			5 21 0	
13 13 13 13 13	12	:23222222323232	8828252 (85)	6544555	- :: -:		- 2 : 1 = 2 × = 9
514752		: ::::::::::::::::::::::::::::::::::::	=======================================	98555788		Z (C E	3222329
0.12	-0.95	+ 1 - 1 - 38 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	1 2 2 4 4 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1	\$ 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	E .	5 2 3 5 4 1	3.01 0.25 0.05 0.05
1					- '-		
2.40 5.10 1.81 2.33 1.25	60.51	3.50 3.50 3.50 3.50 3.50 3.50 3.50 3.50	1 1 2 2 3 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	8458458 8458458 8458458	10.55 9.42	5-65 7-45 6-26	6 1 2 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
	SW		•				
27 N 30 S 31 S.W	∞	5 N E 20 E 24 N	25 NE 64 SW 52 NE 22 NE 22 NE 24 NW 24 NW	24 W 25 SW 24 NW 15 NE	30 NE 18 SW		2
: :					က် င		
λ H	51	27.3 27.3 62.0	18*3 15*3 15*3 15*3 15*0 15*0 15*0	13.3 17.5 18.7 18.7	8 8	=	
= -	13.0	۲.		8.3			7 0 9 10 1 7
To in to I I				1 111	1 1	: : :	
& S S : :	7.	8.88.8888888888888888888888888888888888	문 성 없 명 전 호	* # 2 2 2 2 2 2 3	8 8	: : : -	\frac{\z{\z}}{2} \\ \frac{\z{\z}}{2} \\
∄°°° :	· ·	PE PE TAPA		9202-09X	21 1-	143	8 8
- 23 i i	8	127224	H1-2221-2 T	$\Xi \Xi \Xi \Xi \Xi \Xi \Xi$	<u> </u>	118	
20.5	2 4	01 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	19 m 2 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	\$ 51 51 52 5 5 15 C	14 77	: :8	6 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
ិភភព 🔡	84 187 148	2 - 2 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 -	<u> </u>	发音×四轮复数表	- 1~ S	: :	
C1 4 1 1 1	ž	6	8x c n x - H	X 2 4 5 2 4 4 2	11	: :-	
9 c H	E.	4.00000	OTENTS			1 =	
0 m -	- 1	on Hysonad		[3 x 5 u 5 x 5	<i>-</i> 4	8	oc
7 5 2 1 1	3 112	8 1 2 2 2 2 4 2 4	10 10 10 10 10 10 10 10 10 10 10 10 10 1	92 8 E - 2 E o	<u> </u>	1 2	
10 1	- 1	001-054891	4 2 2 4 2 1 2 1 2			1 12	
4011	n	5407266	ērraxar x	##를 # 된	== 13		- : 2
0.00	g	4044646		1-1-1- 10 to	1- ©		1- 1- 9
ಹ : -	17		£ 7 88	72	: :		- 5 7 1
- 0. 4	7 8		0:%:::†::::	7.7 9.9	: :		
14 1 1 1				99::::::	: :		10 1 1 1 1 1 1 1 1
44.8 34.0 32.5	<u>.</u>	: 99:00000 :::::::::::::::::::::::::::::	- គ្នាទំនាំ គ្នា នៃនិង L	7 7 10 11- 21 71 71 21 21 21 21 21 21 21 21 21 21 21 21 21	5 15 5 15		의로그리고 다고 그리다
88223 84223 84223	=	0.000000000000000000000000000000000000	######################################	5 ± 5 ± 5 ± 5 ± 5 ± 5 ± 5 ± 5 ± 5 ± 5 ±	F 7	x 9 6 111	2562255
8	z,	ត្រីត្រីត្រីត្រីត្រីត្រីត្រីស្តីស្តី		88888888	5 5	8.8.9	- = = = = = = = = = = = = = = = = = = =
12.3 24.0 25.0 26.0 21.0	5. 7 5.	7.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5	11.00.00 11.		- F - F - A - E	17.5.5 13.5.5	
01010140	•			+ + 1	- 0		t= 2
			:				
2 - 4 : 1 6: 15: 8 4 2: 1: 2: 2: 2	9.	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	200 200 200 200 200 200 200 200 200 200	0.611 0.112 0.112 0.112 0.112 0.112 0.113		11.00 mm	999976048
10 0 21 20 24 1 24 21	1.1	: ####################################	######################################	15115151717 25763770	- <u>-</u> - :	<u> </u>	
++ · + ++ · +	0	7.13.7.5.7.5.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0	0 0 W 1 0 W 0 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		<u> </u>		1
40.9 44.9 48.3 48.3 45.1 45.1 45.1 45.1 45.1 45.1 45.1 45.1	45-1 0.	111 111 1112 112 212 22 22 22 22 22 22 22 22 22	######################################	1 	- 4	1 1 2 2 2 2	
96.0	57 0		\$4555 E		A 15	Ξ.	7 1 2 2
8	18	8-9-18-18-18-18-18-18-18-18-18-18-18-18-18-	98284 95	7227	1	111	
30:16:30:47:29:52:0:95	30-02-30*76-29*55-0-21		2121213131 + 1131 - + +	27 - 47 - 47 - 47 - 47 - 47 - 47 - 47 -		The section of the party of the	12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
0 41	1-	2 15 14 8 8 8				115	
2	623	301-03	######################################		무말		
98	8	l i i i i i i i i i i i i i i i i i i i					
		30°03 30°52 20°91 30°53 30°00 30°7					
::::::	: :						
Novar Little Forks, Wanstead Collingwood, Shannouville	Tebec: Montreal Nuntingdon	Rehmend Chickmend Chickmend On bot St Hyancinthe Grindstone Latien Point False Point False Chatte Spont day Magdadene Siepped Cape Magdadene	Eveletisten Eveletisten				Learner of works to the second of the second
S. Land		HE SEE		100 Miles		4 - 1	
Forth	- Far					247:	
var.	ntre.				7 - 35	4 = : :	A control of the cont
Voyar Little Forks. Wanstead. Collingwood.	QUEBEC: Montre Huntir	Richmond Richmond Chicoutini (h) bec St Ilyanciuthe Crindstone Bront Latier Point Front des Mexis. Cape Chatte Stephel	New Buryswo k.: Fredericton Charborn Eadlo St. Androw Charborn St. Androw Charlo Matter Period Matte	Nota Strotta H Clark Strotte V Clark T	N. S. C.	F. E. D. AND C. Market Communication of the Communi	
٥	೦		5		/ =====================================		prints.
			.1				

STATIONS RECEIVED TOO LATE FOR SEPTEMBER REVIEW.

PROVINCE.	STATION.	MEAN		HEST LATURE.	TEMPER	EST RATURE.	PRECIPIT	ATION.	Auroras.	THUNDER
		Темр.	Temp.	Date.	Тетр.	Date.	Amount.	Days.		STORMS.
		0	0	_	0		in.		~	
N. W. Territories Ph	neasant Forks	47 66	80 0	5	30:0	28		2		
Ва	ınff	46.55	77 2	2	23.9	21	0:19	9	1	
Nova Scotia Sa	ble Island	60-6 I	73:0	5	53 0	24	1.61	5		13, 14, 15, 29, 30.

PRECIPITATION.

The rainfall in the Dominion has varied considerably. In Ontario, Quebec and the North-West Territories the amount is below the average; and in the remaining Provinces it is above, the excess in Nova Scotia being upwards of 90 per cent. above the average, the excess on the seaboard being caused by several Atlantic storms moving up the coast. Some of the monthly falls are of phenomenal magnitude. At Port Hastings, 13:95 in. fell; at Sydney, 10:36 in.; at Halifax, 9:62 in.; at White Head, 8:74 in.; at St. John, Newfoundland, 10:85 in.; at Bermuda, 9:42 in.; at Georgetown, P. E. I., 7:49 in.; at Grand Manan, 8:90 in.; Point Lepreaux, 7:89 in.; Dorchester, 7:27 in.; Yarmouth, 7:49 in.

The general distribution is as fellows:—

In British Columbia the rainfall was 3.00 in., or 0.34 above the average.

In the North-West Territories it was 0.90 in., or 1.00 in. below the fall in 1890.

In Manitoba it was 110 in., or 008 above the average.

In Ontario, West and South-West District it was 2'56 in.; or 0'31 in. below the average. In the North and North-West District it was 2'32 in., on 1'14 in. below the average. In the Central District it was 1'63 in. or 0'76 in. below the average; and in the East and North-East Districts it was 1'85 in., or 1'22 in. below the average.

In Quebec it was 2'93 in. or 0'47 in. below the average.

In New Brunswick it was 581 in., or 191 in above the average.

In Nova Scotia it was 7:91 in., or 3:68 in. above the average.

In Prince Edward Island it was 6.45 in., or 2.24 in. above the average.

Kainfall 5 in. and upwards during month:-

Вкитіян Columbia—Agassiz, 6'51 in.; Abbottsford, 5'28 in.

Quebec - Grindstone, 7:65 in.

NEW BRUNSWICK St. John, 685 in.; Grand Manan, 890 in.; Point Escuminae 506 in.; Point Lepreaux, 789 in.

Nova Scotta—Sable Island, 698 in.; White Head, 874 in.; Pictou, 619 in.; Halifax, 962 in.; Port Hastings, 1395 in.; Truro, 633 in.; Sydney, 1025 in.; Yarmouth, 749 in.

NEWFOUNDLAND- St. John, 10'85 in.

Векмира, 9'42 in.

PRINCE EDWARD ISLAND Georgetown, 7:26 in.

Rainfall 1 inch and upwards in 24 hours:

1st, Little Forks, 100 in.; Gretna, 170 in.; Foxton, 100 in.; Barclay, 180 in.

2nd, Rathwell, 103 in.; Roseberry, 201 in.; Heron Bay, 1125 in.; Barelay, 1170 in.

4th, Midland, 124 in.; Novar, 125 in.; Sprucedale, 131 in.; Egremont, 140 in.; Beatrice, 135 in. 5th, Truro, 1450 in.; Sydney, 184 in.; Yarmouth, 1704 in.; Point des Monts, 120 in.; Georgetown, 151 in.; Port Hastings, 1700 in.; Whiteside, 1705 in.

6th, Halifax, 233 in.; Grindstone Island, 147 in.; Cow Bay, 162 in.; Port Hastings, 100 in.

7th, Whitehead, 174 in.

8th, Fredericton, 158 in.; St. John, 101 in.; Halifax, 125 in.; St. Andrews, 103 in.; Father Point, 110 in.; Grand Manan, 205 in.; Varmouth, 204 in.; Point Escuminac, 126 in.; Kilmahumaig, 182 in.; Point Lepreaux, 210 in.; Port Hastings, 100 in.; Oliver's Ferry, 103 in.

9th, Grindstone Island, 124 in.; Sable Island, 251 in.

14th, Sydney, 106 in.; Halifax, 1/26 in.; St. Andrews, 1/25 in.; Grand Manan, 1/67 in.; Yarmouth, 1/24 in.; Wiarton, 1/61 in.; Point Lepreaux, 1/95 in.; Port Hastings, 2/00 in.

```
15th, Whitehead, 1'14 in.
16th, Port Hastings, 140 in.
17th, Bermuda, 5'94 ir.; Port Arthur, 1'17 in.
18th, Wilton Grove, 1.65 in.; Coldstream, 1.26 in.; Heron Bay, 1.00 in.
19th, London, 1.21 in.; Dealtown, 1.09 in.; Sable Island, 1.35 in.; Port Hastings, 1.45 in.; Point
    Clark, 1'36 in.; Stoney Creek, 1'35 in,
22nd, Digby, 2.01 in.; Whitehead, 1.34 in.
26th, Alexandria, 125 in.; Halifax, 104 in.
```

20th, Sydney, 188 in.; St. John, Nfld., 170 in.; Lyons, 147 in.; Whitehead, 157 in.

21st, St. John, Nfld., 196 in.; Point des Monts, 160 in.; Port Hastings, 180 in.

23rd, Sydney, 1'24 in. ; St. John, 1'32 in. ; Halifax, 1'69 in. ; Grand Manan, 1'82 in. ; Point Escuminac, 1'46 in.; Picton, 1'17 in.; Point Lepreaux, 1'70 in.; Hastings, 2'00.

24th, Grindstone Island, 126 in.; St. John, Nfld., 108 in.

27th, Bathurst, 1'50 in ; Pictou, 1'00 in.

28th, Digby, 100 in.; Quamichan, 101.

31st, St. Hyacinthe, 100 in.

Snowfall.—A considerable amount of snow has fallen at various stations throughout the Dominion; in some instances as early as the beginning of the month, and at many stations in the North West Territories and Manitoba heavy snow was general on the 30th and 31st. This was preceded by several days of warm, fine weather, the thermometer having read upwards of 90° in the shade. On the 29th at Roseberry Mr. Stack reports that it was 98° in the shade, followed on the 30th by a fierce storm from the N. and N.W., with snow.

Snow 3 in. and upwards in Month.

N. W. TERRITORIES- Swift Current, 18 in.; Prince Albert, 4. in.; Regina, 3 in.; Chaplin, 9 in.; Glen Adelaide, 16 in.; Lethbridge, 7.5 in.

Manitoba -- Shoal Lake, 12 in.; Hartney, 8 in.; Rapid City, 5 in.; Brandon, 6 in.; Russell, 7 in.; Hillview, 4 in.; Elkhorn, 10 in.; St. Albans, 4'5 in.; Gladstone, 5 in.; Rathwell, 3'2 in.; Sunnyside, 5 in.; Selkirk, 3 in.; Craigilea, 3:5 in.; Clandeboye, 3 in.; Cartwright, 4 in.; Roseberry, 4:5 in.

Quebec, 3.5 in.; Cape Magdalen, 10 in.; Point des Monts, 7 in.; Bicquet, 4 in.; Chicoutimi, 3 in.

N. Brunswick-Chatham, 7.8 in.

P. E. Island- Charlottetown, 6 in.

Snow fall 3 in, and upwards in 2.1 hours.

2nd, Elkhorn, 8 in.; Glen Adelaide, 7.5 in.; Shoal Lake, 12 in.; Hillview, 3 in.; Rapid City, 3 in. 3rd, Glen Adelaide, 3.5 in.

12th, Swift Current, 6 in.; Lethbridge, 6 in.

13th, Swift Current, 6 in.

24th, Cape Magdalen, 3 in.; Point des Monts, 3 in.

30th, Cartwright, 4 in.; Roseberry, 4.5 in.; Brandon, 40 in.; Hartney, 4 in.

31st, Glen Adelaide, 5 in.; Sunnyside, 5 in.; Gladstone, 3 in.; Savanne, 3 in.; Selkirk, 3 in.; Craigilea, 3 in.; Clandeboye, 3 in.; Treherne, 3 in.

Thunder storms recorded on-

1st, Little Forks.

2nd, Little Forks.

7th, Sharon.

oth, Banff.

10th, Rapid City.

13th, Blenheim, Rapid City.

14th, Cayuga, Cowal, Ridgetown

15th, Descronto.

16th, Deseronto.

24th, Port Moody.

25th, Wyoming.

26th, Sombra, terrific, Cowal, Blenheim, Toronto.

27th, Alexandria.

31st, Richmond, terrific, St. Hyacinthe.

- Mr. Webber, of Richmond, says of the thunder storms on the 31st, that nothing like it was known for years.
- Mr. O. Casavant, of St. Hyacinthe, also says it was a severe storm and very uncommon at this season in that district.

Aurora recorded on the following date—

- 1st, Truro, IV; Sydney, III; Prince Albert, III; Uplands, Chicoutimi.
- 2nd, Prince Albert, III; Elora, Dorchester, N.B.;
- 3rd, Fredericton, IV; Port Arthur, I; Mattawa, Winnipeg, IV.
- 5th, Chicoutimi, Hillview, Winnipeg, IV.
- 6th, Little Forks, IV; Father Point, II.
- 7th, Minnedosa, IV; Dorchester, N.B., Chicoutimi, Russell, III; Pembina Crossing, IV; Winnipeg, IV.
- 8th, Mexandria, IV; Swift Current, II; Minnedosa, III; Bognor, III; Savanne, Georgetown, P.E.I., Hillview, Russell, III; Port-Ellice, II; Posen, III; Pembina Crossing, IV; Winnipeg, IV.
- 9th, Alexandria, IV; Truro, IV; Fredericton, III; Novar, IV; Russell, II; Fort Ellice, II; Pembina Crossing, III; Winnipeg, IV; Toronto, IV.
- 10th, Sydney, IV; Birnam, IV; Savanne, Pembina Crossing, III; Winnipeg, IV.
- 11th, Minnedosa, 111.
- 12th, Father Point, IV: Savanne, Point Escuminac, Pembina Crossing, IV.
- 13th, Sydney, IV.
- 14th, Pembina Crossing, IV.
- 16th, Little Forks, III; Minnedosa, IV.
- 17th, Minnedosa, IV.
- 18th, Pembina Crossing, IV.
- 19th, Little Forks, II; Prince Albert, III; St. Albans, IV;
- 20th, Pembina Crossing, III.
- 21st, Bognor, IV.
- 22nd, Fredericton, III; Elora, Gladstone.
- 23rd, Alexandria, IV; Prince Albert, III; Gravenhurst, II; Zurich, Clontarf, IV; Elora, Pembina Crossing, III,
- 24th, Alexandria, IV; Gravenhurst, IV; Savanne, Novar, IV; Chicoutimi, St. Albans, IV; Elkhorn, Russell, HI; Posen, II; Pembina Crossing, H; Winnipeg, IV; Toronto, III.
- 25th, Truro, III; Fredericton, IV; Prince Albert, III; Father Point, IV; Savanne, Chicoutimi, III; Sunnyside, I; Posen, IV; Winnipeg, IV; Thedford, I.
- 26th, Novar, IV; Sunnyside, H; Posen, IV; Winnipeg, IV.
- 27th, Gravenhurst, IV; Zurich, Clontarf, IV; Point Clark, II; Novar, IV; Elkhorn, Pembina Crossing, IV.
- 28th, Minnedosa, IV; Savanne, Chicoutimi, IV; Pembina Crossing, IV.
- 29th, Savanne, Pembina Crossing, IV.
- 30th, Dorchester, N.B.
- 31st, Pembina Crossing, IV.

							ПО	URS 1	ENDI	NG.						
•	5 A.M.	6 A.M.	7 A.M.	A.M.	9 A.M.	10 A.M.	11 A.M.	NOON	1 P. M.	2 P.M.	3 P.M.		.5 P.M.	6) P. W.	7. v.	у.ч.
Esquimalt			0.01	0.16	0.25	0.28	0.31	0.43	0.42	0:41	0.41	0.39	0.19			
Agassiz, B.C.				:02	99	::7	140	.44	1.1	11	34	29	- 03			
Indian Head				01	.25	538	41	41	12	11	1009		12			
Brandon				10	.32	142	(1)	- T- 1	.55	:56	17	*27	17			
Winnipeg				-27	-52	149	55	:54	-56	51	51	148	27	·67		
Kingsville				126	.20	160	68	60	62	61	58	:50	10			
Woodstock				23	.47	61	51	161	55	77	52	141	11			
Тоболто			:01	. 59	.63	67	65	559	50	SH	155	:51	.1()	10		
LINDSAY			117	- 41	.54	158	61	51	.52	20	57	45	. 7	n7		
Barrie				- 22	-51	:51	58	54	110	5.3	52	50				
Kingston			0.;	:31	48	:58	168	65	61	150	-52	15	: ***			
	1 .	i	l													
Montreal			16	:31	45	47	14	41	45	70	17	40	15			
Frederictor			62	21	.39	-413	:49	45	51	52	50	39	13." (Ja)	581		
Sydney			:03	-23	:30	-61	21	37	34	501	-25	:21	-23	104		
	I			20.7							-	21				
			Esquimale.	AGASSIZ,	INDIAN HEAD.	BRANDON.	Winniped	Kingsvildi.	Woodstock.	Tonos To.	Lindsay.	BARRIT.	Kingston.	MONTREAL	Furrenteron.	SYDNEY.
MEAN PROPORTION FOR MONTH (Constant sunshine being 1.)			0.51	0-27	0.27	01.35	0-13	0 17	a 42	0.51	0.50	0.11	0.48	0.12	0.45	0127
MAXIMUM DAILY AMOUNT			1 %%	0.71	0.77	1035	0002	0 51	0.5	0.02	9.5	H 57	0.53	0.91	4)-17	Egeñ
Date	•• • • • • •		4	ĭ	20	14	30	25	21	21	21	24	15	15	25	1.:
No. of Days Completely Clouded			7	12	10	6	- 5	1	1	33	3	2	3	6	11	7

PROBABILITIES.

The probabilities issued by this office at 11 p. m. each night are posted up at every telegraph station in Canada, and are for the 24 hours beginning at 8 a. m. the following day.

The number of predictions issued during the month was 641. These were divided as follows:

	No.	V а. В г F I п D .								
DISTRICT.	Issued.	No. Early,	No. Partly.	Not.	Percentage.					
Manitoba	100	75	17	5	STIL					
Lower Lake Region	118	111	9	15	83.5					
Upper St. Lawrence	107	51	14	12	40 to 1					
Lower St. Lawrence.	107	5.1	12	11	SI 1					
Girls	105	51	9	12	84.3					
Maritime Provinces	101	71)	1:	1.2	51.7					
Torve	611	197	71	70	81.4					

The percentage of verification is obtained by taking the sum of those fully verified and half the sum of those partly verified and dividing by the whole number.

In ascertaining the percentage of verification of the predictions the reports from the agents at the "Probability Stations," as well as the telegraphic reports, are used.

The daily probabilities and the storm warnings were issued by Probability Officer K. I. Stupart.

STORM WARNINGS.

During the month warnings on the approach of twelve storms were issued to our agents, and cautionary signals duly displayed at the various signal stations. The total number of warnings issued was 319, of which 295, or 92'5 per cent., were verified. At 16 stations, however, the force exceeded and at 14 did not reach that indicated by the signals displayed; thirty stations reported warnings received too late, owing to delay in issue and transmission. One station reported a storm for which no warning was sent.

In connection with the warnings, predictions as to probable directions of the wind were given, and of the 205 warnings verified as to force 257, or 871 per cent., were fully verified, and 285, or 966 per cent., were fully and partially verified.

- No. 1. At 9.50 p.m. on the 1st, in advance of a disturbance then central over Kansas, Lake Superior was warned for a heavy E. through N. to N.W. storm. Port Arthur reports that vessels afterwards arriving experienced a heavy storm on Lake Superior. Signals were lowered on the night of the 3rd.
- No. 2. All Lakes, except Superior, were warned for a moderate S.W. to N.W. storm at 10.05 a.m. on the 4th, a depression, which was increasing in energy, being situated over the Lake Region. A moderate gale is reported to have occurred during the same evening and early on the 5th, at Tobermory, Midland, Kincardine, Goderich, Pelee Island, Port Burwell and Port Dalhousie. Signals were lowered on the night of the 5th.
- No. 3. All stations from Father Point east, were warned at 10.40 a.m. on the 5th, for a heavy easterly gale, in advance of an important disturbance passing up the Atlantic. During the same night and early on the 6th, the storm was very generally experienced, except in the Bay of Fundy, where strong winds only appear to have occurred. Percé, Canso and Ingonish report a fresh gale, and Sydney and Port Hastings a heavy gale. Signals were lowered on the morning of the 6th.
- No. 4. Cautionary cones for a moderate E. through N. to N.W. gale were ordered for Lakes Erie and Ontario at 11 a.m. on the 7th. The same afternoon a moderate storm prevailed on Lake Ontario, but apparently not on Lake Erie. Signals were lowered at 10.20 a.m. on the 8th.
- No. 5. Lawrence and Ocean stations were warned between 10.40 p.m. of the 7th and 10 a.m. of the 8th, for a moderate E, through S, to S,W, storm, on the approach of a disturbance of importance which was moving up the coast from the Gulf of Mexico. The storm subsequently prevailed over the districts warned during the afternoon of the 8th, and in many places it was severely felt, especially at Sydney, Cow Bay, Digby, St. John, Percé and Ingonish, where a fresh to heavy gale is reported to have occurred. Signals were lowered at 10.20 p.m. on the 9th.

No. 6. Cautionary cone No. 1 was displayed on the Georgian Bay during the 11th, on Lake Huron No. 2 was displayed on the 14th and 15th, and on Lake Superior cautionary signals were displayed at Port Arthur on the 12th, 13th and 15th, and at Sault Ste. Marie on the 14th. The display of these several signals was occasioned by the movement of more than one depression taken in conjunction with a high pressure area, and subsequently dangerous winds prevailed in all localities notified except at Port Arthur. On the 14th Fre-qu'Isle on the Georgian Bay recorded 35 miles an hoar from the 54stward. On the 14th Stult Ste Marie felt a moderate gale, and on the 15th Goderich recorde 145 miles an hour from the westward and Port Burwell a moderate gale.

No. 7. Lawrence and Breton stations were warned for a heavy easterly gale at 10,20 a.m. on the 14th, an important disturbance being situated off the New England coast. The gale had already set in at some places be ore the warning arrived, but in most localities it was not severely felt until the evening of the 14th, when a fresh to heavy storm from N.E. and S.E. prevailed generally. Signals were lowered between the night of the 14th, and the morning of the 15th.

No. 5. C. etaonary cone No. 2 for a moderate S.W. to N.W. storm was hoisted at all Lake stations at 10 p.m. on the 17th, on a count of a moderate depression which was situated over Lake Superior. During the 18th, a moderate gale prevailed at Port Arthur, Sault Ste Marie, Presqu'Isle, Pelec Island, and 1 ort buck II, also on the eastern portion of Lake Outario, at Trenton and Prinyer. Signals were lowered during the 16th.

No. a Cuitionary codes for a moderate easterly gale were ordered at 10,20 a.m. on the 10th for Gull and Ocean fation. These codes were changed to storm signals the same afternoon, and on the morning of the 20th the storm signals were further extended to the River and Bay stations. The display of these signals was occasioned by the movement up the Atlantic some distance off the American coast of an important disturbance, which was immediately followed by a rapidly

developing subsidiary. During the evening and night of the 19th, a fresh to heavy easterly gale was experienced along the Nova Scotian and Cape Breton coasts as the major disturbance passed to the southward, and on the 20th evening the subsidiary brought a fresh easterly gale at River and Bay stations. Signals were lowered between the 20th night and the morning of the 21st.

No. 10. The cautionary cones for a moderate, easterly gale, which were ordered at 10.50 p.m. on the 22nd for Nova Scotia and Fundy stations, were changed, the next morning to storm signals which at the same time were further extended to all remaining St. Lawrence and Ccean stations, as the disturbance for which the signals had been in the first place displayed had then become very important off the New England coast. During the evening and night of the 23rd, a fresh to heavy gale from the east and north was experienced throughout the districts warned. Port du Chene reports highest tide since 1879, 300 feet of the breakwater carried away; several boats wrecked. Signals were lowered between the evening of the 24th and the morning of the 25th.

No. 11. Cone No. 2 for a moderate W, to N, storm was ordered for all Lakes except Superior, during the evening of the 20th, on the approach of an important high pressure system from the North-West. The storm had already set in in some places before the warning arrived, but as a rule it was not severely felt until the early part of the 27th. Signals were lowered at 5 p.m. of the 27th.

No. 12. Cone No. 2 was ordered for Lakes Superior, Huron and the Georgian Bay at 11 a.m. on the 30th, for a moderate S.W. to N.W. storm. The same night No. 2 was further extended to Lakes Eric and Ontario, No. 4 for a heavy S.W. to N.W. gale, being at the same time substituted for No. 2 on Lake Superior. No. 4 was also substituted for No. 2 the following afternoon at all other Lake stations. The display of these signals was on account of the advance of a deep disturbance from the North-West, which, as it afterwards passed over the Lakes, caused a fresh to strong southwesterly to northwesterly gale during the evening and night of the 31st, in all localities.

At 9.35 p.m. of the 31st all Eastern Canada stations were warned for a moderate 8 W. to N.W. storm, the disturbance, with a little reduced energy, being then over the 8t. Lawrence Valley. On the 1st November a storm occurred, generally over the districts warned, from the directions indicated. At Father Point and at Point le Preaux, however, it increased to a strong gale. Signals were lowered on the Lakes during the 1st, and on the morning of the 2nd elsewhere.

TORONTO OBSERVATORY, MAGNETIC REATEW FOR OCTOBER, 1861.

The magnets during the first five days were slightly disturbed, especially during the morning and night hours. The 6th and 7th were much quieter. On the morning of the 6th crother dight disturbance appeared, and at 11,20 p.m. a marked casterly deflection was recorded, the expresses taking place at 11.48 p.m. A gradual rise then followed, and the magnet, after attaining its normal reading, became much quieter. On the next night the movements again increased, the magnets being decidedly disturbed between midnight and 2 a.m. of the roth. A marked westerly a correct of the declination magnet took place at 0.55 a.m. of the 10th. Both forces were charged, a gray on the morning of the 10th, porticularly the v. f. A steady decrease of this congruence that between 2 and 5 mm, of the 6 th, and a rever my seem after 6 a.m. If it is most 1 1 to the 1 th, v 9.35 a.m., a quick, westerly swing of the do Fhation needle, followed ammon to the easterly swing was recorded; the magnet, but were more or a section 0 atternoor and following hears of the 12th, slow of the atternoor and or a section of the 12th, slow of the safe or a section of the to the 17th the imagnets were remarkable to a continuous label of the continued up to the 21st; a so on the might of the 21st; a so on the might of the 21st; and rapid movements occurred, especially in the declaration of the content of ments increased, and for the Clincing two cars of the more to The disturbance was more edition of the approved eath, we see and afteraoon of that digits an every condition can be a concurve. There we have some north before every turbing power benefits by page is a letter of the formal formal bours, when the courses become rather and all of the extensions of the and gradually provided to the first consecution of the first state of Auroral high was observed on the other of the Arrows and the first state of

Auroral high, was observed on the other of a classical manager as one at the North the 1st, 2nd, 5th, sin, i th, 6th, i ch, tich, i ch, ijth, a t, and a classical field of the sky was observed with observed the Ones with the sky was class but no amore was observed. Ones with the classical magnetic magnetic horse exists his Acronic was a colored to the Dominion on the 23rd, 24th and 25th.

CHARLIS CARL FALL,

/ /

METEOROLOGICAL OTHER,
TOKONIO, December 6th, 48-4.

	8		

METEOROLOGICAL SERVICE, DOMINION OF CANADA.

Monthly Westher Review.

NOVEMBER, 1891.

INTRODUCTION.

In compiling the present Review the principal data made use of are the telegraphic reports of observations received at this office for the purpose of weather predictions, and the reports of storms received by mail. For the material used in tracing the courses of areas of high and low pressure in the United States, we are indebted to the Chief of the Weather Bureau, Washington, D.C.

ATMOSPHERIC PRESSURE.

The average pressure, as determined from the observations taken at telegraph reporting stations, was above the normal of seventeen years in the greater part of Ontario and in Quebec and the Maritime Provinces. In Manitoba and the North-West Territories it was slightly below the normal.

The 1st was marked by an important high pressure area covering the country from British Columbia to the Lake Region, and by a deep depression situated in the Lower St. Lawrence Valley and the Gulf. Cold weather prevailed from the Rockies to the Upper Lake Region, with light snowfalls in many places; thence to the Atlantic it was unsettled, with local showers of rain or sleet, attended by strong west to north-west winds on the Lakes, and by a gale from the same directions in the Lower St. Lawrence and the Gulf as well as in portions of the Maritime Provinces.

2nd-6th. During this interval, owing to the presence of the high area, the distribution of pressure was anti-cyclonic from the Upper Lakes to the Atlantic, interrupted, however, on the night of the 4th, in the Lake Region, by the passage of a slight depression. The weather was everywhere fine except that during the evening and night of the 4th a light fall of rain or snow occurred over the Lake Region. Temperature varied generally between 20° and 40°, and the winds were as a rule moderate.

In the North-West Territories and Manitoba, for the same period, the distribution of pressure was mainly cyclonic, and the weather, with the exception of a few scattered showers, fine and mild.

A disturbance now skirted our Atlantic seaboard and several depressions passed up the Mississippi Valley from the Gulf of Mexico, and another series traversed the North-West Territories and Manitoba. The last and most severe of the system reached the Lake Region on the 10th and thence moved to the Atlantic. Frequent rains occurred in the Lake Region, the greatest amount falling on the 10th. Mong the St. Lawrence and in the Gulf it only rained on the 11th and 12th, but in the Maritime Provinces it rained frequently, the heaviest falls happening on the 8th and 11th. In the North West Territories and Manitoba snow fell generally between the 9th and 12th. On the 10th and 11th a moderate to fresh gale was experienced on the Lak ξ , and between the 0th and 12th a west to north gale was general from the Rockies to Manitoba.

An area of high pressure, which first moved into the far North-West during the night of the 10th, now travelled slowly across Canada to the Atlantic, attaining its greatest height (3070 inches) when central, on the 15th, in the St. Lawrence Valley. Its accompanying weather was, for the most part, fine, with a few snow flurries, and it gave sharp frosts generally, with minima below 20° in the Ottawa and St. Lawren exalleys, and from - 6 to - 10 in the North West.

As the high pressure area just mentioned passed castwards, the weather from the Lakes to the Atlantic came under the influence of two low pressure areas, which followed one another in quick succession from the Southwest States. The first of these, with developing energy, travelled between the 15th and 16th over Lake Superior, uniting in its advance with a little depression which

had been in Manitoba; thence it passed far north-northeastwards. The second one, after reaching the Lower Lakes on the night of the 16th, suddenly developed great energy, and on the 17th travelled the St. Lawrence Valley and the Maritime Provinces as an important storm. The first of these depressions gave heavy rains and moderate gales in the Lake Region; the second one was accompanied by fresh to heavy gales and copious rains throughout its course.

In the North-West Territories and Manitoba another important anticyclone moved into the country, whilst the Southwest depressions were affecting other parts of Canada, and it was attended there by fine, cold weather, minima ranging between -4 and -18 occurring everywhere. It then travelled the continent to the Atlantic, its accompanying cold wave between the 17th and 19th being pretty generally experienced in Ontario, Quebec and the Maritime Provinces, when light snow fell in many localities, and minima occurred as low as 6° and 8° in the Ottawa Valley and the Parry Sound district, and of 10° and 18° respectively in the St. Lawrence Valley and on the Atlantic coast.

20th-28th. As the last-mentioned anticyclone passed to the Atlantic, the weather in Canada again came under the influence of a series of low-pressure areas, eight in number; the last of these disappeared off the Atlantic coast on the 28th. The two most important of the system were a deep disturbance which between the 22nd and 24th passed from the Mississippi Valley over the St. Lawrence to the Gulf, and a disturbance which between the 24th and 25th traversed the North-West Territories, and on the 26th developed much more energy when over the Upper Lake Region. As a result of the movement of so many depressions, the weather was kept in a very unsettled state for the larger portion of this protracted interval, except, perhaps, in the Maritime Provinces, where, outside of rain on the 23rd and 27th, and snow and rain on the 24th and 28th, it was fair. In the North-West Territories, however, snow fell in many portions of the country on every day but the 27th and 28th, and in the Lake Region and over the greater part of the St. Lawrence Valley snow or rain—chiefly the latter—occurred daily, and as a rule in considerable quantities. Gales were experienced in the North-West Territories on the 20th and 26th, from the Lakes to the Atlantic on the 23rd and 24th, again on the Lakes on the 26th, and in the Gulf on the 27th. Temperature was low in the North-West, invariably at night, some degrees below zero, and on the 27th and 28th from -28 to -32. From the Lakes to the Atlantic on the other hand, except on the 28th, it was often much above its average, and maxima from 56° to 60° occurred on the 23rd and 24th.

29th-30th. The distribution of pressure from the Lakes to the Atlantic on these two days was entirely anticyclonic, the weather was generally fine, although a few scattered light local snowfalls or snow flurries occurred, and the temperature was below its average, minima being reported ranging from —4 to 12 in the Lake Region, from —8 to zero along the St. Lawrence, and within a few degrees of zero in the Maritime Provinces.

In the North-West Territories and Manitoba, at the same time, the distribution of pressure was cyclonic, and the weather fine and mild.

TEMPERATURE.

The average temperature, as determined from the observations taken at telegraph reporting stations, was above the normal of seventeen years in the greater part of Ontario and in Quebec and the Maritime Provinces. In Manitoba and the North-West Territories it was about 5° below the normal.

The highest and lowest temperatures in each Province during November were:

British Columbia, 66° o on 4th, at Barkerville; -6° o on 15th, at Barkerville.

N. W. Territories, 65° o on 9th, at Chaplin; -29° 5 on 27th, at Prince Albert.

Manitoba, 64° 1 on 6th, at Gladstone; -33° 5 on 28th, at Russell.

Ontario, 70° 0 on 10th, at Stoney Creek; -39° 0 on 28th, at Ignace.

Quebec, 65°0 on 17th, at Cape Magdalene; --11°5 on 30th, at Richmond.

New Brunswick, 67° o on 12th, at Bathurst; -1° on 30th, at Chatham.

Nova Scotia, 65°.6 on 11th, at Yarmouth; 9°.0 on 30th, at Truro.

P. E. Island, 64°0 on 12th, at Georgetown; 9°4 on 29th, at Kilmahumaig.

At Esquimalt, B., C. shock of earthquake at 3.30 p.m. of 29th.

PRESSURE, TEMPERATURE, WIND AND PRECIPITATION AT STATIONS IN THE DOMINION OF CANADA, NOVEMBER, 1891.

smio	Xo. of Auroras. No. of Thunder su No. of Fogs.			471100000 000000000000000000000000000000	
	Xo. of days.	8525558	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	80000000000000000000000000000000000000	28.88.88.88.88.88.88.88.88.88.88.88.88.8
Precipitation.	Diff. from aver-	n. in. 30 -0.05 31 +0.10 32 -0.13 39 +0.33 11	99 = ==		
-	Amount.	00 0000	0.30 0.30 1.32		80 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
VELOCITY OF WIND.	Date and direction.	10 NW 20 NW	N 81 N	11 W 16 X W 11 X W 11 X W 20 X P	11 SW 11 SW 11 SW 11 SW 12 SW 24 SW
OCITY (Highest days	13.00 13.00 15.00 15.00 15.00	0.81	20.1 30.1 7 11.0 11.0	7
VEL	Mean, miles per trod			= 2 = 2	= ==
	19dmun IstoT 21noil 10	33 60 31 90 31 80 60 90 60 90 60 90 60 90 81 80 85 90 85 br>80 80 80 80 80 80 80 80 80 80 80 80	93 93 93 93 93 93 93 93 93 93 93 93 93 9	8.2 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	
FROM	N. W.	******	0.77	89888888888888888888888888888888888888	40 0 0 0
WIND FROM	'W.	500000000000000000000000000000000000000	5 6 1	T2 922 9227	Ou 10002551-41- x
N OF	S. W. S	2017500000000000000000000000000000000000			40 00E0E0E0
Direction of	з. Е.	e-=+===			no 0-2-x 000 =
Din	Z' E'	0170-11-4		9 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	. X	0:0000000000000000000000000000000000000	= = = = = = = = = = = = = = = = = = = =	0 9 3 1 - 3 C I I II X	00 635000000
ğlərəle	Zo. of days comp	4451	-	9 :: 0 = :: 4 -	= -= x
- cloud.	dity.	-1600 000		99 19 19666	1- 1- x Ξ
	dewpoint. Mean relative I			5	
10 9t	Greatest daily range. Mean temperatu:				
	Mean daily range.	25.0 4 18.0 1 18.0 2 19.2 4	19.6	- 488 - 588	14
В.	Date.	2525555	22 8	x 1= x x x x x x x x x x 1= x 1= x	66666666666666666666666666666666666666
OF AI	.teoworl	a = 1 = 1 = 1 = 1 = 1 = 1 = 1 = 1 = 1 =	9.0.0		
ATURE	Date.	おる×4の4の4		2020222X221-21-2	
Temperature	Геатз observt. Підhеst.	0	11.6 1.1 8.65 0 1.1 1.1 8.65 0 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1	x 0 10 x 60 - 0 x 0 - 15 1	
	Diff. from aver-		111- 119		
	Mean.	- 2555555 - 2555555 - 2555555 - 2555555 - 255555 - 255555 - 25555 - 25555 - 25555 - 25555 - 25555 - 25555 - 25555 - 25555 - 2555 - 2555	11.00		11 1 1 1 1 1 1 1 1 1
	. едияЯ		: 12 : : : : :		· [1] [1] [2] [2] [2] [3] [4] [4] [4] [4] [4] [4] [4] [4] [4] [4
CHES.	Lowest.	: -	1.5		
Pressure in inches	Jeangill	in, in, in, in, in, in, in, in, in, in,		90-50 50 50 50 50 50 50 50 50 50 50 50 50 5	17. 0.00 mg 27. 0.
ESSURE	Меан гедиегд.	in. in. 129-91-30-72 23-194-30-65 20-105-30-173 30-105-30-105 30-105-30-105	5,001.00.75	01-02 - 03-03-03-03-03-03-03-03-03-03-03-03-03-0	90 00 00 00 00 00 00 00 00 00 00 00 00 0
Pr	Леан истан.				
		Assiment: Medicine Hat. Schnotten Forks. Pheasant Forks. Maple Creek. Swift Current. Qu'Appelle. Battelord	Grenfell Calgary Chaplin Balzonie Band Cotham	MANTOBA: Minnedosa Winningoz Ekhori Fikhori Stony Mountan Russill Story Mountan Russill Story Mountan Cak Early Fort Column Cak Early Fort E. 18 Fort E. 1	ONACIO: SAUGUE SAUGUE SAUGUE NEON BAY L'IMAC 'National Bay Nasanable Tort Arthan Tort Arthan Party Sound Saugeou Owen Sound Saugeou Owen Sound North Bay Your dale North Bay Your dale North Bay Jour dale Oly

~
0
~
=
:=
\sim
=
23
\sim
&c
- 1
75
-15
4
ئر⊣
~
\circ
ATION
-
54
-
PIT
2
\equiv
7
\sim
PRE
$\hat{\Gamma}$
-
\vdash
1
-
INV
_
\Box
Z
Z
NIN
WIND
5-3
5-3
5-3
5-3
PITEE.
5-3
TEMPERATURE.
TEMPERATURE.
TEMPERATURE.
TRE TEMPERATURE.
TRE TEMPERATURE.
TRE TEMPERATURE.
TRE TEMPERATURE.
TRE TEMPERATURE.
TRE TEMPERATURE.
TRE TEMPERATURE.
SSITEE TEMPERATURE.

ı	No. of Fogs.	
surror	S 19bundT to .oV	000-000-00000 -000 : 000 00000 00000 00000
	seround to oN	00000000000000000000000000000000000000
-	.synb to .oV	- 20082011710284501
710N	. og a	######################################
TAT	-rova mort frid	
Precipitation.	-1 пиот А	+ + + + + + + + + + + + + + + + + + +
UNI.	- Date and direc-	### ### ### ### ### ### ### ### ### ##
OF 7	velocity.	
VELOCITY OF WIND.	Highest days	NA VIII VIII VIII VIII VIII VIII VIII VI
[007]	топ,	
_ ^=	Teg səlim, nısəK	
	Tetal number strong land	
м	٠,٠	
FR02	'A' M.	SHUB E 4 1 1 550 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
QN	<i>II</i> .	1 2 1 2 1 2 1 2 2 3 3 1 3 1 1 2 2 3 3 1 3 1
WI	S. W.	
40 1	8	1-336 8 1 1 4 13 1 1 20 1 1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
T10!	'з в	
Direction of wind from	В	
ū	[X B.	
	X	
	clouded.	
Jetely .	Zo. of days com	
cloud.	To Janoua answar	x x x x x x x x x x x x x x x x x x x
-11111	Меян теlative III dity.	88 88 1 2 1 2
	dewpoint.	
lo o	Mean temperatur	
	The Steatest Laily	* 2 5 5 4 1 3 5 1 5 5 1 5 1 1 2 1 5 5 5 5 1 1 5 1 5 5 5 5
	.921067	्राप्त विकास के स्वार्थ के स्वार्थ के स्वार्थ के स्वार्थ के स्वार्थ के स्वार्थ के स्वार्थ के स्वार्थ के स्वार्थ विकास स्वार्थ स्वार्थ स्वार्थ के स्वार्थ के स्वार्थ के स्वार्थ के स्वार्थ के स्वार्थ के स्वार्थ के स्वार्थ के
	The Hack	
≃:	als(I	
F AI	Lowest	0 0 0 0 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2
E 01		
TEMPERATURE OF	Date.	
ERA	TeshgiH	0 8 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
EMP	Years observe.	
H	Trasdo suay	100 100
	-reva mori fitte	
	Mean.	• = 4 = 4 = 4 = 4 = 4 = 4 = 4 = 4 = 4 =
E 8.	- 120.14027	
INC	.isowool	
N.	Highest.	1 8 8 8 1 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1
Pressure in inches	The filtred made	
RES	Mean reduced.	
	Лентэв пвэК	
		Nytaro—Continue I. Axe Lake. Coldwater. Garavenhurst. Startice. North Bruce. Rockliffe. Luckmow. Faris. Rudshow. Fortam. Point Clark. St. Mary's. Fortam. Point Pelec. Kingstown. Ridgetown. Ridgetow
		8
		P. C.
		ONTABIO—Continued. Are Lake. Coldwater. Gatrice. Gorarburst. North Bruce. Rockliffe. Surich. Point Clark. St. Mary's S. Paris. Paris. Purknow. Foguor.
		NAME OF STATES O

0 0	::0	00000	.00000104	+ 0	:0000	:4- :	D: -0375	0	=	c :: 0	10 0 0 0 7 0 0
0 0	: 0		.0-0-00-	90	:0000	00	60000		=	===	0 0 0 0 0 0 0
	0 75	28 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	115 0 12 12 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15	0 91 0 8 0 8	<u>.</u>	100	00440 :0		· ·	0 11 0	200000
52	ပ	22222	:1573.5 p. e.e.	# 12		12 s	14 16 12 15 12 18 12 18 12 18 10 20	10 20	2. 	15 15 12 15 12 18	252222
97.	1.7	9 : 0.0.0	20 21 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		:8822	I II			==!	- 65 56	
++	+ 0 - 17		+ 0 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1	77	9777	77		ĩ		777	ស្តែក្រក់ ក ្ខាត់
92.				03. 1		23			. 68		
0.4	2 - 65	3.06 1.84 2.35 1.49 4.15	1.0000000000000000000000000000000000000	21 21	- n n - m	-5	2:39 1:55 1:66 1:85 1:07	21.53	· **	2 H S	58.84.885 58.84.885 58.84.885
= 2		NS. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.		11 11 11 11 11 11 11 11 11 11 11 11 11	Z Z Z Z	=	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	- ₁	٧.	: : : x	x =
26. 26.		24 S 27 S	57	27.77	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	= ;;	XXXX	~	00	12	x 8 8 8
2 = :	1 1	~ - : :	1170111	19.6	VI VI VI 0 0		Ø. □ t-	1=		1-	
_ =		8.51 1.12 1.13 1.13	1 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	28	30 0 V1 V1 36 7		23.4.8 23.4.8 24.4.8	<u>∞</u>	2.3	5	
a = :		6.3		(- 1-	= = = = = = = = = = = = = = = = = = = =	-	E E E E E		:	1-	0 0 1
	: :	:::::::::::::::::::::::::::::::::::::		1-			95 7 = 1			20	
8.8		8.8	383333	8 8	8888	: i3	95 8 8 8 8 8	09	3	Ē	<u> </u>
4°		31 : 2 C	១១១៩ ១ ១១	r= 51	:= = = = = = = = = = = = = = = = = = =	36			Ξ.		
1 P		- 클립 발포	:: ::727258	- 61	: :2 \in \text{8.4}	1 4	8848859	x.	43		: : :
2 E		= 80 + C X	845334	C1 7.	ំស្គ∞ស ស ស្គ	: i	4555cu		S	- I	2
11			823382	22	: : * I	= -	- 25 - 25 - 25 - 25 - 25 - 25 - 25 - 25		7	12	a : : : : : :
m1-			1 227792		10200				٠,	1 15	
 ::e::		6 1		- 21	10279				-7	: ! <u>=</u>	<u> </u>
Ξ,	1		: :	= 01	្នា .១១១១	: : - :	_ n-ns-s	9		115	
0 -		照 D : 真 m	:: ::4~;;020	_	ino Zm		프로 트립스코스트로	9	œ	: : -	8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
က်ဆ		្លា ។ ១១	: : : : : : : : : : : : : : : : : : :	១៩	: n x - ic	: :	ಭದವಾದ ಕಂಡ	-31	_	3 12	3
==:	_ <u> </u>	i	:: : : : : : :	-		::::			-		
27		 F-44570	22		30 X 4 C	10		===	71	<u> </u>	P
∞ →		1- V O V O	t- ia	FC =1.	7000	9	asern	-9	2.1	100	x x 3
		7		達	1-		Z Z		1		9 9
				· ·	1.88		- 9.65 6.65	:			
	: :	21	: : : : : : : : :00-: : : : :	$=\frac{8}{3}$: : : :			=	# # # # # # # # # # # # # # # # # # #	
31.5		1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	###	x :1	34.0	10 F		1.7	::	1-1-3 21-21-31	2818382
17.3	: :	22.7.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.	17.7	6.4	15.8	11.7	2 2 2 2 3 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5	- : :	1-	Z 21 21 2 2 3 2	
55 55 55 55 55 55 55 55 55 55 55 55 55			: a 2 a a a a a a				8488888	20 1	(~	558	
:	:		1 8			:	., ., ., ., ., ., ., .,				
1.51	10 - 5 0	0.0 17.0 11.5 1.5 1.5 1.5		0.0	3.6 10.0 8.0 6.8	0.0	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	0.15	59°8	2. <u>2. 2.</u> 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	
<u>၂၂ :</u> စပ္	: [1		_			
	7	1212121	5024277	1- /		22		_	7	222	하는 학급 학교 중
9.0 360.6 9.6 148.0	0-1	2.9 17 60 4 0.5 1 52 0 1 4 14 63 0 1 9 7 58 4 1 7 17 61 8	23 7 160 6 27 9 17 57 3 27 9 9 45 6 27 9 9 65 6 17 9 9 66 0 17 9 9 65 0	3+7 18 59-7		9 - 3 - 5 - 5 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6	2 1 6 1 6 1 6 1 6 1 6 1 6 1 6 1 6 1 6 1	10	17	=	9 9 5 5 5 5 5 6 6 9 5 6 6 6 - 40 0 10 0 0 0
3 60 -6	(C)	2722	:-3290000	87-	: [[& [] & [] & []	::::::::::::::::::::::::::::::::::::::	222222	5.	:	223	
0 0 0	: 27	2072		1: P	11122	05	9 5 6 9 6 1 4			X 7. X	
	: 1				1.1.			- 4	- :		
19:4 — 9:0 18:8 — 9:6	34.3 - 6.2 2 62.0	8888 8889 8889 8889		9 A 8 E	FT FT RAAR		5 5 7 6 1 5 6 9 5 3 5 5 5 6 2	7	3		
1.0.7		1.18	2 1	22.2							
1-			20 - 1 - 10 - 10 - 10 - 10 - 10 - 10 - 1	51.71	145 E		- 888E 1 1 1	13	4	110	
30*18 30 75 29*74			30 of 30 58 20 cm 1 55	30+04-30+71-29-29 30+07-30+64-29-24	30 10 30 60 20 20 28 28 20 11 30 72 20 20 28 28 28 28 28 28 28 28 28 28 28 28 28		80 02 80 73 80 03 80 02 80 73 80 03 80 02 80 73 80 03 80 02 80 73 80 03	97 72-67 E2-07 00	80-05 (00-0) 50-03	30-10-30-05-29-29-1-35-	
30		30 - 05 30 - 52	80 (a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	8.8	30 10 30 69 30 11 30 73 30 09 30 11		8888	- 4	Ė		
1.8		\$0. Ite	T	35	AT 8 88 8		2525	=	-	Ē	15 15 18 18 18 18 18 18 18 18 18 18 18 18 18
30		RR: 18		- A.A.	: # # 1 # 1						
30.18.30.76.29.74 1.02							30 -1.1 30 - 7.1 39 - 33 30 -1.0 30 - 7.1 39 - 37 0 -1.2 30 - 7.1 39 - 37 31 - 32 - 33 11 - 32 - 33 11 - 33 - 33 11 - 33 - 33 11 - 33 - 33				
									1		
Novar Little Forks. Wanstead	Minden*Shannonville	Montreul. Grindston e. Grindston e. Chicoutini. Quebec.	St. Byancinthe Brome	Fred ricton	St. Andrews. Grand Manni. Point Leppeaux. St. John.	Porchester Dalhousie Parker's Ridge	Malitax Sydney Yatmouth Truro Perton 11gby Whitebrad	:		E 1stand: Kilmahamatz Georgetown Charlottetown	Esquimatt Esquimatt Quimichan Massix Massix Port Mordy Abbotton Strift Spenos Strift
83	ille		THE LEAD OF THE LE	N I		·		- <u>1</u> 1	:	- 10 mg/s	
orh	0117	ville Ville	Project Projec	etor m	National States	1 1 2 2		14 K		AND Ulim Teta	A STATE OF THE STA
ar le F iste	den ann	itres ndst mdst mno conf nec	Hya mer mer mer mer mer pe 0	hers for the		Porchester Pathousie Parker's R	ra Scotta · Idinax · Idinax · Yaluey · Yaluey · Yaluey · Interior	Folia	Vill	THE STATE OF THE S	mining Kerry 1 Mery 1 M
5.Ξ,≅.	Sh	QUEBEC: Montre Grind Richm Chico Quebe	St. Hyancinthe Brome Father Point Toint des Monts. Cape Chatte. Slicquet.	Ew Brckswick: Fred-ricton Chatham	Grand Manan. Point Leppeaux. St. John. St. John.	Por Parl	Nova Scotta: Hadisax Sydney: Yatmouth: Preno: Preno: 'Preno: 'Preno: 'Whitebroid:	NEW FOUNDLAND:	BERNCHA	P E Island: Kilmahamatz Georgetown	Esquimatt Colleward : Esquimatt Colleward : Commischan Backer ville . Agassiz Abort Moody Abbot And Sandge
7.45			• •	Ž.				-	164	•	

PRECIPITATION.

The rainfall in Ontario and British Columbia has exceded the average by a large amount in all the other Provinces the amount has fallen far below the average.

The general distribution is as fellows:—

In British Columbia the rainfall was 5.55 in., or 2.06 above the average.

In the North-West Territories the rainfall was 007 in., or about the average quantity.

In Maniform the rainfall was slight, a measurable quantity only being recorded at one station (Treherne).

In Ontario, West and South-West District it was 4'47 in., or 2.30 in., above the average. In the North and North-West district it was 4'40 in., or 2'54 in. above the average. In the Central District it was 3'84 in. or 1'92 in. above the average; and in the East and North-East District it was 2'93 in., or 1'13 in. above the average.

In Quebec it was 1.63 in. or 0.07 in. below the average.

In New Brunswick it was 150 in., or 135 in. below the average.

In Nova Scotia it was 2'02 in., or 2'32 in, below the average.

In Prince Edward Island it was 102 in., or 105 in. below the average.

Rainfall 5 in. and upwards during month:—

Вкітівії Социмвіл,—Port Moody 13'91 in.; Agassiz 12'77 in.; Abbotsford 10'53 in.; Quamichan 7.40 in.; Esquimalt 7'19 in.

ONTARIO.—Presque Isle, 7:40 in.; Lions Head, 6:48 in.; Thompson, 6:58 in.

St. Thomas, 5'27 in.; Thedford, 5'69 in.; Burks Falls, 5'31 in.; Dealtown, 5'90 in.; Watford, 5'22 in.; Orangeville, 6'55 in.; Fergus, 5'80 in.; Blenheim, 5'96 in.; Coldstream, 6'74 in.; Cowal, 5'92 in.; Wiarton, 7'04 in.; Sunshine, 7'14 in.; Zurich, 8'26 in.; Ridgetown, 5'49 in.; Birnam, 5'86 in.; St. Mary's, 6'62 in.; Elora, 5'83 in.; Lucknow, 7'43 in.; Owen Sound, 5'57 in.; Sprucedale, 6'42 in.; Whiteside, 5'23 in.; Bognor, 6'13 in.; Collingwood, 5'31 in.; Cartier, 5'39 in.; Egremont, 5'10 in.; Beatrice, 6'05 in.; Point Clark, 6'45 in.; Sombra, 5'17 in.; Novar, 5'73 in.; Coldwater, 5'10 in.; London, 6'34 in.; Alton, 5'08 in.; Parry Sound, 6'13 in.; Saugeen, 5'30 in.; Woodstock, 5'62 in.

Rainfall 1 inch and upwards in 21 hours:

- 2nd, Quamichan, 140 in.
- 3rd, Abbotsford, 1.02 in.; Port Moody, 1.10 in.
- 4th, Agassiz, 1'33 in.; Port Moody, 1.25 in.
- 6th, Ignace, 110 in.
- 7th, Port Moody, 113 in.
- 8th, Abbotsford, 119 in.; Port Moody, 130 in.
- 9th, Goderich, 106 in.; Port Moody, 150 in.
- 10th, Sarnia, 100 in.; Wiarton, 100 in.; Cowal, 112 in.; Coldstream, 111 in.; Blenheim, 103 in.; Watford, 100 in.; Oil Springs, 120 in.; Thedford, 125 in.; St. Thomas, 116 in.; Huntsville, 115 in.; Wilton Grove, 154 in.; Ridgetown, 116 in.; Pelee Island, 200 in.; Birnam, 110 in.; Elora, 148 in.; Sprucedale, 155 in.; Cartier, 117 in.; Egremont, 132 in.; Point Clark, 141 in.; Sombra, 156 in.; Gravenhurst, 101 in.; Novar, 104 in.; London, 144 in.; Alton, 107 in.; Parry Sound, 112 in.; Woodstock, 131 in.
- 11th, Fergus, 146 in.; Orangeville, 1410 in.; Burk's Falls, 135 in.; Thompson, 151 in.; Paris, 102 in.; Niagara Falls, S., 100 in.; Cartier, 198 in.; Sault Ste. Marie, 121 in.
- 14th, Glastonbury, 150 in.
- 15th, Wiarton, 137 in.
- 16th, Guelph, 1710 in.; Coldwater, 1710 in.; Alton, 1712 in.; Parry Sound, 1720 in.; Aurora, 1721 in.; Thompson, 1727 in.; Huntsville, 1712 in.; Presque Isle, 1740 in.; Zurich, 1700 in.; Elora, 1710 in.; Sprucedale, 1750 in.; Point Clark, 1726 in.; Gravenhurst, 1700 in.; Novar, 1718 in.
- 17th, Port Hope, 100 in.; Sharon, 108 in.
- 21st, Deubigh, 120 in.; Thompson, 107 in.; Niagara Falls, S., 100 in.; Elora, 160 in.; Port Moody, 1502 in.
- 22nd, Sarnia, 104 in.; Princeton, 1147 in.; Oil Springs, 1120 in.; Aurora, 1187 in.; Credit, 1124 in.; Wilton Grove, 2194 in.; Egremont, 1127 in.; Gravenhurst, 1103 in.; Quamichan, 1130 in.; Port Moody, 1112 in.

- 23rd, Mount Forest, 113 in.; Wiarton, 207 in.; Cowal, 208 in.; Coldstream, 273 in.; Blenheim, 309 in.; Nelson, 156 in.; Fergus, 201 in.; Orangeville, 179 in.; Rosehill, 138 in.; Wyoming, 213 in.; Watford, 177 in.; Dealtown, 251 in.; Thedford, 108 in.; St. Thomas, 155 in.; Midland, 110 in.; Lion's Head, 205 in.; Presque Isle, 300 in.; Goderich, 140 in.; Zurich, 208 in.;
 - Kingsville, 146 in.; Ridgetown, 239 in.; Birnam, 143 in.; St. Mary's, 180 in.; Cottam, 109 in.; Sprucedale, 290 in.; Bognor, 195 in.; Collingwood, 153 in.; Egremont, 144 in.; Point Clark, 248 in.; Sombra, 122 in.; Novar, 140 in.; Guelph, 101 in.; Coldwater, 106 in.; London, 203 in.; Zurich, 208 in.; Port Stanley, 158 in.; Saugeen, 170 in.; Rockliffe, 142 in.; Woodstock, 152 in.
- 24th, Sunshine, 240 in.; Thedford, 154 in.; Niagara Falls, S., 124 in.; Lucknow, 274 in.; Owen Sound, 303 in.; Uplands, 135 in.; North Bruce, 265 in.; Abbotsford, 109 in.; St. Johns, N.F.L., 100 in.
- 25th Glastonbury, 115 in.; Quamichan, 120 in.
- 26th, Orangeville, rot in.; Port Moody, ro8 in.
- 27th, Zurich, 100 in.; Cow Bay, 112 in.; St. Andrews, 195 in.
- 28th, St. Mary's, 1.80 in.
- 30th, Abbotsford, 100 in; Port Moody, 117 in.

The Snowfall in the Eastern Provinces has been considerably less than the average quantity for November, while in Manitoba and westward to British Columbia the fall has been large and general; in Manitoba some observers report the largest fall for November during several years.

The distribution is as follows:

British Columbia.—On the coast only a small quantity has fallen, but in the interior upwards of three feet is recorded.

In N. W. Territories about 7 in, has fallen.

In Manitoba 116 in. has fallen, or about three times the average.

In the districts of Ontario the amount is 8.2 in., or 0.5 in. below the average; 11.5 in., or 3.4 in. below the average; 5.0 in., or 1.1 in. below the average; 4.9 in., or 3.3 in. below the average.

In Quebec 5.5 in., or 6.7 in. below the average.

In New Brunswick 2.3 in., or 6.3 in, below the average.

In Nova Scotta 2:4 in., or 1:8 in. below the average.

In P. E. Island 40 in., or 43 in. below the average.

Monthly Snowfall 6 in, and upwards.

British Columbia.—Baskerville, 36 in.

N. W. TERRITORIES.—Glen Adelaide, 12 in.; Maple Creek, 11 in.; Swift Current, 12 in.; Qu'Apple, 9 in.

Manitoba.—Hartney, 15 in.; Cartwright, 12 in.; Foxton, 9 in.; Gladstone, 8 in.; Rathwell, 6 in.; Brandon, 9 in.; Fort Ellice, 7 in.; Brandon (Experimental Farm); 6 in.; Oakbank, 17 in.; Russell, 8 in.; Norquay, 13 in.; Portage la Prairie, 9 in.; Shoal Lake, 9 in.; Hillview, 7 in.; Clandeboye, 11 in.; Elkhorn, 11 in.; Winnipeg, 12 in.; Clarkleigh, 14 in.; Killarney, 12 in.; Cartwright, (2) 15 in.; Belmont, 16 in.; Roseberry, 22 in.

ONTARIO. Presqu'Isle, 13 in.; Axe Lake, 17 in.; Huntsville, 12 in.; Owen Sound, 11 in.; Uplands, 11 in.; Denbigh, 7 in.; Midland, 6 in.; Joly, 15 in.; Thedford, 7 in.; Savanne, 6 in.; Burk's Falls, 9 in.; Heron Bay, 12 in.; Winona, 7 in.; Buda, 9 in.; Dealtown, 7 in.; Bognor, 22 in.; Oil Springs, 6 in.; Whiteside, 14 in.; Orillia, 14 in.; Sprucedale, 19 in.; Wyoming, 7 in.; St. Mary's, 10 in.; Fergus, 8 in.; Lucknow, 13 in.; Nelson, 7 in.; Egremont, 17 in.; Sarnia, 14 in.; Cayuga, 6 in.; Princeton, 9 in.; Wiarton, 6 in.; Mount Forest, 21 in.; Sunshine, 14 in.; Kingsville, 7 in.; Ridgetown, 7 in.; Niagara Falls S., 6 in.; Sharon, 7 in.; De Cewsville, 7 in.; Cottam, 8 in.; Cartier, 32 in.; Missanabie, 32 in.; Norwood, 8 in.; Beatrice, 12 in.; Point Clark, 13 in.; Sombra, 8 in.; Sault Ste. Marie, 16 in.; Gravenhurst, 11 in.; Novar, 19 in.; Bancroft, 8 in.; Guelph, 6 in.; Coldwater, 19 in.; Little Forks, 8 in.; Alton, 7 in.; Parry Sound, 18 in.; Saugeen, 18 in.; Rockliffe, 7 in.; White River, 6 in.; Woodstock, 11 in.; Lindsay, 10 in.

Quebec.—St. Hyacinthe, 6 in.; Point des Monts, 15 in.; Bicquet, 9 in.; Grindstone, 9 in.

Snowfall 4 in, and upwards in 21 hours.

2nd, Fort Ellice, 5 in.

3rd, Grindstone, 4 in.

7th, White River, 4 in.

10th, Hartney, 5 in.; Rosebury, 12 in.; Cartwright 6 in.

- 11th, Rosebury, 4 in.; Portage la Prairie, 4 in; Maple Creek, 6 in.
- 12th, Heron Bay, 6 in.
- 14th, Sault st. Marie, 5 in.
- 15th, Clarkleigh, 4 in.; Clandeboye, 4 in.; Oakbank, 4 in.; Portage la Prairie, 4 in.; Savanne, 4 in.
- 17th, Roseberry, 6 in.; Orillia, 4 in.; Fergus, 5 in.; Mount Forest, 11 in.; Bognor 6 in.; Buda, 5 in.; Coldwater, 5 in.
- 18th, Presque Isle, 4 in.; St. Mary's 4 in.; Owen Sound, 5 in.; Egremont, 5 in.; Barkerville, 5 in.; Lindsay 4 in.
- 19th, Barkerville, 5 in.
- 20th, Clandcboye, 4 in.
- 21st, Hillview, 6 in.; Shoal Lake, 4 in.; Oakbank, 5 in.; Swift Current, 4 in.
- 22nd, Barkerville, 5 in.
- 23rd, Norquay, 6 in.; Oakbank, 5 in.
- 24th, Cartier, 15 in.; Missanabie, 4 in.; Egremont, 4 in.; Beatrice, 4 in.
- 25th, Clarkleigh, 4 in.; Presque Isle, 4 in.; Huntsville, 9 in.; Mount Forest, 4 in.; Bognor, 4 in.; Axe Lake, 12 in.; Joly, 4 in.; Novar, 8 in.; Parry Sound, 10 in.; Rockliffe, 5 in.
- 26th, Whiteside, 5 in.; Cartier, 12 in.; Missanabie, 8 in.; Gravenhurst, 5 in.
- 27th, Wilton Grove, 4 in.; St. Thomas, 4 in.; Oil Springs, 5 in.; Nelson 7 in.; Cayuga, 5 in.; Cowal, 4 in.; Princetown, 6 in.; Sarnia, 6 in.; Kingsville, 5 in.; Ridgetown, 5 in.; Missanabie, 6 in.; Norwood, 5 in.; Sombra, 7 in.; Point des Monts, 13 in.; Alton, 4 in.; Woodstock, 4 in.
- 28th, Thedford, 4 in.; Winona, 5 in.; Dealtown, 6 in.; Wyoming, 7 in.; Blenheim, 5 in.; Zurich, 4 in.; Paris, 4 in.; Niagara, Falls, S., 5 in.; Decewsville 6 in.; Cottam, 8 in.; Stoney Creek, 4 in.; Brantford, 5 in.; Missanabie, 5 in.; Point Clark, 13 in.; Paris, 5 in.; Zurich, 4 in.
- 20th, Sarnia, 8 in.; Missanabie, 4 in.; Saugeen, 4 in.
- 30th, Missanabic, 5 in.; Barkerville, 5 in.

Thunder or lightning recorded on-

- 1st, Brome.
- 8th, 8t. Thomas, Blenheim, Ridgetown, Pelee Island, Lucknow.
- 25th, Gravenhurst.
- 27th, Stony Creek.

Aurora recorded on-

- Where the class of amora is noted by the observer it is given (1), being the brightest (IV), the feeblest in brilliancy.
- 2nd, Father Point, HI; Truro, IV.
- 3rd, Posen, II.
- 4th, Dorchester (N.B.), Little Forks, III; Truro, IV.
- 5th, Posen, IV; Dorchester (N.B.), Georgetown (P.E.L.), Prince Albert, III; Father Point, IV; Sydney, IV.
- oth, Pembina Crossing, III; Hillview, Posen, IV; Russell, III; Portage la Prairie, St. Albans, III; Gladstone, Elkhorn, Dorchester (N.B.), Georgetown (P.E.I.), Truro, IV.
- 7th. Posen, II; Dorchester (N.B.), Minnedosa, III.
- 8th, Pembina Crossing, IV.
- 14th, Port Arthur, III; Prince Albert, III.
- 18th, Pembina Crossing, IV.
- 10th, Pembina Crossing, IV; Posen, IV; Yarmonta, IV.
- 20th, Sydney, HL.
- 21st, Dorchester (N.B.).
- 22nd, Truro, IV.
- 2.4th, Bancroft, IV.
- 25th, Minnedosa, IV.
- 26th, Minnedosa, IV.
- 27th, St. Albans, IV; Port Arthur, III.
- 28th, Port Arthur, HI; Minnedosa, IV.
- 30th, Russell, H.

							HC	URS 1	ENDL	ΧG						
-	5 А.М.	6 A-M-	7 A.M.	8 A.M.	9 A.M.	10 A.M.	11 A.M.	NOON.	1 P.M.	2 P.M.	3 P.M.	4 P.M.	5 P.M.	6 P.M.	7 P.M.	P.M.
Esquimalt				0.00	0 08	0 12	0.25	0.33	0.52	0.58	0.26	0:06				
Agassiz, B.C				.00	06	15	14	117	17	15	14	-11	ន			
Brandon				00	15	-28	142	44	-51	.53	48	- 29	02			
Indian Head				.00	111	· 25	.23	.35	.39	.33	35	20	01			
Winnipeg				:03	.31	35	41	.43	.41	-41	138	.25	.01			
KINGSVILLE				06	-19	-28	-40	:36	-27	-28	.30	18	01			
WOODSTOCK	1			.07	.07	. 21	.27	-32	-32	-30	-23	13	02			
TORONTO				-10	-23	23	-26	-37	41	-37	*35	1 17	.05			
LINDSAY				.09	-14	. 24	-31	24	23	-27	-28	19	.10			
Barrie		ļ 		.00	-10	18	19	128	-24	- 22	18	12	-01			
Kingston				.07	-29	-38	-41	46	48	141	48	- 33	-11			
Montreal				п	-39	-41	40	45	4.5	· 38	 31	104	(H)			
Fredericton				05	:30	-38	47	-50	-53	63	-60	-56	-03			
Sydney				10	-29	*34	-32	36	43	45	-42	.33	109			
				. 10	٠.,	94	135		40	40	42	ക	(15)			
		Je						1		1			· _			
			Еѕеримагт.	AGASSIZ.	BRANDON.	INDIAN HEAD.	WINNIPEG.	KINGSVILLE.	Woodstock.	Torbneo.	LINDSAY.	BARRIE.	KINGSTON,	MONTREAL.	FREDERICTON.	SYDNEY.
MEAN PROPORTION FOR MONTH(Constant sunshine being 1.)			0 17	0.12	0.34	0.24	0 33	0 23	a 20	0 27	0.21	0 16	0°36	0.26	0:44	0133
MAXIMUM DAILY AMOUNT			0:61	0.81	0.77	0:81	0.83	0 86	0.72	0:87	0.88	0.71	0.85	0.94	0:94	0.95
Date			7	10	19	б	6	. 30	30	2	29	11	29	15	19	21
No. of Days Completely Clouded			13	19	7	12	10	12	11	7	12	12	6	11	10	9

PROBABILITIES.

The probabilities issued by this office at 11 p.m. each night are posted up at every telegraph station in Canada, and are for the 24 hours beginning at 8 a.m. the following day.

The number of predictions issued during the month was 635. These were divided as follows:—

	No.	VERIFIED.							
DISTRICT.	Issued.	No. Fully.	No. Partly.	No. Not,	Percentage				
Manitora	91	69	13	g	83.0				
Lower Lake Region	111	93	16	5	88.6				
UPPER St. LAWRENCE	108	82	17	9	83.8				
OWER ST. LAWRENCE.	101	81	11	9	55.6				
łerp	109	92	12	ű	89.9				
Maritime Provinces	112	81	16	12	82.1				
Тотмь	635	501	83	10	87.6				

The percentage of verification is obtained by taking the sum of those fully verified and half the sum of those partly verified and dividing by the whole number.

In ascertaining the percentage of verification of the predictions the reports from the agents at the "Probability Stations," as well as the telegraphic reports, are used.

The daily probabilities were issued by Probability Officer B. C. Webber.

STORM WARNINGS.

During the month warnings on the approach of five storms were issued to our agents, and cautionary signals duly displayed at the various signal stations. The total number of warnings issued was 260, of which 212, or 815 per cent., were verified. At 5 stations, however, the force did not reach that indicated by the signals displayed; 13 stations reported warnings received late, 8 owing to delay in issue, and 5 to delay in transmission, and 2 stations reported a storm for which no warning was sent.

In connection with the warnings, predictions as to probable directions of the wind were given, and of the 212 warnings verified as to force, 206, or 97'2 per cent., were fully verified, and 212, or 100 per cent., were fully and partially verified.

No. 1. At 10 a.m. on the 5th all Bay of Fundy stations, also Liverpool and Halifax, were warned for a moderate gale from the N., shifting to N. E. and E. in advance of a depression then covering the Middle Eastern States, which eventually passed off the coast, causing a gale on the New England coast, but no higher velocity than a strong N.-E. wind was reported from Canadian stations.

At 10 a.m. on the 7th, stations in the Gulf of St. Lawrence, south of Chatham, in the Bay of Fundy and along the Atlantic coast were warned for a strong N. E. to N. and N. W. gale, and at 10.40 a.m. on the same day all stations north of Chatham and on the River St. Lawrence were similarly warned, owing to the above depression showing signs of considerable development off the New England coast. During the night of the 7th and on the 8th, a moderate to fresh gale from the E. and N. E. was experienced along the Cape Breton and Atlantic coasts, and a strong N. E. gale was reported from the Bay of Fundy. No storm apparently occurred in the Gulf of St. Lawrence. By the night of the 8th the cyclone had passed out to sea.

No. 2. At 10 a.m. on the 8th all Lake stations were warned for a moderate gale from the S. to W. and N. W., in consequence of a trough of low pressure then extending from the Lakes to Mexico. Later a cyclone of some importance developed in its lower portion and moved slowly to the Lakes.

At 11 a.m. on the 10th, as the depression was nearing the Lakes and developing, and another important depression was approaching from the Northwest, signals were changed on Lake Superior to No. 4 for a heavy gale from S.-W. to W. and N.-W. and at 4 p.m. signals at all other stations were changed to No. 3 for a heavy gale from S. to W. and N.-W.

The two depressions joined over the Lakes and passed northeastward as a single depression causing a moderate to strong gale from the S.-E. to W. and N.-W. The gale seems to have been very heavy on the Georgian Bay and Lake Huron during the night of the 10th, and morning of the 11th, blowing 60 miles per hour from the S.-W. at Presqu'Isle, and 60 miles S.-W. at Goderich. Lake signals were lowered at 4 p.m. on the 12th.

At 11 p.m., all stations in the Bay of Fundy and those along the Gulf coast between Father Point and Chatham, were warned for a strong easterly gale. The depression however, dispersed after leaving the lakes and gave no storm in these districts.

No. 3. On the 15th, two narrow wedges of low pressure appeared, one over Manitoba, and the other over the Southwest States. At 10 a.m, signal No. 4 for a strong W. gale was ordered for Lake Superior, and cautionary, E. signals were ordered for all other Lake stations. By night the two wedges had joined and an important cyclone formed, which was central at 8 p.m. over Wisconsin, at 10 p.m. signals were changed to No. 4 on Lake Eric and Ontario for a strong westerly gale, and to No. 3 on Georgian Bay and Lake Huron, for a strong S. to W. and N.-W. gale.

A moderate S.-E to S.-W. gale occurred at most places on the 15th; the depression during the day passing to the N. of the Lake district and dispersing. It was soon followed by a subsidiary depression, which quickly developed over the Lakes during the night of the 16th, which caused a tresh to heavy gale throughout the Lakes on the 17th, blowing at first at some places from the S.-E., but being general later in the day from the N.-W and S.-W. Presqu'Isle reports 50 miles per hour from the N.-W., Goderich 67 miles W. S.-W., Port Stanley 40 miles S.-E., Toronto 60 miles N., and Kingston 40 miles S.-W.

As the cyclone moved northeastward, all Eastern stations were warned at 10.40 a.m. on the 17th, to expect a strong gale from the E. shifting to S.-W. and W. during the 17th, a fresh to heavy gale occurred throughout eastern Canada, at first from the S.-E. veering to W. and N.-W. St. John N. B. reported 54 miles per hour from the S. and Father Point 56 miles S. The cyclone passed off the coast on the 18th.

No. 4. An important cyclone was over Montana on the 20th, moving south-eastward. That evening cautionary E, signals were ordered for all stations on Lake Erie and the western portion of Lake Ontario and signals for a strong gale from E, to N, and N,-W, were ordered for Lake Superior stations. At 10 a.m. the next morning all Georgian Bay and Lake Huron stations were warned for a strong gale from the S, shifting to W, and N,W. Cautionary signals on Lakes Erie and Ontario were changed to No. 4, and the same signal ordered for stations on Lake Ontario not already warned. The depression dispersed over the Lakes on the 21st, after giving high winds on Lake Erie and the Georgian Bay, but another depression quickly developed in the S,-W, and moved to the Lakes, causing a fresh to heavy gale throughout the Lake district during the 23rd and 24th, the wind reaching a velocity of 70 miles per hour from the S,-W, on Lake Huron, and between 35 and 65 miles an hour on the other Lakes. By the night of the 24th the storm had moved to the Gulf of St. Lawrence and signals were lowered at Lake stations.

On the 23rd, at 11 a.m., cautionary E. signals were ordered in advance of the same storm for Bay of Fundy stations, and the same afternoon signals for a strong gale from the E., shifting to the S. and S.-W., were ordered up at all Eastern stations. 58 miles per hour from the S.-W. was recorded at Father Point and there was also a moderate to fresh gale on the Gaspé coast and in the Bay of Fundy during the night of the 23rd and on the 24th. No storm was reported elsewhere.

No. 5. On the morning of the 26th a depression which had come from the west was central over Lake Superior and developing in energy. At 10 a.m., signals for a strong gale from the S., shifting to W. and N.W, were ordered for all Lake stations.

During the 26th and 27th a moderate to fresh gale from the S.-E., shifting to S.-W. and N.-W., prevailed over the Lake district. The wind at some stations also blew hard from the N.-E. as another cyclone quickly followed and passed south of the Lakes. 70 miles per hour from the N.-E. was recorded at Pelee Island and 60 miles S.-W. at Goderich. As the first depression moved east from the Lakes all stations in Eastern Canada were warned, at 10 p.m. on the 26th, for a strong gale from the E., and at 11 a.m. on the 27th signals were changed to No. 4 for a strong westerly gale. Nearly all stations reported a fresh to heavy gale at first from the E., shifting to W. and N.-W. during the 27th and 28th as the cyclone passed across this district and off the Gulf coast.

TORONTO OBSERVATORY, MAGNETIC REVIEW FOR NOVEMBER, 1891.

The magnets were slightly disturbed on the morning of the 1st, but quieted down about 10 a.m. On the morning hours of the 2nd, 3rd, 4th and 5th slight disturbance was visible. There was nothing of importance recorded until the morning of the 14th, when some sharp oscillations set in and continued until 7 p.m., the curves before 8 p.m. taking up an undulatory appearance. This slight disturbance became more important at 8.55 p.m. of the 15th, the declination magnet then moving 19' to the east in a short period. It resumed its normal position about 10 p.m., when the disturbance became barely perceptible. The 16th can hardly be called a quiet day, as during the morning hours minute changes were going on, and during the night there was a tendency for the movements to increase. After 10 p.m., the magnets became perfectly steady. The next important disturbance appeared on the evening of the 19th, but it was not until the morning of the 20th that it assumed more marked features. A sharp westerly rise of 33' at 3.30 a.m. was the most prominent movement; after the magnet had reached its extreme it vibrated considerably for about five minutes, it then slowly moved east, still vibrating. After 4 a.m. slow waves of disturbance were shown until 7 a.m., sharp oscillations following until noon. At 1 p.m. the disturbance was again at work and continued up to the 23rd. On the morning of the 21st the movements were undulatory; also between midnight and 2 a.m. of the 22nd. The magnets quieted down shortly after 10 a.m. of the 23rd.

Both forces were considerably affected on the 10th and 20th. A little before 6 p.m. of the 10th the vertical component commenced to decrease until 3.35 a.m. of the 20th, it then slowly regained its normal reading. The horizontal force diminished rapidly after 8 p.m., and reached its lowest reading at 3.37 a.m.; it then vibrated gradually to its normal reading. On the afternoon of the 20th and 21st both components were changing rapidly, especially the v. f.—On the night of the 23rd slight disturbing action set in and continued more or less to the end of the month.

There were no auroras observed in Toronto during the month. On the 2nd, 3rd, 4th, 8th, 6th, 16th, 13th, 14th, 15th, 16th, 19th, 20th, 21st, 22nd, 23rd, 24th, 20th, 27th, 28th and 20th the sky was clear but no aurora was observed. On all other nights clouds or haze would have hidden any aurora which might have existed.

CHARLES CARPMAEL,

Director.

	t		

METEOROLOGICAL SERVICE

DECEMBER, 1891.

INTRODUCTION.

In compiling the present Review the principal data made use of are the telegraphic reports of observations received at this office for the purpose of weather predictions, and the reports of storms received by mail. For the material used in tracing the courses of areas of high and low pressure in the United States, we are indebted to the Chief of the Weather Bureau, Washington, D.C.

ATMOSPHERIC PRESSURE.

The average pressure, as determined from the observations taken at telegraph reporting stations was below the normal of seventeen years in Manitoba and the North-West Territories, in Quebec it was slightly below, while in the Maritime Provinces, and in the greater part of Ontario, it was above the normal.

The month has been marked by a general tendency for anticyclonic conditions to prevail over the eastern parts and off the Atlantic Coast of the States and Canada, causing cyclones to take a course more northward, and their centres to pass more to the north of the Lake and Eastern Districts, bringing there abnormally mild weather during the greater part of the month.

From the 1st until the 6th an extensive cyclone was moving over the country. Fresh to strong S.E. and S.W. wind and fair, mild weather, prevailed throughout the Lake and Eastern Districts. During the 3rd there was a general increase in pressure over these districts, whilstthe cyclone developed in energy and extended from the Hudson's Bay to the Gulf of Mexico. In the extreme north-west higher pressure and fair, colder weather set in: but in Manitoba there was a snow storm, with a strong gale from the N.E. and N.

By night a S.E. gale was blowing throughout the Lake district, accompanied by rain. During the 4th the gale continued and shifted to the S.W., and by the morning of the 5th the cyclone extended from Manitoba to the Gulf of St. Lawrence, and a S.W. to W. gale was blowing everywhere east of Assiniboia. There was some rain in Quebec, but elsewhere the weather was fair. No decided change in temperature took place in the Lake and Eastern Districts; but colder weather covered the whole North-West. The cyclone passed over Labrador and Newfoundland on the 6th.

. A cyclone was approaching the Lakes from Texas during the 6th, and at night was over this district, giving a general fall of snow. It moved quickly to the Gulf of St. Lawrence, causing snow throughout Quebec and Northern New Brunswick and rain in Southern New Brunswick and in Nova Scotia.

A similar period to that which occurred during the first week now followed,—a general decrease in pressure took place over the whole North West and in the northern portions of Ontario and Quebec, giving gradient- for south-westerly winds and higher temperature everywhere.

There was little change in the position of this extensive cyclone until the 10th, the weather continuing generally fine and mild everywhere, the wind at times increasing locally to a gale.

The 10th brought a change, and a bodily movement eastward of the cyclone was noticeable. Higher pressure and colder weather appeared over the North-West, and anticyclonic conditions soon spread over the whole country, the cyclone disappearing off the eastern coasts.

The anticyclone brought lower temperatures in Northern Ontario and the Eastern Provinces, but it had little effect on the temperature in the Lalle district, where it continued much about the same.

On the 12th the pressure was decreasing in the North west, but with this exception the anti-cyclone covered the whole of the States and the rest of Canada.

The outer southern edge of the cyclone, which had appeared in the North-west, passed castward across the country to Newfoundland, dipping south-eastward over the Maritime Provinces, giving a continuance of S.W. to W. winds throughout, and an increase in temperature, excepting the Lake District, where there was little change, the weather continuing fair everywhere until the 14th, with the exception of some light local snow falls in Nova Scotia on the 12th.

Higher pressure followed over the North-West on the 13th, with a little lower temperature and on the 14th, there was a general increase of pressure over Northern Ontario, and an anticyclone spread over Ontario and the Eastern Provinces giving fine colder weather in Eastern Ontario and the Eastern Provinces; this was of short duration however, for a cyclyone moved up from the South-West States to the Lakes, where it gave a general fall of rain in Southern Ontario and sleet or snow in Northern Ontario on the 15th. It quickly moved over the Eastern Provinces causing a general snowfall in Quebec, and rain in the Maritime Provinces, or snow and sleet in the Northern portion on the 16th. It was accompanied throughout by strong winds and gales from the E, shifting to W, and N.W. During the night of the 16th, it passed over the Gulf of St. Lawrence and was followed over the Lakes and Eastern Canada by clearing colder weather.

After the 13th, the high pressure with fine moderately cold weather, continued over the North-West until the 16th, when somewhat lower pressure and rising temperature set in.

Anticyclonic conditions continued over the Lakes and Eastern districts until the 22nd, with fine weather and slight increases in temperature. The lower pressure which set in on the 16th, over the North-West, continued there until the 21st with fair weather and moderate temperatures, when more anticylonic weather and a fall of temperature took place. The low pressure was then transferred to the Lake district, where it developed into a well formed cyclone on the 22nd, and caused a general rainfall with high S. to W. winds. From thence it passed custward with diminished energy, causing local rains throughout Eastern Canada. Cyclonic conditions again appeared over the North-West on the 22nd, with somewhat higher temperature, and a general but moderate snowfall.

24th brought an important anticyclone which quickly spread over the entire North-West and was accompanied by decidedly low temperature. Some rain fell in Southern Ontario and along the St. Lawrence on the 24th and 25th, owing to the passage of a depression to the South of the Lakes, which also caused rain on the 25th in the Maritime Provinces as it passed to the South of them.

On this day a trough of low pressure extended from Hudson's Bay to the Gulf of Mexico. In this an important cyclone developed, which was central over Wisconsin at night and moving north-eastward. It was accompanied by rain and a fresh S. to W. gale throughout the Lake and Eastern districts, and crossed Newfoundland on the 28th. Then followed the anticyclone, which covered the North-West on the 24th, which soon spread over the Lake and Eastern districts, accompanied by fine weather and lower temperature. An important cyclone, which had moved inland from the Pacific, covered the whole North-West on the 27th, accompanied by higher temperature and a gale from the S.E. and S.W. The cyclone moved castward, and at night on the 28th, cyclonic conditions extended from Hudson's Bay to Texas; higher temperatures prevailed over the Lake district, and during the 29th local rains and strong W. and S.W. winds were experienced there, and strong winds or a gale from the S.E. and S.W., with some rain or sleet in Quebec next day.

The cyclone, in conjunction with a subsidiary, which formed to the south, developed into a very important cyclone, and a strong gale, accompanied by rain, which turned to snow in New Brunswick and Eastern Quebec, prevailed during the 30th and 31st throughout Eastern Canada.

An anticyclone and fine colder weather followed this cyclone over the North-West on the 29th. It soon moved to the Lakes, giving fine cold weather throughout the Lake district and Western Quebec on the 30th, and extended throughout the Eastern district during the 31st, as the cyclone moved off the coast.

A decrease in pressure for a short time in the North-West on the 30th caused a light snowfall in Assiniboia and Manitoba, but the pressure again increased on the 31st.

TEMPERATURE.

The average as determined from the observations was above the normal throughout Canada, except in British Columbia, the greatest excess occurring generally in the northern sections of Ontario.

The highest and lowest Temperatures in each Province during December were:

P.E. Island, 50°4 on 24th, at Georgetown; 4°2 on 1st at Kilmahumaig.

British Columbia, 58% on 10th, at Esquimalt; 5% on 30th, at Barkerville. N.-W. Territories, 60% on 10th, at Maple Creek; 42% on 31st, at Prince Albert. Manitoba, 41% on 8th, at Oakbank; --40% on 25th, at Fort Ellice. Ontario, 64% on 4th, at Georgina; 31% on 30th, at White River. Quebec, 53% o on 5th, at St. Hyacınthe; 10% 5 on 31st, at Quebec. New Brunswick, 52% 5 on 24th, at Grand Manan; 8% o on 18th, at Bathurst. Nova Scotia, 56% o on 5th, at Yarmouth; 6% o on 8th, at Truro.

PRESSURE, TEMPERATURE, WIND AND PRECIPITATION AT STATIONS IN THE DOMINION OF CANADA, DECEMBER, 1891.

1	No. of Fogs.	c :	: \$557-	e = s =	0 00-000	:0000:0	000 00000-0000nn 000
sum	Zo. of Thundersto Xo. of Thundersto	000	:00000		0 GOSTOS 5 HSCHTN	0 0 0 0 0 0 0 0 0 0	
-	symbain to ov	15.65	:555555	[85 E5]	ន ១៩ភេឌន		888 : #888 = 888 = 888 = 158 &
E X.	Zo. of days.	00 EG 2	:588 : :	: ::::::::::::::::::::::::::::::::::::	2011	1705:1:	586:1882382882424 1984 881:188238289821 1984
ITAT	Diff. from aver- age.	'.∄ ≟ ₁	2 2 2	99		0-	
Precipitation	.tanoak	i g	0.50	0.19 0.19 8.55 8.55	0.55 0.15 0.80 0.65 0.73	- 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	855 888888888 888 855 858 858 858 858 85
WIND.	-early but alsee- tion.	TSW.	(2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	25 N 12 W 11 W	M 4 N 4 N 85	21 4 4 NNN	7. 18. 18. 18. 18. 18. 18. 18. 18. 18. 18
VELOCITY OF	Highest days velocity.	1- 0 9 B	9 9 7 5 6 5	20 10 10 10 10 10 10 10 10 10 10 10 10 10	9 to 12	222	E 2288 E 24
VELOC	Mean, miles per hour,			=	19 9	=-=	:
-	ot hours.	88	388 8	188 18	8 2 3 3 5 5 F	3223	888 888888888
	(¹, Todana IstoT	75	် (နှစ္တာ (၁)	198 E	- H-255	우나봅니다.	558 SEEDONGS OF
FROS	Z' IL'	†11 -	** * * 3]	He : 13	- 28-63	19807	885 4865484 128 1
IND	·	51	527 2	17.20	55555	2272	-n9 5-948444 PH
OF W	$^{\circ}M$ $^{\circ}S$		[8== H	==	_ 4 4 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Etti II	######################################
10 N (.8.		2 2 2		= 0 x x n	in the in	
DIRECTION OF WIND FROM	'3 'S	2 :1		ion : iar	24.000 g	1-004	040 10 m 4 + 00 10 m 1 1
Du	E		0 : 1 -	-= =	77.75	-0-0	
	- X	寸 一		7 x 5	1-1-1-1		
	. рариоја	→ ~					
1	la la tunomis (ibal/ dqinoa zymb ta loZ	15.77	liaali	i i i i			
	'Yith	: :					
-imn	Aempoint. Aem relative Hi	: :					
Jo .	आध्या मध्याक्रियामा	. !!					
	vitinb Jeotnori) vange.	9 2 3		ijā ķē	13.0 14.1 15.4 15.4 15.4 15.4 15.4 15.4 15.4	11 11 11 18 14 14 14 14 14 14 14 14 14 14 14 14 14	- 16 18 1 14 19 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
	Меан АзіІу ганде:	- a 25 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	1 10 2 7 9	142 142	9		
	.utau	83	E8888	58 88	ន នៃកភព្ទឹក	និនិនិនិនិនិ	112 11212181818181
OF AIR	Lowest	σ (1) (1) 		2.55 2.55 3.55 3.55 3.55 3.55 3.55 3.55			
TURE	ta)#G	= 1-	20520			/ <u>@ 11 11 </u>	
TEMPERATURE OF	Asadgill	2 - 10 - 0 - 10 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	0.77 7.60 7.17 7.17 7.17 7.17 7.17 7.17		7 (2 (2 (2 (2 (2 (2 (2 (2 (2 (2 (2 (2 (2		1
1.	удата оргали с .	7.7			e vadava evadava evadava		1000 0004000000000000000000000000000000
	-i iva mori flidi . sign		1. 11	4 111	1-	1 1 1	+ : + + + .
	Meun						the contract of the contract o
4	,920 a.d.	1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	45 45 1		6 £ £		10.00
INCI	Lowest,	· 自然	00 - 01 25 - 00 10 - 00 - 00 1	77 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	8 4 4 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		11
PRESSURE IN INCHES	H: Hold	in, in in. 29 so 30 so 28 sug 29 78 30 28 s 78	29-92 29-93 - 01-02 29-93 - 01-01		Maria (1994)		
E - 2 ()	Дови којисец	12 P. 13 P.	100	1 1 2 1			
PR	Mean actual.	E .					
		Assimpting Hat	Pheasant Forks Maple Creek Swift Current Maypelle Benferta	Regina Prince Albert Callary Chapfili Conkup Baort	Colon Adela de		
		i i		Regina Prince Albert. Calpary Chaplin. Conskip		For took page. Oak Back man. For this control of the control of	Para Santa S
1		ine.		Prince Abert. Calcary Thaplin Cancary Capplin Cantary	Mycroba Clen Adda d Mycroba C Microba S Microba S Microba C Strong Microba C Strong Microba C King Microba C King Microba C King Microba C King Microba C King Microba C	Dork Berklings Programmer Color Secretary North Bay North	
1		N N N N N N N N N N N N N N N N N N N		建工业工业		741/11	
1		7 - 7	7 <i>2 2 2 2</i> 2	(ほどのアゴほど)	- /		

Κ.
~
*
=
~
*
~
-
~~
-
- (
1
- 1
Ç.
دار
٠,
٠.
1
_
$\overline{}$
$\overline{}$
CATTO
-
_
_ 1
-
-
$\overline{}$
_
=
PRECIPIT
$\overline{}$
7
-
-
^
$\overline{}$
٠.
1
_
$\overline{}$
-
1
_
į
-
r_i
_
띘
\equiv
<u> </u>
<u>=</u>
TELE
VT(TR
LATURE
RULIST
RATUR
ERATURI
PERATUR
PERATUR
PERATU
TEMPERATUR
PERATU
TEMPERATU
S. TEMPERATU
S. TEMPERATU
S. TEMPERATU
S. TEMPERATU
S. TEMPERATU
S. TEMPERATU
S. TEMPERATU
S. TEMPERATU
SEURE, TEMPERATU
SEURE, TEMPERATU
SEURE, TEMPERATU
S. TEMPERATU

enve	Xo. of Pogs.	
8(110	Zo. of Auroras.	
	No. of days.	
PRECIPITATION	-rovs mort flid aga	
Preci	Атнони	4855484856 68554885648 685548 6855448648648 6856448648 685648 685648 6856488 685
WIND.	-porth bins other inoit	
VELOCITY OF WIND.	Highest days velocity.	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
VELO	Mean, miles per hour.	
	Total number same of longer	1921 1921
ROM	1.4	
35 F1	Z. II 	
XIM.	'AL 'S	
Direction of wind from	8	
CTIN	S. B.	27 2
Ріве	Э.	
	Z' E'	
	Z .	
₹[∋tə	Zo, of days compl clouded	
.bno1	э то тиношк пвоИ.	
-im	Mean relative Um dity.	
10 -	Mean temperature dewpoint	
]	ганке	chop to test to the layer tweet in the new transportation of the new transportation of the layer transportation of
	. едивт ylinb Эзэтвэт!)	0
	Mean daily	- ° dang iga iaga ia iya iagaga isaa : 12 : 22 iagaga : 22 da gagaga iagagaga iagagaga iagagaga iagagaga iagaga
	न} ।	
OF AI	Powest	
TUR	Date	· 그림하다고 않는 2000 200명 한 10 12 12 12 12 12 12 12 12 12 12 12 12 12
TEMPERATURE OF	ीश्मील्डर	
1	. Transito suno ${\cal X}$	$^{\circ}$ of the value of the property of the pr
	-rave mort flid	
	Менп.	- A A B B B E E E E E E E E E E E E E E E
اري ايدا	. ज्याहरू	90-02 30-50 22-58 1-12 30-05 30 62-20 45 1-23 30-05 30 62-20 45 1-23 30-05 30 62-20 45 1-23 30-05 30 62-20 45 1-23 30-05 30 62-20 45 1-23 30-05 30 72-20 47 1-25 30-05 30 77-20 47 1-25 30-05 30 77-20 47 1-25 30-05 30 88-20 79 1-48 30-05 30 88-20 79 1-48 30-05 30 88-20 79 1-48
NCHE	tsowod	# 1
N .	tsaligiH	in in in in in in in in in in in in in i
Pressure in inches	уван каркаа	in. in
PRES		
	Month as unalk	
		Axe Lake Coldwater Coldwater Coldwater Coldwater Stavenhurst North Bruce Surich Point Clark St. Maty s Paris Lucknow Borner Collman Point Peles Kingsville Kingsville Contain Point Peles Kingsville Coldwan Point Peles Kingsville Coldwan Point Stanley Eranlord Stabbille Stabbil
		Collaws Control Collaws Collaw
		A ABOOL CO. CO. CO. CO. CO. CO. CO. CO. CO. CO.
		ONARROACTORY Are Lake Coldwater Beatrior Youth Bruse North Bruse North Bruse Point Clark St. May 8 Paris Lucknown Beatrior Lucknown Beatrior Point Clebe King will- Cottank Wook bock Founden Port Stanky Reatrior On-Covering Forthory Cottank Norwood Stanton Nattawa Collingwood Statton Nattawa Statton Nattawa Collingwood Statton Nattawa Skatton On-Covering Statton Nattawa Collingwood Statton Nattawa Skatton On-Covering Statton Nattawa Skatton On-Covering Statton Nattawa Lindsay On-Corpus Skatton On-Corpus Skatton On-Covering Skatton On-Covering Skatton On-Covering Skatton On-Shatton On-Covering Skatton On-Covering S
ı		c · · · · · · · · · · · · · · · · · · ·

00:00							
00:40		: : : =			=		5 5 5 6 6 6 5 5
9.5 : 9.4 19.5 : 9.4 19.4	49 11 80 10 10 10 10 10 10 10 10 10 10 10 10 10	: : :::	114 % 111 2 11 11 11 11 11 11 11 11 11 11 11	27222228		14 17 10 21 14 17 14 17 14 17 14 17 14 17 14 17 14 17 14 17 14 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	당도콜음곡림하다
11.11 -1.05 -1.376 -2.05	9.1 9.1 1 6.1 9.1 9.1 9.1 9.1 9.1 9.1 9.1 9.1 9.1 9	3.0		5555555 7799779	# P	1.00	646866 646866
3.07 1.95 4.66 4.35	8. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.		231-020000000000000000000000000000000000	400000-0 600004-0 741,1111		: 111 8 887 8 858	
5 S.W.	8 8 8 M 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			30 E 17 NM 17 NM 17 NE 17 NE	W 72		
2 2			19.5 19.5 19.5 19.5 19.5			= [::]	
= =			11. fr 11	9.51 9.51 9.51 9.51			
8 2	₹ 88 89			25 25 25 25 25 25 25 25 25 25 25 25 25 2		62	3 9 t=2
8 9	7 7 7 6 7	9	15% Uro 61 4		-		8 4 984
5 16	5 5 5 5 6	1 15	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	925 12 12 12 12 12 12 12 12 12 12 12 12 12		146	2 5 5 6 5 6 5 6 5 6 5 6 5 6 5 6 5 6 5 6
	118 118 120 130 130 130 130 130 130 130 130 130 13	5 3	26 98 92 92 92 92 92 92 92 92 92 92 92 92 92	24 123 134 135 135 135 135 135 135 135 135 135 135		: :∞	5 1 1 2 12 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1
1 2	9 F 7 F 2	1 5				- 12	x - 2 %
5 5	27 64	C		- 52 x x = 0 < 2 25 x x = 0 < 2 25 x = 0 < 2		* : <u>21</u>	E 100 100 100 100 100 100 100 100 100 10
	20 Et a 100			သက်လေသန္သန			- I G I
?1 ## ##	_ <u> </u>		2	- 8-55.50			2
= -	02 021 FZ		X () 7 (- 1-10) [[]	nesgau	5.		^ <u> </u>
1- 10	en war- ax		20 0 200 2	\$10 P P P P P P P P P P P P P P P P P P P	:	: :	t+ f- f
	20 15 15 15		5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	2 7 Z			E E E
				6 4 5 9 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	;; ;;	7 7 65	
1910 1510	1.4 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2		50 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 4 4 5 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	10 1		200 200 200 200 200 200 200 200 200 200
11 11 11 12 12 12 12 12 12 12 12 12 12 1					5 S		១១៩១៩១ <u>ក</u> ្នុង ១១៩១៩១ភូឌ
-19 5 17 26 1		- 1 : : - 1 : 1 : 1 : 1 : 1	10 M 2 M 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	11255 a věr 2000 a pe			ភភភិទឥឡើង កុខ១១១១១១១ ភភិទ្ធិ
10 10 10 10 10 10 10 10 10 10 10 10 10 1	70 088 78	9. 9. 9.	។ ។ ។ ។ ។ ។ ។ ។ ។ ។ ។ ។ ។ ។ ។ ។ ។ ។ ។	1-70799F	1-		######################################
	6.0 4.0 6.0 6.0 7.0 6.0 6.0 6.1 1.1 1.4 6.0		X1-2-6-5-0-6				
3.44.0 3.44.0 1.45.0	- H : + : t : - : - : -	4	11.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.	0.44 8 0.4 0.24 11 4.5 0.25 12 12 12 12 12 12 12 12 12 12 12 12 12	## 1 ##	- 464 - 212	5 7 7 7 7 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
20 20 10 20 20 12 20 20 4 + 4 + 4	11.511 11.511 11.511 11.511 11.511	1- 2	2 2 3 1 2 3 1 1 2 2 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1	Ä	2 <u>5</u> 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	
49 PB	58 285 46	1 1 2	74375755555 74375755555	777779917 88888		x 22 5	\$ \$ \$ 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
29.86	29-27 1 46		25175	25 4 T	:		- 10 10 10 10 10 10 10 10 10 10 10 10 10
+ g . g .	30 04 30 °7 ; 20 °25 °20 °19 °25 °20 °19 °25 °20 °19 °25 °20 °19 °25 °20 °19 °25 °20 °20 °20 °20 °20 °20 °20 °20 °20 °20		11 X X X 10 11 1 H 10 11 1 1 1	F \$ 9 H			7 : R : A
30 40	36 64 30°7.1 29°27. 30°17.2 29°19		0.8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	5248 i i i	29 (20 cm miles 20 cm)	2010 Strate Strate	(0) (1) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4
30 40	20 04 30 T T T T T T T T T T T T T T T T T T		5		를 하는 것이 없는 없습니 없습니 없습니 없습니 없습니 없습니 없습니 없습니 없습니		
29.86 30.40		1 1					21 21 21 4
. 6					i		
Novar Heron Bay Wanstead Little Forks.	Weren: Montre al. S. Byancinthe Robertyal Richmond Chicottini Quebec Lemoxy He Henn Henn	Point des Monts Cape Chatte Siegert Cape Megelalene	NEW E. News R.; Fredersotten Fr	And the second of the second o			
d d orks. nville		s Mor.	NEW E. Newer R. Franks and M.		: .		Committee of the Commit
Novar Heron Bay Wanstead Little Forks.	Introd Invariant Production Produ		A Part of the state of the stat				Commodian Commod

STATIONS RECEIVED TOO LATE FOR NOVEMBER, 1891.

PROVINCE.	STATION.	MEAN	Hioi Temper	HEST RATURE,	Low TEMPE	EST LATUICE.	Paceum	ration,	Acrorys,	Thunder
		Temp. Date. Temp. Date. Amount. D	Days.		STORMS,					
		N.	ē.		e e		in.			
British Columbia	Fort Simpson	11 00	57. 0	25	19-6	11	18.34	24		
Manitoba	Cleannel Island	16.37	11.5	6	-22 5	26	0.21	}0	6	
N. W. Territory	Oonikup	10:29	43-0	6	-33 0	27	0.93	15	1	
Ontario	St. George	36154	66.0	9	9.0	550	1.92	16		
	Clouterf	31 00	63.3	9	5 H	<u>(H)</u>	2.52	9	6	7, 16,
New Brunswick	St. John City	.37, 20	56.0	11	8.0	30	3.74	141		
	Bathurst	28-21	19.0	21	- S H	15	1 60	5		
		_	-						´I	

Lake Winnipeg trozen over on 16th November.

ABSTRACT OF OBSERVATIONS MADE AT CHRIST CHURCH MISSION, PEACE RIVER, N.W.T., DURING 1890-91.
BY REV. J. GOUGH BRICK, B.A.

-						1 3													
		Т	ЕМРЕВА Г	TRE.		MOUNT LOUDED.	RA	RAIN, SNOW,				Direction of Wind from							
	Мези.	Highest.	Lowest.	Monthly Range.	Greatest Daily Range.	MEAN ANOI OF SEY CLOU	Amount.	Days.	Amount.	Days.	×	N. E.	ᆵ	х. Э	<u>vi</u>	S. W.	<u>#</u>	X. W.	Calm.
1890	.,	Ų	o	٥	v	_	in.		in.										
December	6:58	1510	10.0	85:0	17:10	0.2	0:50	2	5.0	2	13	12	1	3	1	41	5	21	u
1891				1															
January	5 57	5010	50.0	100 : 0	19:77	0.2	0.00	0	17:0	5	11	10	Ð	1)	0	5	27	0	0
Pebruary	9:10	2610	5510	81:0	28189	0.1	0.00	0	3.0	2	-3.3	19	0	0	0	2	9	2	2
March	16:27	51:0	-39.0	9010	35 00	0.53	0.00	0	315	2	Ğ	7	2	0	0	31	.1	9	0
April	13:52	75:0	1:0	71:0	38143	0.0	0.21	2	•	1	0	12	0	+;	0	::	28	11	()
Мау	48.83	((2))	7.0	9950	34.81	0.1	1:59	t	1:5	2	11	1	10		8	6	17	.5	1
June	56:04	80:0	.:3*0	. 15:0	31:47	0.2	1:50	9			0	6	3	10	7	17	16	1	0
Anly	62109	86.0	33*0	5000	20120	0.2	4.94	10			0	1	!	8	27	6	14	2	0
August	59:40	88 0	30.0	58:0	35190	0.1	0.35	2			3	5	1	0	3	14	233	13	.0
September	52:87	83:0	2510	58:0	29235	0.5	0:50	1			ì	3	4.	1	5	12	-1	10	0
October	3 :: 70	74.0	-13 0	87:0	26167	0.3	0.21	2	11:0	2	0	1.5	7	1	0	3	10	::	O
			1							-			1		-		I		

Mr. Brick remarks, that this was the mildest winter that I have ever seen in this country, weather continuing mild until the last day of January.

PRECIPITATION.

The raintall for December has, with the exception of Nova Scotia, slightly exceeded the normal; in the Pacific Province the amount has on the coast been exceptionally large, and in the northern part of the interior heavy snow has fallen.

The general distribution is as feliotes :—

In British Cort man the rainfall on the coast was 13'10 in., or about twice the average—in the interior little or no rain has fallen.

In the North-Wist Territories the rainfall was inappreciable, or 640 below the average quantity.

In Maxirona the rainfall was about the average, the quantity being 0.08 in , and that fell on the first two days of the month.

In ONTARIC, West and South West District it was 221 in., or 0774 in, above the average. In the North and North-West District it was 148 in., or 038 in, above the average. In the Central District it was 2007 in., or 103 in, above the average; and in the East and North-East District it was 102 in., or 114 in, above the average.

- In Quebec it was 0.98 in., or 0.25 in. below the average.
- In New Bruxswick it was 2'35 in., or 0'77 in. above the average.
- In Nova Scotta it was 2.76 in., or o'81 in, below the average.
- In Prince Edward Island it was 1'86 in., or 0'11 in. above the average.

Kainfail 5 in, and upwards during month :-

Вкитіви Солимилу—Quamichan, 977 in.; Abbotsford, 1031 in.; Agassiz, 1553 m.t. Port Moody, 1539 in.; Fort Simpson, 1882 in.; Esquimalt, 1124 in.

Ontario - Mattawa, 5/15 in.

Rainfall 1 inch and upwards in 21 hours:

- 2nd, Little Forks, 150 in.
- 3rd, Nepigon, 4 in.; Little Forks, 1/50 in.; Fort Simpson, 1/00 in.
- 4th. Cartier, 1/50 in.; Norwood, 1/00 in.; Sprucedale, 1/25 in.; Ignace, 3/25 in.; Nepigon, 1/00 in.; Mattawa, 5/00 in.; Peterborough, 1/05 in.; Port Hope, 1/30 in.; Ennismore, 1/30 in.; Renfrew, 1/01 in.; London, 1/07 in.; Durham, 1/20 in.; Port Arthur, 1/00 in.
- oth, Nelson, 200 in.; Quamichan, 180 in.; Fort Simpson, 163 in.
- 7th, Zurich, 1900 in.: Quamichan, 1900 in.: Agassiz, 1995 in; Port Moody, 3/20 in.: Esquimalt, 1/46 in.
- 8th, Esquimalt, 121 in.
- 10th, Fort Simpson, 1'30 in.
- 11th, Abbotsford, 1280 in.
- 12th, Quamichan, 1'30 in.; Agassiz, 2'15 in.; Port Moody, 2'75 in.
- Ljth, Cayuga, 1705 in.; Scarboro, 1714 in.; Thedford, 1736 in.; Presque Isle, 1700 in.; Elora, 1740 in.; Durham, 1700 in.; Fort Simpson, 2747 in.
- 15th, Shannonville, 1'30 in.; Georgetown, 1'22 in.; St. Mary's, 1'25 in.; Quamichan, 1'35 in.; Port Dover, 1'00 in.; Fort Simpson, 2'71 in.
- 16th, Halifax, 124 in.
- 17th, Port Moody, 105 in.
- 18th, Abbotsford, 127 in.; Port Moody, 102 in.
- 19th, Fort Simpson, 1'02 in.
- 20th, Port Moody, 2'22 in.
- 21st, Abbotsford, 123 in.
- 22nd, Point Lepreaux, 1/10 in.; Collingwood, 1/20 in.; Agassiz, 2/47 in., Esquanalt, 2/30 in.
- 24th, Guelph, 1360 in.
- 25th, Fort Simpson, 129 in.
- 20th, Esquimalt, vor in.
- 31st, Fredericton, 105 in.

SNOWEALL

The snowfall has, with the exception of British Columbia and Manitoba, been in general light, on the Pacific Coast, the amount in addition to the rain being unusally heavy and in Manitoba it is the heaviest since 1882, or almost three times the average amount.

The distribution is as follows:

BRITISH COLUMNIA.—On the coast quite a large quantity has fallen, and in the Interior upwards of three feet is recorded.

- In N. W. Terkreiories about 7 in, has fallen.
- In Maxirona 136 in, has fallen, or about three times the average
- In the districts of Oxivero the amount is join, or 112 m below the average, of m, or 138 in below the average; 74 in, or 76 in below the average; 54 m, or 136 m below the average
 - In Outrice 116 in., or 98 in below the average.
 - In New Brusswick 60 in., or 132 in. below the average
 - In Nova Scoria 3.5 im, or 16.7 in, below the average.
 - In P. E. Israxo 76in., or 184 in below the average.

Monthly Snowfall 12 in, and upwards.

British Columbia Barkerville, 42 in.; Agassiz, 24 in.; Port Moody, 27 in.; Fort Simpson, 13 in.; Esquimalt, 13 in.

Mantford and N. W. Теккітокієs - Swift Current, 12 in.; Norquay, 22 in.; Oak Bank, 18 in.; Posen, 15 in.; Banff, 36 in.; Morden, 31 in.; Belmont, 23 in.; Gretna, 24 in.; Cartwright, 15 in.; Rathwell, 16 in.; Hartney, 21 in.; Rosebury, 38 in.; Clandeboye 17 in.; Cartwright (2) 24 in.

ONTARIO- Bancroft, 14 in.; Uplands, 15 in.; Norwood, 15 in.; Savanne, 15 in.; Sharon, 14 in.; Bognor, 20 in.; Sault St. Marie, 15 in.; Georgina, 14 in.; Mount Forest, 12 in.; Wiarton, 13 in.; Midland, 14 in.; Huntsville, 12 in.; Orangeville, 16 in.; Thedford, 12 in.; Presque Isle, 14 in.; Orillia, 15 in.; Barrie, 12 in.; Owen Sound, 22 in.

QUEBEC Cape Magdafen 15 in.; Father Point 34 in.; Quebec, 12 in.; Montreal, 12 in.

Nova Scotia - Yarmouth, 14 in.

NEWFOUNDLAND -St. Johns, 14 in.

Snowfall five inches and upwards in 24 hours.

3rd, Winnipeg, 6 in.

4th, Oakbank, 12 in.; Killarney, 6 in.; Morden, 24 in.; Belmont, 13 in.; Gretna, 15 in.; Foxton, 8 in.; Rathwell, 11 in.; Roseberry, 18 in.; Clandeboye, 12 in.; Cartwright, 18 in.; Norquay, 10 in.

5th, Goderich, 5 in.

oth, Norwood, 6 in.; Haliburton, 5 in.; Alton, 5 in.; Beatrice, 6 in.; Point Clark, 6 in.; Presqu'-Isle, 6 in.; Orillia, 5 in.; Cartwright, 8 in.

7th, Bancroft, 7 in.; Sharon, 6 in.; Banff, 6 in.; Point Escuminac, 5 in.; Orangeville, 5 in.; Lucknow, 5 in.; St. Mary's, 7 in.; Quebec, 5 in.

11th, Barkerville, 6 in.

12th, Banff, 20 in.; Esquimalt, 11 in.

13th, Orangeville, 10 in.; St. Johns, Nfld., 6 in.

14th, Georgina, 7 in.; Durham, 12 in.

13th, Sault Ste. Marie, 8 in.; Owen Sound, 6 in.; Ottawa, 5 in.; Mexandria, 5 in.

16th, Dalhousie, 10 in.; Bathurst, 6 in.; Father Point, 11 in.; Yarmouth, 6 in.

17th, Cape Magdalen, 6 in.; Ignace, 5 in.; St. Thomas, 5 in.; Wilton Grove, 6 in.; London, 6 in.; Father Point, 5 in.

20th, Hartney, 5 in.; Barkerville, 5 in.; Agassiz, 5 in.

22nd, Savanne, 5 in.

23rd, Port Moody, 6 in.

24th, Uplands, 5 in.; Fort Ellice, 6 in.; Hillview, 8 in.; Belmont, 8 in.; Gretna, 6 in.; Roseberry, 6 in.

25th, Agassiz, 5 in.; Truro, 5 in.

26th, Georgina, 5 in

27th, Owen Sound, 10 in.

28th, Savanne, 5 in.

20th, Hartney, 5 in. : Agassiz, 6 in.

30th, Father Point, 5 in.

31st, Roseberry, 6 in.; Father Point, 11 in.

Aurora recorded on-

Where the class of amora is noted by the observer it is given (1), being the brightest (W), the feeblest in brilliancy.

1st, Winnipeg, IV.

2nd, Gravenhurst, IV.

4th, Clontart, 111.

5th, Winnipeg, IV

6th, Savanne, Posen, II; Dorchester, St. Albans, IV; Fort Ellice, II; Truro, III; Winnipeg, IV.

7th, Alexandria, III; Kingston, III; Prince Albert, III; Winnipeg, IV.

8th, Egremont, IV; Posen, IV.

9th, Henrietta, Russell, IV; Truro, IV; Esquimalt, IV; Winnipeg, IV.

roth, Savanne, Russell, IV; Winnipeg, IV.

- 11th, Winnipeg, IV.
- 12th, Prince Albert, H.
- 14th, Little Forks, IV.
- 17th, Cravenhurst, IV; Little Forks, II.
- 19th, Chicoutimi, Hillview, Dorchester, (brilliant); Russell, III; Fort Ellice, II; Truro, III; Fredericton, III.
- 20th, Georgetown, P.E.L., Dorchester, Fort Ellice, II; Truro, III; Sydney, IV.
- 21st, Dorchester.
- 22nd, Dorchester, Minnedosa, II; Prince Albert, IV.
- 25th, Winnipeg, IV.
- 26th, St. Albans, IV.
- 27th, Little Forks, H.
- 28th, Russell, IV; Winnipeg, IV.
- 29th, Savanne, Russell, IV; Toronto, IV; Winnipeg, IV.
- 30th, Little Forks, H; Port Arthur, III.
- 31st, St. Albans, IV.

PROPORTION OF BRIGHT SUNSHINE REGISTERED IN EACH HOUR OF THE DAY DURING WHICH THE SUN WAS ABOVE THE HORIZON IN THE MONTH OF DECEMBER, 1801.

	HOURS ENDING													
	5 6 7 A.M. A.M. A.M.	\$ A.M.	9 A+Ms	10 A.M.	11 A.M.	NOON	I 1, vi.	2 P. M.	3 P.M.	1 15. M.	.5 P.W.	G P.M.	7 P. V.	r. M.
Esqtimalt		0.00	0.06	0.16	0.21	0.23	0.20	0.21	0.16	0.00				
Agassiz, B.C			4)[)	111	15	:16	18	111	1)7	Θ				
Brandon,			.02	::::	31	28	16	43		.05				
Indian Head				(!)	23	25	3.1	-29	15	0.7				
Winnipeg		1)2	19	20	16	137	137	.11	31	tiri				
Kingsville		181	26	:46	ōĐ	46	50	.55	15	31				
Woodstock		419	45	35	40	145	16	H	10	:17				
Toronto		106	37	56	115	43	19	10	151	35	H _m			
Lindsay		01	D :	31	32	11th	08	20	(6)	-1	SE.			
Barrie		8	17		28	10	39	31	32	20				
Kingston		0,3	24	14	11	11	11	.39	. 2. 1	21				
Montri al		02	117	, eq.	47	52	51	Įc,	3.3	OFF				
Fredericton			131)	.30	33	34	:17	11	118	30				
Sydney			15	23	29	(46	125	20	.6	11				
				-									;	
	Fequinali.	AGASSIZ.	B. COPON.	INDIAN HEAD	Winner.	KINGSVIILE.	Woods Inck.	Torovio.	Livinsay	Pont.	M.Viestov.	MONIBLAL.	I REPORTED TON	
MLAN PROPORTION FOR MONTH (Constant surviving being L)	0.15	0.65	0.27	0.46	0.23	(F. 4()	0.30	0.36	:]	0.5	0.50	0.38	0.50	0.22
MAXIMI M DAILY ANOLSI	*11	(1 (4)	0.71	n .	11 51	11 811	1) %1.	0.94	0.97	(1.80)	0.51	10.91	(1.5)	1.77
Date	. 19	24	25	g.	16	1-	1:1	12	17		1.:	- 1	10	20
No. of Days Compiled by Clear blo		21	1.2	10	11	- 1	7		12	1,	- 1	4	10	-
Tank int. halls coming then a fem new		- 4	1		- 1		,			-				

Thunder storms recorded in British Columbia at Ouamichau on 7th and 8th and Fort Simpson on 21st.

TROBABILITIES.

The probabilities issued by this office at 11 p. m. each might are posted up at every telegraph station in Canada, and are for the 24 hours beginning at 8 a. m. the following day

The number of predictions issued during the month was 683. These were divided as follows:—

	No.		VERI			
DISTRICT.	Issued.	No. Fully.	No. Partly.	No. Not.	Percentage.	
Manfiora	108	75	11	22	74.5	
Lower Lake Region	120	92	16	12	83 3	
Upper St. Lawrence	114	88	15	11	83 S	
LOWER St. LAWRENCE	116	87	14	15	81 0	
GCLF	114	83	18	13	817	
Maritime Provinces	111	81	19	11	, 81 5	
Total	683	506	93	81	80-9	

In order to obtain the percentage of verification of the predictions, the number partly verified is divided by two and added to the number fully verified, and the result divided by the total number issued.

In ascertaining to what extent predictions have been verified, the reports from the agents at the "Probability Stations," as well as the telegraphic reports, are used.

The daily probabilities were issued by Probability Officer H V Payne.

STORM WARNINGS.

During the month warnings on the approach of five storms were issued to our agents, and cautionary signals duly displayed at the various signal stations. The total number of warnings issued was 88, of which 74, or 841 per cent., were verified. Ten stations reported warnings received late, owing to delay in issue, and in five cases the velocity exceeded that indicated by the signal.

In conjunction with the warnings, predictions as to the probable directions of the wind were given, and of the 74 warnings verified as to force, 58, or 784 per cent., were fully verified as to direction, and 63, or 851 per cent., were fully or partly verified.

- I. On the morning of the 3rd there was an important developing depression over Iowa and Minnesota; warning of a heavy north-east veering to north-west gale was sent to Port Arthur; of a heavy south-east to south-west gale to Sault Ste. Marie and stations on Lake Huron, and of a moderate gale from the same directions on Lake Ontario. The storm, with still increasing energy, moved to Lake Superior, and thence passed away north-east and east. An easterly gale began on Lake Superior early on 3rd, continuing till next morning, and then shifted to the westward. On the other Lakes the gale began late at night on the 3rd from the south-east, and on the 4th shifted to the south-west and west, from which directions the blow was heaviest. At 11.15 a.m. on account of this same storm, the warning was extended to stations in the Bay of Fundy, and during the early morning of the 5th a heavy south-west gale set in, and lasted until afternoon. Presqu'Isle, Ont., reports 1 to 2 a.m., 5th, S.W. 60 to 70 miles; Collingwood, morning 5th, W. 45; Saugeen, 11 p.m., 4th, W. 50; Toronto, 1 to 3 a.m., 5th, N.W. 45; Kingston, 3 to 5 p.m., 5th, S.W. 38. Signals were lowered at all stations on evening of 5th.
- 2. A small depression, moving quickly north-eastward, was at 8 p.m. of 6th central in Ohio, and warning of a moderate gale, at first from an easterly direction, was despatched to stations on the Bay of Fundy. Strong winds with rain, were prevalent next evening in the district warned, but there were no gales reported. Signals were lowered during forenoon of the 8th.
- 3. On the 8th there was an important depression over the North-West Territories and north of the Lake Region, which, with high pressure to southward, gave a steep gradient for south-westerly winds over the Lakes. Warning of a moderate southerly to westerly gale was at 4 p.m. despatched to the Maritime Provinces. During 9th strong winds and moderate gales from the south-west prevailed very generally in the districts warned; but nowhere was the storm severe. Signals were lowered on evening of the 9th.
- 4. A depression which caused rain with high winds in the Lake Region on 15th, was on the evening of that day central in eastern Ontario and moving east; at 4 p.m. warning of a moderate

gale, veering from east to south-west, was despatched to stations on the Bay of Fundy; a moderate south-easterly gale set in early next morning at most of the stations, which later on in the day, as the storm centre passed across the Gulf, was followed by a fresh westerly gale. Signals were lowered during forenoon of 17th.

5. Owing to an important eyelonic development to the west and south-west of the Lake Region on the evening of the 28th, warning of a moderate south-east to south-west gale was at 10.20 p.m. sent to stations in the Bay of Fundy. The storm moved eastward, and during the night of the 29th, a moderate south-easterly gale began to blow very generally in the Maritime Provinces. By the morning of the 30th the storm centre was near the Massachusetts Coast, whence, with rapidly increasing energy, it passed north-eastward across the Bay of Fundy and Gulf of St. Lawrence. Signals indicating a heavy westerly gale, were ordered for all Maritime stations at 11 a.m. 30th. That same evening a heavy south-east to south-west gale prevailed, both on the Atlantic Coast and in the Gulf, and during the early part of 31st there was a heavy north-westerly gale in the Bay of Fundy. Signals were lowered on evening of the 31st.

TORONTO OBSERVATORY, MAGNETIC REVIEW FOR DECEMBER, 1891.

The first five and a half days were comparatively free from disturbances. About 8 p.m. of the 6th, the magnets became unsteady, the declination magnet moving east until 4 a.m.; after this hour the disturbance became more important. Previous to 10 a.m. some rapid vibrations of the magnets took place; shortly after 10 a.m. the magnet moved west, a marked maximum taking place at 11.08 a.m. It then turned east, vibrating considerably, especially shortly after the noon observation. Rapid oscillations were kept up until 9 p.m. of the 7th. The v. f. shews a decrease on the 7th up to 6 a.m.; it then slowly returned to its normal reading. The h. f. does not shew any marked changes until 11.47 a.m., when a sudden increase of force set in, followed by a larger decrease until noon; after this hour sharp vibrations commenced, and continued up to the evening hours. Slight irregularities were shewn on the morning and afternoon of the 8th and morning of the 9th; the afternoon and evening hours were similarly affected. About 9.40 p.m. of the 9th a sudden easterly sweep of 35' of the declination magnet set in, the minimum occurring at 10.03 p.m.; a return swing immediately followed, and the magnet continued slightly disturbed to 10 a.m. of the 13th. The h. f. shews a marked decrease of force on the 9th, between 10 a.m. and noon. Slight disturbing action again began on the 13th, and was visible up to the night of the 15th.

The following two days were quiet. On the evening of the 18th slight disturbing action appeared, and the movements increased during the afternoon and night hours of the 19th. This disturbance lasted until noon of the 23rd. The curves on the mornings of the 21st and 22nd present an undulatory appearance. There was nothing of importance registered from the 23rd to the night of the 29th at 8.45, when a sudden hitch in the declination curve announced the commencement of a small disturbance. Between 7 and 10 a.m. of the next day the movements increased; during the afternoon the magnet became very steady, and continued so until the night of the 31st, and the year closed with the magnets in a slightly disturbed condition.

On the 29th auroral light class (IV).—On the 1st, 2nd, 3rd, 5th, 7th, 8th, 10th, 11th, 12th, 16th, 18th, 19th, 20th, 21st, 22nd, 23rd, 25th, 27th, 28th and 30th the sky was clear, but no aurora was observed, on other nights, clouds or haze would have hidden any aurora which might have existed.

CHARLES CARPMAEL,

METEOROLOGICAL OFFICE,

Toronto, February 10th, 1892.

Director.



•			i di		
				**	

		•			
			Ο,		
	120				
		•			
		1.			



P Astron. Can.

59408 Author Cenada. Meteorological Service

1891

Monthly weather review.

University of Toronto Library

DO NOT **REMOVE**

THE

CARD

FROM

THIS

POCKET

Acme Library Card Pocket LOWE-MARTIN CO. LIMITED

